



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



SUPPLEMENTAL/BID BULLETIN

| | |
|-------------------------|--------------------------------------------------------|
| Project Reference No. | IB No. 2023-09 |
| Name of the Project | Procurement of Various IT and Related Equipment |
| Location of the Project | WVSU - Main Campus |

ADDENDUM NO. 2023-09

May 15, 2023

This **Addendum No. 2023-09** is issued to modify the **Section I. Invitation to Bid, Section VI. Schedule of Requirements, Section VII. Technical Specifications and Price Schedule for Goods Offered from Within the Philippines.** These shall form an integral part of the Bidding Documents.

- I. **Section I. Invitation to Bid**
- II. **Section VI. Schedule of Requirements**
- III. **Price Schedule for Goods Offered from Within the Philippines**

| Item No. | Description | Corrections/ Amendments/ Instructions |
|----------|--------------------------------|---------------------------------------|
| 1. | <u>(CCTV) IP CAMERA</u> | <u>(CCTV) IP CAMERA</u> |
| | Qty/ Unit: 12 units | Qty/ Unit: 20 units |
| | Unit Cost: 30,000.00 | Unit Cost: 18,000.00 |

IV. **Section VII. Technical Specifications**

| Item No. | Description | Corrections/ Amendments/ Instructions |
|----------|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| 1. | <u>(CCTV) IP CAMERA</u> | <u>(CCTV) IP CAMERA</u> |
| | <u>COMPUTER LABORATORY</u> | <u>COMPUTER LABORATORY</u> |
| | Qty/ Unit: 12 units | Qty/ Unit: 20 units |
| | Pls. specify brand and model: | Pls. specify brand and model: |
| | Unit Cost: 30,000.00 | Unit Cost: 18,000.00 |
| | Minimum Resolution | 5 MP 1/3" progressive scan CMOS sensor |
| | Application Environment | Outdoor/Indoor |
| | Superior Low Light Sensitivity | Yes |
| | Day I Night | IR cut filter with auto switch |
| | Minimum Illumination | 0.07 lux at f/1.2 with AGC on 0.1 lux at f/1.4 with AGC on 0 lux with IR |
| | Shutter Speed | 1/10,000 to 1/3 sec |
| | Lens | 2.8-12mm at f/1.4, motorized lens |
| | Digital Noise Reduction | 3D-DNR |
| | Wide Dynamic Range | DWDR |
| | Angle Adjustment | Pan: 0 to 355° |
| | | Tilt: 0 to 75° |
| | | Rotation: 0 to 355° |
| | Form Factor | Dome type |
| | Image Sensor | 1/2.8" Progressive Scan CMOS |
| | Min. Illumination | Color: 0.0005 Lux @ (F1.0, AGC ON) |
| | Shutter Speed | 1/3 s to 1/100,000 s |
| | Angle Adjustment | Pan: 0° to 360°, tilt: 0° to 90°, rotate: 0° to 360° |
| | Lens Type & FOV | 2.8 mm, horizontal FOV 107°, vertical FOV 56°, diagonal FOV 127° 4 mm, horizontal FOV 84°, vertical FOV 45°, diagonal FOV 99° |
| | Aperture | F1.0 |
| | Aperture Type | Fixed |
| | Depth of Focus | 2.8 mm, 1.7 m to ∞ 4 mm, 2.3 m to ∞ |
| | Supplement Light | White |
| | Supplement Light | Yes |
| | Light Range | 30 m |



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



| | | | | |
|--|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Video Compression | <i>H.264, MJPEG, H.264+</i> | Video Compression | <i>H.265/H.264/H.264+/H.265+</i> |
| | Video Bit Rate | <i>256 kb/s to 16 Mb/s</i> | Video Streaming | <i>50 Hz: 25 fps (1920 × 1080, 1280 × 720) 60 Hz: 30 fps (1920 × 1080, 1280 × 720)</i> |
| | Dual Stream | <i>Supported</i> | Protocols | <i>TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, NTP, UPnP, SMTP, IGMP, 802.1X, QoS, IPv4, IPv6, UDP, Bonjour, SSL/TLS, PPPoE, SNMP, WebSocket, WebSockets</i> |
| | Audio Compression | <i>G.711, G.722.1, G.726, MP2L2</i> | API | <i>Open Network Video Interface, (PROFILE S, PROFILE G, PROFILE T), ISAPI, SDK</i> |
| | Maximum Resolution | <i>2560 x 1920</i> | Communication Interface | <i>RJ45 10 M/100 M self-adaptive Ethernet port</i> |
| | Maximum Frame Rate | <i>60 Hz: 20 fps at 2560 at 1920 30 fps at 2048 x 1536, 1920 x 1080, 1280 x 720 50 Hz: 20 fps at 2560 x 1920 25 fps at 2048 x 1536, 1920 x 1080, 1280 x 720</i> | Environment | <i>CE-RoHS (2011/65/EU); WEEE (2012/19/EU); Reach (Regulation (EC) No 1907/2006)</i> |
| | Image Settings | <i>Saturation, brightness, contrast adjustable through client software or web browser</i> | Power Source | <i>DC 12V, PoE (802.3af)</i> |
| | Network Storage | <i>NAS (supported NFS, SMB/CIFS), ANR</i> | Water Protection | <i>IP67</i> |
| | Alarm Triggers | <i>Line crossing, intrusion detection, motion detection, dynamic analysis, tampering alarm, network disconnect, IP address conflict, storage exception</i> | Others | <i>with POE injector</i> |
| | Protocol | <i>DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP, SMTP, SNMP, IGMP, 802.1X, QoS, IPv6, Bonjour (SIP optional)</i> | Warranty | <i>1 year</i> |
| | Network Connector | <i>RJ45 10M/100M Ethernet port</i> | Others | <i>Bundled with Software Application compatible for windows 7/10/11 With Labor and Installation included</i> |
| | Power Source Power | <i>12 VDC ±10%, PoE (802.3af)</i> | | |
| | Maximum Power Consumption | <i>5.5 W</i> | | |
| | IR Range | <i>Up to 98.4' (30 m)</i> | | |
| | Weatherproof Standard | <i>IP67,IK10</i> | | |
| | Accessories included: | <i>Power Injector/swiath - PoE Power injector PoE (802.3at)</i> | | |
| | Software | <i>Camera Application included compatible for windows 7 or higher</i> | | |
| | Installation | <i>with Labor and Installation included</i> | | |
| | Warranty: | <i>1 year including parts</i> | | |



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



| Item No. | Description | Corrections/ Amendments/ Instructions |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| 2. | <u>COMPUTER, DESKTOP 1</u> | <u>COMPUTER, DESKTOP 1</u> |
| | <u>SUPPLY – 1; AVC – 10; COP - 1</u> | <u>SUPPLY – 1; AVC – 10; COP - 1</u> |
| | <u>Qty/ Unit: 12 units</u> | <u>Qty/ Unit: 12 units</u> |
| | <u>Pls. specify brand and model:</u> | <u>Pls. specify brand and model:</u> |
| | <u>Unit Cost: 40,000.00</u> | <u>Unit Cost: 40,000.00</u> |
| | <ul style="list-style-type: none"> • Operating System: Windows 10 Home or higher with License | <ul style="list-style-type: none"> • Operating System: Windows 10 Home or higher with License |
| | <ul style="list-style-type: none"> • Processor: i5-11th Gen equivalent or higher | <ul style="list-style-type: none"> • Processor: i5-11th Gen equivalent or higher |
| | <ul style="list-style-type: none"> • Motherboard: Processor Compatible | <ul style="list-style-type: none"> • Motherboard: Processor Compatible |
| | <ul style="list-style-type: none"> • Memory: 8GB DDR4 | <ul style="list-style-type: none"> • Memory: 8GB DDR4 |
| | <ul style="list-style-type: none"> • Storage: 128 GB SSD + 1TB HDD | <ul style="list-style-type: none"> • Storage: 128 GB SSD + 1TB HDD |
| | <ul style="list-style-type: none"> • Display: 18.5” diagonal HD | <ul style="list-style-type: none"> • Display: 18.5” diagonal HD |
| | <ul style="list-style-type: none"> • IO Ports: USB, HDMI, Microphone/ Headphone, RJ-45 | <ul style="list-style-type: none"> • IO Ports: USB, HDMI, Microphone/ Headphone, RJ-45 |
| | <ul style="list-style-type: none"> • Speaker: External Speaker | <ul style="list-style-type: none"> • Speaker: External Speaker |
| | <ul style="list-style-type: none"> • Power Supply: 600W | <ul style="list-style-type: none"> • Power Supply: 600W |
| | <ul style="list-style-type: none"> • UPS: 600W or higher | <ul style="list-style-type: none"> • UPS: 650VA or higher |
| | <ul style="list-style-type: none"> • Others: Mouse and Keyboard | <ul style="list-style-type: none"> • Others: Mouse and Keyboard |
| | <ul style="list-style-type: none"> • Warranty: 1 year including accessories | <ul style="list-style-type: none"> • Warranty: 1 year including accessories |
| 7. | <u>MONITOR, 24” - CICT</u> | <u>MONITOR, 24” - CICT</u> |
| | <u>Qty/ Unit: 4 units</u> | <u>Qty/ Unit: 4 units</u> |
| | <u>Pls. specify brand and model:</u> | <u>Pls. specify brand and model:</u> |
| | <u>Unit Cost: 15,000.00</u> | <u>Unit Cost: 15,000.00</u> |
| | <ul style="list-style-type: none"> • Full HD IPS Monitor | <ul style="list-style-type: none"> • Full HD IPS Monitor |
| | <ul style="list-style-type: none"> • Device Type: LED edgelight system | <ul style="list-style-type: none"> • Device Type: LED edgelight system |
| | <ul style="list-style-type: none"> • Panel Type: IPS | <ul style="list-style-type: none"> • Panel Type: IPS |
| | <ul style="list-style-type: none"> • Native Resolution: 1920 x 1080 @ 75hz | <ul style="list-style-type: none"> • Native Resolution: 1920 x 1080 @ 75hz |
| | <ul style="list-style-type: none"> • Adaptive-Sync Technology: FreeSync | <ul style="list-style-type: none"> • Adaptive-Sync Technology: FreeSync |
| | <ul style="list-style-type: none"> • Brightness: 300cd/m2 (typical) | <ul style="list-style-type: none"> • Brightness: 250c/m2 (typical) |
| | <ul style="list-style-type: none"> • Response Time: 4ms gray to gray mode extreme | <ul style="list-style-type: none"> • Response Time: 4ms gray to gray mode extreme |
| | <ul style="list-style-type: none"> • Aspect Ratio: 16:9 | <ul style="list-style-type: none"> • Aspect Ratio: 16:9 |
| | <ul style="list-style-type: none"> • Pixel Pitch: 0.3114 x 03114mm | <ul style="list-style-type: none"> • Pixel Pitch: 0.2745mm |
| | <ul style="list-style-type: none"> • Input Connectors: 2 x HDMI 1.4 ports; 1 x Audio line-out port | <ul style="list-style-type: none"> • Input Connectors: 2 x HDMI 1.4 ports; 1 x Audio line-out port |
| | <ul style="list-style-type: none"> • Display Position Adjustments: Tilt (-5° to 21°) with built-in cable- management | <ul style="list-style-type: none"> • Display Position Adjustments: Tilt (-5° to 21°) with built-in cable- management |
| | <ul style="list-style-type: none"> • Screen Coating: Antiglare with 3H Hardness | <ul style="list-style-type: none"> • Screen Coating: Antiglare with 3H Hardness |
| | <ul style="list-style-type: none"> • Vesa Mount: 100 x 100 | <ul style="list-style-type: none"> • Vesa Mount: 100 x 100 |
| | <ul style="list-style-type: none"> • Screen Size: 24 inches | <ul style="list-style-type: none"> • Screen Size: 24 inches |
| | <ul style="list-style-type: none"> • Warranty: 1 year | <ul style="list-style-type: none"> • Warranty: 1 year |



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



| Item No. | Description | | Corrections/ Amendments/ Instructions | |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------|
| 8. | <u>NETWORK LAN CABLE TESTER AND PERIPHERALS – COMP LAB.</u> | | <u>NETWORK LAN CABLE TESTER AND PERIPHERALS – COMP LAB.</u> | |
| | Qty/ Unit: 10 units | | Qty/ Unit: 10 units | |
| | Pls. specify brand and model: | | Pls. specify brand and model: | |
| | Unit Cost: 2,600.00 | | Unit Cost: 2,600.00 | |
| | Type | Twisted Pair, DATA , Voice, LAN | Type | Twisted Pair, DATA , Voice, LAN |
| | Application | Cable Testing to 1000' (305 m) | Application | Cable Testing to 1000' (305 m) |
| | Special Features | LED Response | Special Features | LED Response |
| | Cable Type | CAT3, CAT5e, CAT6/6A | Cable Type | CAT3, CAT5e, CAT6/6A |
| | Material | Plastic and Stamped Metal | Material | Plastic and Stamped Metal |
| | Test-n-Map ID Remotes | 1 | Test-n-Map ID Remotes | 1 |
| | Batteries | 1 x 9V | Batteries | 1 x 9V |
| | Battery Life | Active: 80hr; Standby: 3.5 yr. | Battery Life | Active: 80hr; Standby: 3.5 yr. |
| | Drop Protection | 2' (0.6m) | Drop Protection | 2' (0.6m) |
| | Supported Remotes | VDV999150 | Supported Remotes | VDV999150 |
| | Connection & Adapter Types | RJ11,RJ12,RJ45 | Connection & Adapter Types | RJ11,RJ12,RJ45 |
| | Display | LED | Display | LED |
| | Faults Detected | Pass, Miswire, Open-Fault, Short Fault, and Shield | Faults Detected | Pass, Miswire, Open-Fault, Short Fault, and Shield |
| | Test & Measure Types | Voice, Data, RJ45, RJ11 | Test & Measure Types | Voice, Data, RJ45, RJ11 |
| | Included: 9V Battery <ul style="list-style-type: none"> Crimping Tool with Stripper or Cutter/10pcs UTP Cable CAT5e/305 meters RJ-45 Connector/Adapter | | Included: <ul style="list-style-type: none"> RJ-45 Connector/Adapter | |
| | Warranty: 1 year | | Warranty: 1 year | |
| 13. | <u>PROJECTOR 1 – COE (ST)</u> | | <u>PROJECTOR 1 – COE (ST)</u> | |
| | Qty/ Unit: 2 units | | Qty/ Unit: 2 units | |
| | Pls. specify brand and model: | | Pls. specify brand and model: | |
| | Unit Cost: 35,000.00 | | Unit Cost: 35,000.00 | |
| | Projection Technology | : RGB liquid crystal shutter projection system | Projection Technology | : RGB liquid crystal shutter projection system |
| | LCD Size | : 0.55" (D10) | LCD Size | : 0.55" (C2fine) |
| | Native Resolution | : XGA | Native Resolution | : XGA |
| | Lamp Type | : 210W UHE | Lamp Type | : 210W UHE |
| | Lamp Life (Normal/ Eco) | :6,000 hours/ 10,000 hours | Lamp Life (Normal/ Eco) | :6,000 hours/ 10,000 hours |
| | Zoom: Wide | : 30" - 300" [0.89 - 9.12 m] | Zoom: Wide | : 30" - 300" [0.89 - 9.12 m] |
| | Zoom: Tele | : 30" - 300" [1.07 - 10.95 m] | Zoom: Tele | : 30" - 300" [1.07 - 10.95 m] |
| | Contrast Ratio | : 15,000:1 | Contrast Ratio | : 16,000:1 |
| | White Light Output (Normal/Eco) | : 3,600lm / 2,235lm | White Light Output (Normal/Eco) | : 3,800lm |
| | Color Light Output | : 3,600lm | Color Light Output | : 3,800lm |



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



| Item No. | Description | | Corrections/ Amendments/ Instructions | |
|------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| | Vertical/Horizontal Keystone: | ±30° / ±30° | Vertical/Horizontal Keystone: | ±30° / ±30° |
| | Auto Keystone | : Yes | Auto Keystone | : Yes |
| | Horizontal Slide Keystone Correction | : Yes | Horizontal Slide Keystone Correction | : Yes |
| | Quick Corner | : Yes | Quick Corner | : Yes |
| | Operating Temperature: | 5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft) 5 - 30 °C <41 - 86 °F> (over 2,286m / 7,500ft) (20% - 80% humidity, No condensation) | Operating Temperature: | Low Altitude: 5 – 40 °C <41 – 104 °F> High Altitude: 5 – 35 °C <41 – 95 °F> (20% – 80% Humidity, No Condensation) |
| | Maintenance Cycle | : 6,000 hours / 10,000 hours | Maintenance Cycle | : 6,000 hours / 12,000 hours |
| | Connectivity: | Wi-Fi 802.11b/g/n | Connectivity: | Wi-Fi 802.11b/g/n |
| | USB Interface: | USB Type A, USB Type-B | USB Interface: | USB Type A, USB Type-B |
| | Analog Input | : D-Sub 15pin | Analog Input | : D-Sub 15pin |
| | Composite | : RCA | Composite | : RCA |
| | Digital Input | : HDMI | Digital Input | : HDMI |
| | Audio | : 2W | Audio | : 2W |
| | Accessories: | VGA cable, remote control, power cord, manual, carrying case/bag | Accessories: | Wi-Fi Dongle, VGA cable, remote control, power cord, manual, carrying case/bag |
| | Warranty: | 1 year warranty including accessories | Warranty: | 1 year warranty including accessories |
| 14. | <u>PROJECTOR 2, WIRELESS</u> | | <u>PROJECTOR 2, WIRELESS</u> | |
| | VPREI | | VPREI | |
| | Qty/ Unit: 1 unit | | Qty/ Unit: 1 unit | |
| | Pls. specify brand and model: | | Pls. specify brand and model: | |
| | Unit Cost: 35,000.00 | | Unit Cost: 35,000.00 | |
| | Projection Technology | : RGB liquid crystal shutter projection system | Projection Technology | : RGB liquid crystal shutter projection system |
| | LCD Size | : 0.55" (D10) | LCD Size | : 0.55" (C2fine) |
| | Native Resolution | : XGA | Native Resolution | : XGA |
| | Lamp Type | : 210W UHE | Lamp Type | : 210W UHE |
| | Zoom: Wide | : 30" - 300" [0.89 - 9.12 m] | Zoom: Wide | : 30" - 300" [0.89 - 9.12 m] |
| | Zoom: Tele | : 30" - 300" [1.07 - 10.95 m] | Zoom: Tele | : 30" - 300" [1.07 - 10.95 m] |
| | Contrast Ratio | : 15,000:1 | Contrast Ratio | : 16,000:1 |
| | White Light Output (Normal/Eco) | : 3,600lm / 2,235lm | White Light Output (Normal/Eco) | : 3,800lm |
| | Color Light Output | : 3,600lm | Color Light Output | : 3,800lm |
| | Vertical/Horizontal Keystone: | ±30° / ±30° | Vertical/Horizontal Keystone: | ±30° / ±30° |
| | Auto Keystone | : Yes | Auto Keystone | : Yes |



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



| Item No. | Description | | Corrections/ Amendments/ Instructions | |
|------------|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| | Horizontal Slide Keystone Correction | : Yes | Horizontal Slide Keystone Correction | : Yes |
| | Quick Corner | : Yes | Quick Corner | : Yes |
| | Operating Temperature: | 5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft) 5 - 30 °C <41 - 86 °F> (over 2,286m / 7,500ft) (20% - 80% humidity, No condensation) | Operating Temperature: | Low Altitude: 5 – 40 °C <41 – 104 °F> High Altitude: 5 – 35 °C <41 – 95 °F> (20% – 80% Humidity, No Condensation) |
| | Maintenance Cycle | : 6,000 hours / 10,000 hours | Maintenance Cycle | : 6,000 hours / 12,000 hours |
| | Connectivity: | Wi-Fi 802.11b/g/n | Connectivity: | Wi-Fi 802.11b/g/n |
| | USB Interface: | USB Type A, USB Type-B | USB Interface: | USB Type A, USB Type-B |
| | Analog Input | : D-Sub 15pin | Analog Input | : D-Sub 15pin |
| | Composite | : RCA | Composite | : RCA |
| | Digital Input | : HDMI | Digital Input | : HDMI |
| | Audio | : 2W | Audio | : 2W |
| | Accessories: | Wireless Dongle, VGA cable, remote control, power cord, manual, carrying case/bag | Accessories: | Wi-Fi Dongle, VGA cable, remote control, power cord, manual, carrying case/bag |
| | Warranty: | 1 year warranty including accessories | Warranty: | 1 year warranty including accessories |
| 18. | <u>TELEVISION, 65" - AVC</u> | | <u>TELEVISION, 65" - AVC</u> | |
| | Qty/ Unit: 2 Units | | Qty/ Unit: 2 Units | |
| | Pls. specify brand and model: | | Pls. specify brand and model: | |
| | Unit Cost: 75,000.00 | | Unit Cost: 75,000.00 | |
| | Screen Size: 65" | | Screen Size: 65" | |
| | Resolution: 4K | | Resolution: 4K | |
| | RF Antena: Yes | | RF Antena: Yes | |
| | Cable in: Yes | | Cable in: Yes | |
| | LAN Port: Yes | | LAN Port: Yes | |
| | USB in: Yes | | USB in: Yes | |
| | HDMI 2.1: Yes | | HDMI 2.1: Yes | |
| | Optical Digital Audio Out: Yes | | Optical Digital Audio Out: Yes | |
| | Power Requirement: AC 100-240V 50/60Hz | | Power Requirement: AC 100-240V 50/60Hz | |
| | VESA WB (mm): 300x300 | | VESA WB (mm): 300x300 | |
| | With stand (WxHxD): 1233x781x271mm; 17.9kg. | | With stand (WxHxD): 1233x781x271mm; 17.9kg. - deleted | |
| | No stand (WxHxD): 1233x716x44.2mm; 16.3kg | | No stand (WxHxD): 1233x716x44.2mm; 16.3kg | |
| | WebOS 22: Yes | | WebOS 22: Yes | |



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



| Item No. | Description | Corrections/ Amendments/ Instructions |
|----------|------------------------------------|---------------------------------------|
| | <i>Wifi built-in: Yes</i> | <i>Wifi built-in: Yes</i> |
| | <i>Airplay/ Apple Homekit: Yes</i> | <i>Airplay/ Apple Homekit: Yes</i> |
| | <i>Bluetooth: Yes</i> | <i>Bluetooth: Yes</i> |
| | <i>AI Sound Pro: Yes</i> | <i>AI Sound Pro: Yes</i> |
| | <i>Home Dashboard: Yes</i> | <i>Home Dashboard: Yes</i> |
| | <i>AI Picture Pro: Yes</i> | <i>AI Picture Pro: Yes</i> |
| | <i>Active Noise Reduction: Yes</i> | <i>Active Noise Reduction: Yes</i> |
| | <i>AI Accoustic Tuning: Yes</i> | <i>AI Accoustic Tuning: Yes</i> |
| | <i>HEVC 4K 60p codec: Yes</i> | <i>HEVC 4K 60p codec: Yes</i> |
| | <i>Smart Energy Saving: Yes</i> | <i>Smart Energy Saving: Yes</i> |
| | <i>Picture Mode: Yes</i> | <i>Picture Mode: Yes</i> |
| | <i>Wireless Sound Sync: Yes</i> | <i>Wireless Sound Sync: Yes</i> |
| | <i>Picture Option: Yes</i> | <i>Picture Option: Yes</i> |
| | <i>Web Browser: Yes</i> | <i>Web Browser: Yes</i> |
| | <i>Sound Mode: Yes</i> | <i>Sound Mode: Yes</i> |
| | <i>Clear Voice Pro: Yes</i> | <i>Clear Voice Pro: Yes</i> |
| | <i>Aspect Ratio: Yes</i> | <i>Aspect Ratio: Yes</i> |
| | <i>Multi-View PIP: Yes</i> | <i>Multi-View PIP: Yes</i> |
| | <i>Dynamic Color: Yes</i> | <i>Dynamic Color: Yes</i> |
| | <i>Digital TV – ISDBT: Yes</i> | <i>Digital TV – ISDBT: Yes</i> |
| | <i>AI Game Sound: Yes</i> | <i>AI Game Sound: Yes</i> |
| | <i>Next Picks: Yes</i> | <i>Next Picks: Yes</i> |
| | <i>HDR10 Pro: Yes</i> | <i>HDR10 Pro: Yes</i> |
| | <i>Sports Alert: Yes</i> | <i>Sports Alert: Yes</i> |
| | <i>Room to Room Share: Yes</i> | <i>Room to Room Share: Yes</i> |
| | <i>HDMI 4K@120Hz: Yes</i> | <i>HDMI 4K@120Hz: Yes</i> |
| | <i>Reduce Blue Light: Yes</i> | <i>Reduce Blue Light: Yes</i> |
| | <i>eARC: Yes</i> | <i>eARC: Yes</i> |
| | <i>Warranty: 1 year</i> | <i>Warranty: 1 year</i> |
| | ---Nothing Follows--- | ---Nothing Follows--- |

For guidance and information of all concerned.

JULIUS B. UNДАР

Chairperson, Bids and Awards Committee