

West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879 * Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph





SUPPLEMENTAL/BID BULLETIN

Project Reference No. IB No. 2023-18

Name of the Project

Procurement of Various Office Equipment for

Various Units

Various Units

Location of the Project WVSU - Main Campus

ADDENDUM NO. 2023-16

June 14, 2023

This <u>Addendum No. 2023-16</u> is issued to modify the <u>Section VII. Technical Specifications.</u> These shall form an integral part of the Bidding Documents.

I. <u>Section VII. Technical Specifications:</u>

Item No.	Description	Corrections/ Amendments/ Instructions
1.	AIR CONDITIONING UNIT, 2.5 HP, SPLIT TYPE,	AIR CONDITIONING UNIT, 2.5 HP, SPLIT TYPE,
	<u>INVERTER, WALL MOUNTED - UEDC</u>	<u>INVERTER, WALL MOUNTED - UEDC</u>
	Qty/Unit: 1 unit	Qty/ Unit: 1 unit
	Pls. specify brand and model:	Pls. specify brand and model:
	Unit Cost: 72,000.00	Unit Cost: 72,000.00
	Power Source: 230 VAC/ Single Phase/ 60Hz	Power Source: 230 VAC/ Single Phase/ 60Hz
	Horsepower: 2.5 HP	Horsepower: 2.5 HP
	Nominal Cooling Capacity (minmax.): 24,500	Nominal Cooling Capacity (minmax.): 24,500 KJ/Hr
	KJ/Hr or lower	or lower
	Power Input: 2,500 W or lower	Power Input: 2,500 W or lower
	• <i>EER (BTU/Hw)::</i> 10.3 or higher	• <i>EER (BTU/Hw)::</i> 10.3 or higher
	• Inrush current (Max. Current): Cooling: 11 Amps or lower	• Inrush current (Max. Current): Cooling: 11 Amps or lower
	• Indoor: Db (A): 52 or lower	• Indoor: Db (A): 52 or lower
	Outdoor: Db (A): 60 or lower	Outdoor: Db (A): 60 or lower
	Indoor unit: Net Weight: 20 kg. or lower	Indoor unit: Net Weight: 20 kg. or lower
	Outdoor Unit: Net Weight: 50 kg or lower	Outdoor Unit: Net Weight: 50 kg or lower
	Range of Usage (Vertical Height Difference (m):	Range of Usage (Vertical Height Difference (m): From
	From indoor unit to outdoor unit of ACU 15 ft.	indoor unit to outdoor unit of ACU 15 ft.
	Includes installation cost and masonry works	Includes installation cost and masonry works
	• Warranty: 1 year on parts and service and 5 years on compressor including free check-up and washing within the 1 st year of warranty.	• Warranty: 1 year on parts and service and 5 years on compressor including free check-up and washing (4 times or quarterly) within the 1 st year of warranty.
2	AIR CONDITIONING UNIT, 3-TONNER, SPLIT	AIR CONDITIONING UNIT, 3-TONNER, SPLIT
2.	TYPE, INVERTER, FLOOR MOUNTED - UEDC	TYPE, INVERTER, FLOOR MOUNTED - UEDC
	Qty/Unit: 1 unit	Qty/ Unit: 1 unit
	Pls. specify brand and model:	Pls. specify brand and model:
	Unit Cost: 120,000.00	Unit Cost: 120,000.00
	• Power Source: 220 VAC/ Single Phase/ 60Hz	• Power Source: 220 VAC/ Single Phase/ 60Hz
	• Horsepower: 3-tonner	Horsepower: 3-tonner
	Nominal Cooling Capacity (minmax.): 37,980	Nominal Cooling Capacity (minmax.): 37,980 KJ/Hr
	KJ/Hr or lower	or lower
	• Power Input: 4,000 W or lower	Power Input: 4,000 W or lower
	• <i>EER (BTU/Hw):</i> 11.0 or lower	• <i>EER (BTU/Hw):</i> 11.0 or lower
	• Inrush current (Max. Current): Cooling: 17.6A or lower	• Inrush current (Max. Current): Cooling: 17.6A or lower
	Indoor unit: Net Weight: 50 kg. or lower	• Indoor unit: Net Weight: 50 kg. or lower
	Outdoor Unit: Net Weight: 67 kg or lower	Outdoor Unit: Net Weight: 67 kg or lower
	• Range of Usage (Vertical Height Difference (m): From indoor unit to outdoor unit of ACU 10 ft.	Range of Usage (Vertical Height Difference (m): From indoor unit to outdoor unit of ACU 10 ft.
	Includes installation cost and masonry works	Includes installation cost and masonry works
	Warranty: 1 year on parts and service and 5 years on compressor including free check-up and washing within the 1 st year of warranty.	Warranty: 1 year on parts and service and 5 years on compressor including free check-up and washing (4 times or quarterly) within the 1 st year of warranty.



Luna St., La Paz, Iloilo City 5000 Iloilo, Philippines

Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879 * Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph





Item No.	Description	Corrections/ Amendments/ Instructions
2	AIR CONDITIONING UNIT, 3-TONNER, SPLIT	AIR CONDITIONING UNIT, 3-TONNER, SPLIT
3.	TYPE, INVERTER, FLOOR MOUNTED - COC	TYPE, INVERTER, FLOOR MOUNTED - COC
	Qty/ Unit: 1 unit	Qty/ Unit: 1 unit
	Pls. specify brand and model:	Pls. specify brand and model:
	Unit Cost: 170,000.00	Unit Cost: 170,000.00
	Power Source: 220 VAC/ Single Phase/ 60Hz	Power Source: 220 VAC/ Single Phase/ 60Hz
	Horsepower: 3-tonner	Horsepower: 3-tonner
	Nominal Cooling Capacity (minmax.): 37,980 KJ/Hr or lower	Nominal Cooling Capacity (minmax.): 37,980 KJ/Hr or lower
	Power Input: 4,000 W or lower	Power Input: 4,000 W or lower
	• EER (BTU/Hw): 11.0 or lower	• EER (BTU/Hw): 11.0 or lower
	• Inrush current (Max. Current): Cooling: 17.6A or lower	Inrush current (Max. Current): Cooling: 17.6A or lower
	Indoor unit: Net Weight: 50 kg. or lower	Indoor unit: Net Weight: 50 kg. or lower
	Outdoor Unit: Net Weight: 67 kg or lower	Outdoor Unit: Net Weight: 67 kg or lower
	Range of Usage (Vertical Height Difference (m):	Range of Usage (Vertical Height Difference (m): From
	From indoor unit to outdoor unit of ACU 15 ft.	indoor unit to outdoor unit of ACU 15 ft.
	Includes installation cost and masonry works	Includes installation cost and masonry works
	Warranty: 1 year on parts and service and 5 years	Warranty: 1 year on parts and service and 5 years on
	on compressor including free check-up and washing within the 1^{st} year of warranty.	compressor including free check-up and washing (4 times or quarterly) within the 1st year of warranty.
	AIR CONDITIONING UNIT, 2.0 HP, SPLIT TYPE,	AIR CONDITIONING UNIT, 2.0 HP, SPLIT TYPE,
4.	INVERTER, WALL MOUNTED - COC	INVERTER, WALL MOUNTED - COC
	Qty/ Unit: 1 unit	Qty/ Unit: 1 unit
	Pls. specify brand and model:	Pls. specify brand and model:
	Unit Cost: 70,000.00	Unit Cost: 70,000.00
	Power Source: 220 - 230 VAC/ Single Phase/ 60Hz	Power Source: 220 - 230 VAC/ Single Phase/ 60Hz
	Horsepower: 2.0 HP	Horsepower: 2.0 HP
	Nominal Cooling Capacity (minmax.): 19,900 KJ/Hr or lower	Nominal Cooling Capacity (minmax.): 19,900 KJ/Hr or lower
	• EER (BTU/ Hw):: 10.3 or higher	• EER (BTU/ Hw):: 10.3 or higher
	Inrush current (Max. Current): Cooling: 9.0 Amps or lower	Inrush current (Max. Current): Cooling: 9.0 Amps or lower
	• Indoor unit: Net Weight: 20 kg. or lower	Indoor unit: Net Weight: 20 kg. or lower
	Outdoor Unit: Net Weight: 50 kg or lower	Outdoor Unit: Net Weight: 50 kg or lower
	Range of Usage (Vertical Height Difference (m):	 Range of Usage (Vertical Height Difference (m): 20 ft.
	20 ft. from indoor unit to outdoor unit including masonry, painting, labor and installation	from indoor unit to outdoor unit including masonry, painting, labor and installation
	Includes installation cost and masonry works	Includes installation cost and masonry works
	Warranty: 1 year on parts and service and 5 years	Warranty: 1 year on parts and service and 5 years on
	on compressor including free check-up and	compressor including free check-up and washing (4
	washing within the 1st year of warranty.	times or quarterly) within the 1st year of warranty.



Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879 * Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph





Item No.	Description	Corrections/ Amendments/ Instructions
5.	AIR CONDITIONING UNIT, 3-TONNER, SPLIT TYPE, INVERTER, FLOOR MOUNTED - COM	AIR CONDITIONING UNIT, 3-TONNER, SPLIT TYPE, INVERTER, FLOOR MOUNTED - COM
	Oty/ Unit: 1 unit	Oty/ Unit: 1 unit
	Pls. specify brand and model:	Pls. specify brand and model:
	Unit Cost: 150,000.00	Unit Cost: 150,000.00
	Power Source: 220 VAC/ Single Phase/ 60Hz	Power Source: 220 VAC/ Single Phase/ 60Hz
	• Horsepower: 3-tonner	Horsepower: 3-tonner
	Nominal Cooling Capacity (minmax.): 37,980 KJ/Hr or lower	Nominal Cooling Capacity (minmax.): 37,980 KJ/Hr or lower
	Power Input: 4,000 W or lower	Power Input: 4,000 W or lower
	• EER (BTU/Hw): 10.3 or higher	• EER (BTU/ Hw): 10.3 or higher
	Inrush current (Max. Current): Cooling: 17.6A or lower	Inrush current (Max. Current): Cooling: 17.6A or lower
	• Indoor unit: Net Weight: 50 kg. or lower	Indoor unit: Net Weight: 50 kg. or lower
	Outdoor Unit: Net Weight: 67 kg or lower	Outdoor Unit: Net Weight: 67 kg or lower
	Range of Usage (Vertical Height Difference (m): 20 ft. from indoor unit to outdoor unit including masonry, painting, labor and installation	• Range of Usage (Vertical Height Difference (m): 20 ft. from indoor unit to outdoor unit including masonry, painting, labor and installation
	Includes installation cost and masonry works	Includes installation cost and masonry works
	Warranty: 1 year on parts and service and 5 years on compressor including free check-up and washing within the 1 st year of warranty.	• Warranty: 1 year on parts and service and 5 years on compressor including free check-up and washing (4 times or quarterly) within the 1 st year of warranty.

For guidance and information of all concerned.

JULIUS B. UNDAR

Chairperson, Bids and Awards Committee