

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description	Qty.	Unit	Total	Delivered, Weeks/ Months
<b>I.</b>	<b>WORKSTATION PARTITION PANEL SYSTEM</b>	<b>1</b>	<b>lot</b>		
	<b>PROCUREMENT</b>				
<b>1</b>	<b>5cm PARTITION PANEL</b>	<b>4</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.60m				
<b>2</b>	<b>5cm PARTITION PANEL</b>	<b>4</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W1.0m				
<b>3</b>	<b>5cm PARTITION PANEL</b>	<b>4</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.46m				
<b>4</b>	<b>5cm PARTITION PANEL</b>	<b>6</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.90m				
<b>5</b>	<b>5cm PARTITION PANEL</b>	<b>2</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.52m				
<b>6</b>	<b>HANGING PARTITION TABLE TOP</b>	<b>2</b>	<b>unit</b>		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description	Qty.	Unit	Total	Delivered, Weeks/ Months
	- w/ powder coated steel brackets				
	- Dimension: W1.8 x D.60m				
<b>7</b>	<b>HANGING PARTITION TABLE TOP</b>	<b>2</b>	<b>unit</b>		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.85 x D.60m				
<b>8</b>	<b>HANGING PARTITION TABLE TOP</b>	<b>4</b>	<b>unit</b>		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.0 x D.46m				
<b>9</b>	<b>MOBILE PEDESTAL</b>	<b>4</b>	<b>unit</b>		
	- w/ 3 drawers, w/ plastic pen tray, & w/ central lock				
	- w/ PVC top and powder coated steel frame				
	- Dimension: L.40 x D.56 x H.66m				
	- Color: Powder coated offwhite				
<b>10</b>	<b>CENTER DRAWER</b>	<b>4</b>	<b>unit</b>		
	- w/ powder coated steel frame with lock				
	- Color: Light Gray				
	- Dimension: L.50 x D.40 x H.10m				
<b>11</b>	<b>OFFICE CHAIR</b>	<b>7</b>	<b>unit</b>		
	- w/ arm, gaslift and tilting mechanism				
	- w/ 2.5mm thick headplate & w/ BIFMA gaslift				
	- w/ 300mm chrome steel base				
	- Color: Backrest: Mesh Fabric Black				
	Seatrest: Plain Fabric Black				
	- Dimension: L.56 x D.50 x H.88-90m				
<b>12</b>	<b>LATERAL FILING CABINET</b>	<b>4</b>	<b>unit</b>		
	- w/ 2 drawers w/ central lock				
	- w/ powder coated steel frame & w/ metal glider				
	- Dimension: L.912 x D.457 x H.712m				
	- Color: Powder coated offwhite				
<b>13</b>	<b>CPU HOLDER</b>	<b>4</b>	<b>unit</b>		
	- w/ adjustable powder coated steel frame				
	- w/ nylon caster w/ lock				
	- Color: Light Gray				
<b>PROCUREMENT HEAD</b>					
<b>14</b>	<b>5cm PARTITION PANEL</b>	<b>2</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description	Qty.	Unit	Total	Delivered, Weeks/ Months
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W1.0m				
<b>15</b>	<b>5cm PARTITION PANEL</b>	<b>1</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.90m				
<b>16</b>	<b>5cm PARTITION PANEL</b>	<b>1</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.80m				
<b>17</b>	<b>5cm PARTITION PANEL</b>	<b>1</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.95m				
<b>18</b>	<b>5cm PARTITION PANEL</b>	<b>3</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.30m				
<b>19</b>	<b>5cm PARTITION PANEL</b>	<b>1</b>	<b>unit</b>		
	- Half Glass/FABRIC Door Partition w/ aluminum frame				
	- w/ door jamb, hinges and door knob				
	- Dimension: H1.5 x W.82m				

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description	Qty.	Unit	Total	Delivered, Weeks/ Months
<b>HUMAN RESOURCE MANAGEMENT OFFICE</b>					
<b>20</b>	<b>5cm PARTITION PANEL</b>	<b>11</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.60m				
<b>21</b>	<b>5cm PARTITION PANEL</b>	<b>11</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W1.0m				
<b>22</b>	<b>5cm PARTITION PANEL</b>	<b>11</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.46m				
<b>23</b>	<b>5cm PARTITION PANEL</b>	<b>11</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.70m				
<b>24</b>	<b>5cm PARTITION PANEL</b>	<b>12</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.80m				

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description	Qty.	Unit	Total	Delivered, Weeks/ Months
<b>25</b>	<b>5cm PARTITION PANEL</b>	<b>1</b>	<b>unit</b>		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.75m				
<b>26</b>	<b>5cm PARTITION PANEL</b>	<b>4</b>	<b>unit</b>		
	- Full Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W1.0m				
<b>27</b>	<b>5cm PARTITION PANEL</b>	<b>4</b>	<b>unit</b>		
	- Full Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.60m				
<b>28</b>	<b>ALUMINUM SUPPORT LEG</b>	<b>1</b>	<b>unit</b>		
<b>29</b>	<b>HANGING PARTITION TABLE TOP</b>	<b>11</b>	<b>unit</b>		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.5 x D.60m				
<b>30</b>	<b>HANGING PARTITION TABLE TOP</b>	<b>1</b>	<b>unit</b>		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.55 x D.60m				
<b>31</b>	<b>HANGING PARTITION TABLE TOP</b>	<b>11</b>	<b>unit</b>		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.0 x D.60m				
<b>32</b>	<b>MOBILE PEDESTAL</b>	<b>11</b>	<b>unit</b>		
	- w/ 3 drawers, w/ plastic pen tray, & w/ central lock				
	- w/ PVC top and powder coated steel frame				

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description	Qty.	Unit	Total	Delivered, Weeks/ Months
	- Dimension: L.40 x D.56 x H.66m				
	- Color: Powder coated offwhite				
<b>33</b>	<b>CENTER DRAWER</b>	<b>11</b>	<b>unit</b>		
	- w/ powder coated steel frame with lock				
	- Color: Light Gray				
	- Dimension: L.50 x D.40 x H.10m				
<b>34</b>	<b>OFFICE CHAIR</b>	<b>11</b>	<b>unit</b>		
	- w/ arm, gaslift and tilting mechanism				
	- w/ 2.5mm thick headplate & w/ BIFMA gaslift				
	- w/ 300mm chrome steel base				
	- Color: Backrest: Mesh Fabric Black				
	Seatrest: Plain Fabric Black				
	- Dimension: L.56 x D.50 x H.88-90m				
<b>35</b>	<b>LATERAL FILING CABINET</b>	<b>11</b>	<b>unit</b>		
	- w/ 2 drawers w/ central lock				
	- w/ powder coated steel frame & w/ metal glider				
	- Dimension: L.912 x D.457 x H.712m				
	- Color: Powder coated offwhite				
<b>36</b>	<b>CPU HOLDER</b>	<b>11</b>	<b>unit</b>		
	- w/ adjustable powder coated steel frame				
	- w/ nylon caster w/ lock				
	- Color: Light Gray				
<b>II.</b>	<b>VARIOUS FURNITURE AND FIXTURES</b>	<b>1</b>	<b>lot</b>		
<b>1</b>	<b>EXECUTIVE CHAIR</b>	<b>1</b>	<b>unit</b>		
	- w/ adjustable armrest, w/ gaslift & tilting mechanism				
	- w/ soft PU adjustable armrest (up & down, front to back)				
	- w/ reclinable backrest w/ lock				
	- w/ adjustable back lumbar support (up & down, front& back)				
	- w/ adjustable headrest & w/ clothes hanger				
	- w/ plain fabric seatrest & mesh bakcrest				
	- Color: Mesh Fabric Black				
	- Dimension: L.64 x D.55 x H1.19-1.27m				
<b>2</b>	<b>EXECUTIVE TABLE</b>	<b>1</b>	<b>unit</b>		
	- w/ 25mm E1 Melamine top w/ rectangular grommets				
	- w/ fixed reversible side table (left or right orientation)				
	- w/ two tone color melamine mobile pedestal - 3drawers				
	- w/ two tone color (front & side panel plain brown)				
	(table top – brown oak wood grain)				
	- Color: Brown Oak + Brown				
	- Overall Dimension: L1.6 x W1.5 x H.75m				
<b>3</b>	<b>GUEST/CONFERENCE CHAIR</b>	<b>25</b>	<b>unit</b>		
	- w/ sled type 1.2mm thick tubular chrome legs				
	- w/ PVC padded chrome armrest				

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description	Qty.	Unit	Total	Delivered, Weeks/ Months
	- w/ plain fabric seatrest & with mesh backrest				
	- Color: Mesh Fabric Black				
	- Dimension: L.50 x W.50 x H.93m				
<b>4</b>	<b>CONFERENCE TABLE</b>	<b>1</b>	<b>unit</b>		
	- w/ 25mm E1 Melamine top - scratch resistant				
	- w/ powder coated steel legs, w/ adjustable footings				
	- w/ silver rectangular aluminum wire management cover				
	- Color: Brown Oak+Oak				
	- Dimension: L2.4 x W1.2 x H.75m				
<b>5</b>	<b>SOFA SET</b>	<b>1</b>	<b>unit</b>		
	- w/ black steel frame, legs and armrest				
	- 1pc 3seater - L1.77 x W.84 x H.86m				
	2pcs 1 seater				
	- Color: Black leatherette				
	- Center table - black steel frame w/ black tempered glass top				
	Dimension: L1.0 x W.50 x H.40m				
<b>6</b>	<b>CLERICAL TABLE</b>	<b>3</b>	<b>unit</b>		
	- w/ 1 center and 3 side drawers w/ lock				
	- 25mm Melamine top and 25mm Melamine legs				
	- w/ black steel side drawer handle				
	- Color: Light walnut				
	- Dimension: L1.2 x W.60 x H.75m				
<b>7</b>	<b>COMBO BLINDS</b>	<b>1</b>	<b>unit</b>		
	2 tone combo blinds black out/ and see thru				
	should be same shade with existing blinds				
	complete with heavy duty valance and guide				
	225 sq.ft.				
<b>8</b>	<b>White Board (Wall Mounted)</b>	<b>1</b>	<b>unit</b>		
	.1.80 X 1.0				
	Wall Mount w/ pen eraser holder				
<b>9</b>	<b>Multi Purpose Table</b>	<b>2</b>	<b>unit</b>		
	w/ 25mm Melamine top with bullnose edge				
	w/ powder coated steel frame, w/ caster w/ brake				
	w/ foldable table top				
	Color: Beech				
	Dimension: L1.2 x W.45 x H.75m				
<b>10</b>	<b>Open Type Shelves</b>	<b>6</b>	<b>unit</b>		
	0.90 X 0.45 X 2.00M				
	5 layers Boltless Rack				
	Shelves - .9mm thick				

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	Description	Qty.	Unit	Total	Delivered, Weeks/ Months
	Color: Light Gray				
	-----Nothing Follows-----				

Name of Bidder: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date: \_\_\_\_\_