

Section VII. Technical Specifications

Lot No.	Specification	Statement of Compliance <small>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</small>			
	DESCRIPTION	QTY.	UNIT	Pls. indicate brand/ model	STATEMENT OF COMPLIANCE
I.	WORKSTATION PARTITION PANEL SYSTEM	1	lot		
	PROCUREMENT				
1	5cm PARTITION PANEL	4	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.60m				
2	5cm PARTITION PANEL	4	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W1.0m				
3	5cm PARTITION PANEL	4	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.46m				
4	5cm PARTITION PANEL	6	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.90m				
5	5cm PARTITION PANEL	2	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				

Section VII. Technical Specifications

Lot No.	Specification	<p>Statement of Compliance <i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>			
	DESCRIPTION	QTY.	UNIT	Pls. indicate brand/ model	STATEMENT OF COMPLIANCE
	- Dimension: H1.5 x W.52m				
6	HANGING PARTITION TABLE TOP	2	unit		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.8 x D.60m				
7	HANGING PARTITION TABLE TOP	2	unit		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.85 x D.60m				
8	HANGING PARTITION TABLE TOP	4	unit		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.0 x D.46m				
9	MOBILE PEDESTAL	4	unit		
	- w/ 3 drawers, w/ plastic pen tray, & w/ central lock				
	- w/ PVC top and powder coated steel frame				
	- Dimension: L.40 x D.56 x H.66m				
	- Color: Powder coated offwhite				
10	CENTER DRAWER	4	unit		
	- w/ powder coated steel frame with lock				
	- Color: Light Gray				
	- Dimension: L.50 x D.40 x H.10m				
11	OFFICE CHAIR	7	unit		
	- w/ arm, gaslift and tilting mechanism				
	- w/ 2.5mm thick headplate & w/ BIFMA gaslift				
	- w/ 300mm chrome steel base				
	- Color: Backrest: Mesh Fabric Black				
	Seatrest: Plain Fabric Black				
	- Dimension: L.56 x D.50 x H.88-90m				
12	LATERAL FILING CABINET	4	unit		
	- w/ 2 drawers w/ central lock				
	- w/ powder coated steel frame & w/ metal glider				
	- Dimension: L.912 x D.457 x H.712m				
	- Color: Powder coated offwhite				
13	CPU HOLDER	4	unit		
	- w/ adjustable powder coated steel frame				
	- w/ nylon caster w/ lock				
	- Color: Light Gray				

Section VII. Technical Specifications

Lot No.	Specification	<p>Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</p>			
	DESCRIPTION	QTY.	UNIT	Pls. indicate brand/ model	STATEMENT OF COMPLIANCE
	PROCUREMENT HEAD				
14	5cm PARTITION PANEL	2	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board (both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W1.0m				
15	5cm PARTITION PANEL	1	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board (both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.90m				
16	5cm PARTITION PANEL	1	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board (both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.80m				
17	5cm PARTITION PANEL	1	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board (both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.95m				
18	5cm PARTITION PANEL	3	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board (both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.30m				
19	5cm PARTITION PANEL	1	unit		

Section VII. Technical Specifications

Lot No.	Specification	Statement of Compliance <i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>			
	DESCRIPTION	QTY.	UNIT	Pls. indicate brand/ model	STATEMENT OF COMPLIANCE
	- Half Glass/Fabric Door Partition w/ aluminum frame				
	- w/ door jamb, hinges and door knob				
	- Dimension: H1.5 x W.82m				
	HUMAN RESOURCE MANAGEMENT OFFICE				
20	5cm PARTITION PANEL	11	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.60m				
21	5cm PARTITION PANEL	11	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W1.0m				
22	5cm PARTITION PANEL	11	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.46m				
23	5cm PARTITION PANEL	11	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.70m				
24	5cm PARTITION PANEL	12	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				

Section VII. Technical Specifications

Lot No.	Specification	<p>Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</p>			
	DESCRIPTION	QTY.	UNIT	Pls. indicate brand/ model	STATEMENT OF COMPLIANCE
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.80m				
25	5cm PARTITION PANEL	1	unit		
	- Half Glass/Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.75m				
26	5cm PARTITION PANEL	4	unit		
	- Full Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W1.0m				
27	5cm PARTITION PANEL	4	unit		
	- Full Fabric Partition Panel w/ wire trunking				
	- w/ PVC top & side cover, w/ black slotted U-bar				
	- w/ glossy powder coated wire trunking cover/base board				
	(both sides with hole preparation for data & electrical outlet)				
	- w/ PVC wiring guide				
	- Partition Panel thickness : 5cm				
	- Dimension: H1.5 x W.60m				
28	ALUMINUM SUPPORT LEG	1	unit		
29	HANGING PARTITION TABLE TOP	11	unit		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.5 x D.60m				
30	HANGING PARTITION TABLE TOP	1	unit		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.55 x D.60m				
31	HANGING PARTITION TABLE TOP	11	unit		
	- w/ 30mm Melamine board - scratch resistant				
	- w/ 2pcs grommets & w/ thick PVC edging				
	- w/ powder coated steel brackets				
	- Dimension: W1.0 x D.60m				

Section VII. Technical Specifications

Lot No.	Specification	<p>Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</p>			
	DESCRIPTION	QTY.	UNIT	Pls. indicate brand/ model	STATEMENT OF COMPLIANCE
32	MOBILE PEDESTAL	11	unit		
	- w/ 3 drawers, w/ plastic pen tray, & w/ central lock				
	- w/ PVC top and powder coated steel frame				
	- Dimension: L.40 x D.56 x H.66m				
	- Color: Powder coated offwhite				
33	CENTER DRAWER	11	unit		
	- w/ powder coated steel frame with lock				
	- Color: Light Gray				
	- Dimension: L.50 x D.40 x H.10m				
34	OFFICE CHAIR	11	unit		
	- w/ arm, gaslift and tilting mechanism				
	- w/ 2.5mm thick headplate & w/ BIFMA gaslift				
	- w/ 300mm chrome steel base				
	- Color: Backrest: Mesh Fabric Black				
	Seatrest: Plain Fabric Black				
	- Dimension: L.56 x D.50 x H.88-90m				
35	LATERAL FILING CABINET	11	unit		
	- w/ 2 drawers w/ central lock				
	- w/ powder coated steel frame & w/ metal glider				
	- Dimension: L.912 x D.457 x H.712m				
	- Color: Powder coated offwhite				
36	CPU HOLDER	11	unit		
	- w/ adjustable powder coated steel frame				
	- w/ nylon caster w/ lock				
	- Color: Light Gray				
II.	VARIOUS FURNITURE AND FIXTURES	1	lot		
1	EXECUTIVE CHAIR	1	unit		
	- w/ adjustable armrest, w/ gaslift & tilting mechanism				
	- w/ soft PU adjustable armrest (up & down, front to back)				
	- w/ reclinable backrest w/ lock				
	- w/ adjustable back lumbar support (up & down, front& back)				
	- w/ adjustable headrest & w/ clothes hanger				
	- w/ plain fabric seatrest & mesh bakcrest				
	- Color: Mesh Fabric Black				
	- Dimension: L.64 x D.55 x H1.19-1.27m				
2	EXECUTIVE TABLE	1	unit		
	- w/ 25mm E1 Melamine top w/ rectangular grommets				
	- w/ fixed reversible side table (left or right orientation)				
	- w/ two tone color melamine mobile pedestal - 3drawers				
	- w/ two tone color (front & side panel plain brown)				
	(table top – brown oak wood grain)				

Section VII. Technical Specifications

Lot No.	Specification	Statement of Compliance <i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>			
	<i>DESCRIPTION</i>	<i>QTY.</i>	<i>UNIT</i>	<i>Pls. indicate brand/ model</i>	<i>STATEMENT OF COMPLIANCE</i>
	- Color: Brown Oak + Brown				
	- Overall Dimension: L1.6 x W1.5 x H.75m				
3	GUEST/CONFERENCE CHAIR	25	unit		
	- w/ sled type 1.2mm thick tubular chrome legs				
	- w/ PVC padded chrome armrest				
	- w/ plain fabric seatrest & with mesh backrest				
	- Color: Mesh Fabric Black				
	- Dimension: L.50 x W.50 x H.93m				
4	CONFERENCE TABLE	1	unit		
	- w/ 25mm E1 Melamine top - scratch resistant				
	- w/ powder coated steel legs, w/ adjustable footings				
	- w/ silver rectangular aluminum wire management cover				
	- Color: Brown Oak+Oak				
	- Dimension: L2.4 x W1.2 x H.75m				
5	SOFA SET	1	unit		
	- w/ black steel frame, legs and armrest				
	- 1pc 3seater - L1.77 x W.84 x H.86m				
	2pcs 1 seater				
	- Color: Black leatherette				
	- Center table - black steel frame w/ black tempered glass top				
	Dimension: L1.0 x W.50 x H.40m				
6	CLERICAL TABLE	3	unit		
	- w/ 1 center and 3 side drawers w/ lock				
	- 25mm Melamine top and 25mm Melamine legs				
	- w/ black steel side drawer handle				
	- Color: Light walnut				
	- Dimension: L1.2 x W.60 x H.75m				
7	COMBO BLINDS	1	unit		
	2 tone combo blinds black out/ and see thru				
	should be same shade with existing blinds				
	complete with heavy duty valance and guide				
	225 sq.ft.				
8	White Board (Wall Mounted)	1	unit		
	.1.80 X 1.0				
	Wall Mount w/ pen eraser holder				
9	Multi Purpose Table	2	unit		
	w/ 25mm Melamine top with bullnose edge				
	w/ powder coated steel frame, w/ caster w/ brake				
	w/ foldable table top				
	Color: Beech				
	Dimension: L1.2 x W.45 x H.75m				
10	Open Type Shelves	6	unit		

Section VII. Technical Specifications

<i>Lot No.</i>	<i>Specification</i>	<p style="text-align: center;">Statement of Compliance</p> <p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>			
	DESCRIPTION	QTY.	UNIT	Pls. indicate brand/ model	STATEMENT OF COMPLIANCE
	0.90 X 0.45 X 2.00M				
	5 layers Boltless Rack				
	Shelves - .9mm thick				
	Color: Light Gray				
	-----Nothing Follows-----				

Name of Bidder: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____