



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



SUPPLEMENTAL/BID BULLETIN

| | |
|-------------------------|--|
| Project Reference No. | IB No. 2023-34 |
| Name of the Project | Procurement of Various Office and Communication Equipment for the Construction of Teaching Excellence Training Laboratory and Increase in Carrying Capacity of Nursing and Allied Health Programs |
| Location of the Project | WVSU - Main Campus |

ADDENDUM NO. 2023-26

September 01, 2023

This **Addendum No. 2023-26** is issued to modify the **Section I. Invitation to Bid, Section VI. Schedule of Requirements, Section VII. Technical Specifications and Price Schedule for Goods offered from Within the Philippines**. This shall form an integral part of the Bidding Documents.

I. **Section I. Invitation to Bid, Section VI. Schedule of Requirements, Section VII. Technical Specifications and Price Schedule for Goods offered from Within the Philippines:**

| Item No. | Description | Corrections/ Amendments/ Instructions |
|-----------|--|--|
| 1. | <u>PORTABLE PA SYSTEM</u> | <u>PORTABLE PA SYSTEM</u> |
| | <i>Qty/ Unit: 1 unit</i> | <i>Qty/ Unit: 1 unit</i> |
| | <i>Pls. specify brand and model:</i> | <i>Pls. specify brand and model:</i> |
| | <i>Unit Cost: 50,499.00</i> | <i>Unit Cost: 50,499.00</i> |
| | <i>Voltage: 230V EUR</i> | <i>Voltage: 230V EUR</i> |
| | <i>Controls: Volume, Treble, Bass, Reverb level and Mic/Line Pad Per Channel, Hi-Z Instrument/Line Switch, Bluetooth Pair Switch, Master Volume</i> | <i>Controls: Volume, Treble, Bass, Reverb level and Mic/Line Pad Per Channel, Hi-Z Instrument/Line Switch, Bluetooth Pair Switch, Master Volume</i> |
| | <i>Channels: Seven - (Four XLR 1/4" Combo Mic/Line, One 1/4" Instrument/Line, One Stereo 1/4" / 1/8" / Bluetooth)</i> | <i>Channels: Seven - (Four XLR 1/4" Combo Mic/Line, One 1/4" Instrument/Line, One Stereo 1/4" / 1/8" / Bluetooth) or more</i> |
| | <i>Inputs: Nine - (Four XLR 1/4" Combo Mic/Line, One 1/4" Instrument/Line, One Stereo 1/4", One Stereo 1/8", One Stereo Bluetooth)</i> | <i>Inputs: Nine - (Four XLR 1/4" Combo Mic/Line, One 1/4" Instrument/Line, One Stereo 1/4", One Stereo 1/8", One Stereo Bluetooth) or more</i> |
| | <i>Line Out: Three - One Stereo 1/8" Phones/Line, One 1/4" Mono, One 1/4" Sub Out</i> | <i>Line Out: Three - One Stereo 1/8" Phones/Line, One 1/4" Mono, One 1/4" Sub Out</i> |
| | <i>Speaker Jack: Two 1/4" Left and Right (Stereo)</i> | <i>Speaker Jack: Two 1/4" Left and Right (Stereo)</i> |
| | <i>Effects: Reverb</i> | <i>Effects: Reverb</i> |
| | <i>Cabinet Material: Molded Plastic</i> | <i>Cabinet Material: Molded Plastic</i> |
| | <i>Front Panel: Black</i> | <i>Front Panel: Black</i> |
| | <i>Handle: Integrated Top-Mount Handle</i> | <i>Handle: Integrated Top-Mount Handle</i> |
| | <i>Speakers: Two - 8" Fender® Special Design</i> | |
| | <i>Total Impedance: N/A</i> | <i>MISCELLANEOUS</i> |
| | <i>Tweeter: Two - 1.2" Horn-Loaded Tweeter</i> | <i>OTHER FEATURES</i> |
| | | <i>375 watts of power – ample for medium-size audiences</i> |
| | | <i>SPEAKERS</i> |
| | | <i>Speakers: Two-8" Special Design</i> |
| | | <i>Total Impedance: N/A</i> |
| | | <i>Tweeter: Two - 1.2" Horn-Loaded Tweeter</i> |
| | | <i>ACCESSORIES:</i> |
| | | <i>Included Accessories: Two Speaker Cables, Detachable Power Cable</i> |



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



| Item No. | Description | Corrections/ Amendments/ Instructions |
|----------|---|---|
| 2. | <u>STUDIO MONITORING SPEAKER</u> | <u>STUDIO MONITORING SPEAKER</u> |
| | <i>Qty/ Unit: 1 unit</i> | <i>Qty/ Unit: 1 unit</i> |
| | <i>Pls. specify brand and model:</i> | <i>Pls. specify brand and model:</i> |
| | <i>Unit Cost: 50,000.00</i> | <i>Unit Cost: 50,000.00</i> |
| | <i>Model: Hs8mp Hs Series Matched Pair Hs - 8mp.</i> | <i>With two (2) units speaker</i> |
| | <i>Speaker type: 2-way bi-amp powered studio monitor. Frequency range (-10dB): 38Hz - 30 kHz.</i> | <i>Speaker type: 2-way bi-amp powered studio monitor. Frequency range (-10dB): 38Hz - 30 kHz.</i> |
| | <i>Components: LF 8" cone, HF 1" dome.</i> | <i>Components: LF 8" cone, HF 1" dome.</i> |
| | <i>Crossover: 2 kHz.</i> | <i>Crossover: 2 kHz.</i> |
| | <i>Output power: 120W (LF: 75W, HF : 45W).</i> | <i>Output power: 120W (LF: 75W, HF : 45W).</i> |
| | <i>I/O connectors: XLR3-31 type (balanced), PHONE (balanced).</i> | <i>I/O connectors: XLR3-31 type (balanced), PHONE (balanced).</i> |
| | <i>Power consumption: 60W.</i> | <i>Power consumption: 60W.</i> |
| | <i>Shape: Bass-reflex type. –</i> | <i>Shape: Bass-reflex type. –</i> |
| | <i>Cabinet material: MDF</i> | <i>Cabinet material: MDF</i> |
| | <i>Dimensions: -- Width (each): 250mm (9.8"). Height (each) : 390mm (15.4")</i> | <i>Dimensions: -- Width (each): 250mm (9.8"). Height (each) : 390mm (15.4")</i> |
| | <i>Depth (each): 334mm (13.1"). --</i> | <i>Depth (each): 334mm (13.1"). --</i> |
| | <i>Net weight (each): 10.2kg (22.5 lbs.</i> | <i>Net weight (each): 10.2kg (22.5 lbs.</i> |
| | <i>Controls: LEVEL control (+4dB/center click).</i> | <i>Controls: LEVEL control (+4dB/center click).</i> |
| | <i>EQ: HIGH TRIM switch (+/- 2dB).</i> | <i>EQ: HIGH TRIM switch (+/- 2dB).</i> |
| 3. | <u>AMPLIFIER/ MIXER WITH 2 SETS OF WIRELESS MICROPHONE</u> | <u>AMPLIFIER/ MIXER WITH 2 SETS OF WIRELESS MICROPHONE</u> |
| | <i>Qty/ Unit: 2 units</i> | <i>Qty/ Unit: 2 units</i> |
| | <i>Pls. specify brand and model:</i> | <i>Pls. specify brand and model:</i> |
| | <i>Unit Cost: 50,000.00</i> | <i>Unit Cost: 50,000.00</i> |
| | <i>Amplifier/ Mixer</i> | <i>Amplifier/ Mixer</i> |
| | <i>Features</i> | <i>Features</i> |
| | <i>10- channel mixing console with rugged metal chassis</i> | <i>10- channel mixing console with rugged metal chassis</i> |
| | <i>Class A-D pre mic preamps with inverted Darlington circuit</i> | <i>Class A-D pre mic preamps with inverted Darlington circuit</i> |
| | <i>Includes Cubase AI DAW software download version</i> | <i>Includes Cubase AI DAW software download version</i> |
| | <i>High- grade SPX effects</i> | <i>High- grade SPX effects</i> |
| | <i>Linear faders and single knob compression</i> | <i>Linear faders and single knob compression</i> |
| | <i>Specifications</i> | <i>Specifications</i> |
| | <i>Format</i> | <i>Format</i> |
| | <i>Analog/ digital: Analog</i> | <i>Analog/ digital: Analog</i> |
| | <i>Number of channels: 10</i> | <i>Number of channels: 10</i> |
| | <i>Busses/ groups: 1 stereo</i> | <i>Busses/ groups: 1 stereo</i> |
| | <i>Aux sends: 1</i> | <i>Aux sends: 1</i> |
| | <i>Powered: No</i> | <i>Powered: No</i> |
| | <i>Inputs</i> | <i>Inputs</i> |
| | <i>Total inputs: 10</i> | <i>Total inputs: 10</i> |
| | <i>Mic preamps: 4</i> | <i>Mic preamps: 4</i> |
| | <i>XLR/ TRS combo jacks: 4</i> | <i>XLR/ TRS combo jacks: 4</i> |
| | <i>XLR only jacks: 0</i> | <i>XLR only jacks: 0</i> |
| | <i>¼" only jacks: 0</i> | <i>¼" only jacks: 0</i> |



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



| Item No. | Description | Corrections/ Amendments/ Instructions |
|----------|---|---|
| | <i>S/ PDIF in: 0</i> | <i>S/ PDIF in: 0</i> |
| | <i>ADAT/ optical in: 0</i> | <i>ADAT/ optical in: 0</i> |
| | <i>RCA in: 0</i> | <i>RCA in: 0</i> |
| | <i>AES/ EBU: 0</i> | <i>AES/ EBU: 0</i> |
| | Outputs | Outputs |
| | <i>Total Output: 5</i> | <i>Total Output: 5</i> |
| | <i>XLR out: 1 stereo</i> | <i>XLR out: 1 stereo</i> |
| | <i>¼" out: 2 stereo/ 1 send/ 1 phones</i> | <i>¼" out: 2 stereo/ 1 send/ 1 phones</i> |
| | <i>S/ PDIF out: 0</i> | <i>S/ PDIF out: 0</i> |
| | <i>ADAT/ optical out: 0</i> | <i>ADAT/ optical out: 0</i> |
| | <i>RCA out: 0</i> | <i>RCA out: 0</i> |
| | <i>AES/ EBU: 0</i> | <i>AES/ EBU: 0</i> |
| | Other Connectivity | Other Connectivity |
| | <i>Connections: USB</i> | <i>Connections: USB</i> |
| | <i>MIDI I/O: No</i> | <i>MIDI I/O: No</i> |
| | <i>Headphone output(s): 1</i> | <i>Headphone output(s): 1</i> |
| | <i>WI-FI No</i> | <i>WI-FI No</i> |
| | <i>Word- clock I/O: No</i> | <i>Word- clock I/O: No</i> |
| | <i>I/O expansion: Not specified</i> | <i>I/O expansion: Not specified</i> |
| | Onboard effects | Onboard effects |
| | <i>Compression: Yes</i> | <i>Compression: Yes</i> |
| | <i>Reverb: Yes</i> | <i>Reverb: Yes</i> |
| | <i>Delay: Yes</i> | <i>Delay: Yes</i> |
| | <i>Chorus/ flange: Not Specified</i> | <i>Chorus/ flange: Not Specified</i> |
| | Equalization | Equalization |
| | <i>Type: Physical</i> | <i>Type: Physical</i> |
| | <i>EQ bands: 3</i> | <i>EQ bands: 3</i> |
| | <i>Master graphic: No</i> | <i>Master graphic: No</i> |
| | Other | Other |
| | <i>Width: 12.1"</i> | <i>Width: 12.1"</i> |
| | <i>Height: 4.6"</i> | <i>Height: 4.6"</i> |
| | <i>Depth: 16.6"</i> | <i>Depth: 16.6"</i> |
| | <i>Weight: 9.3 lb.</i> | <i>Weight: 9.3 lb.</i> |
| | <i>Automation: No</i> | <i>Automation: No</i> |
| | <i>Fader type: Physical</i> | <i>Fader type: Physical</i> |
| | <i>Motorized faders: No</i> | <i>Motorized faders: No</i> |
| | <i>Bundled software: Yes</i> | <i>Bundled software: Yes</i> |
| | <i>Rackmountable: Yes</i> | <i>Rackmountable: Yes</i> |



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



| Item No. | Description | Corrections/ Amendments/ Instructions |
|----------|---|---|
| | | 2 WIRELESS MICROPHONE |
| | | Features: |
| | | <ul style="list-style-type: none"> • 2 in 1 wireless microphone • Rechargeable UHF dual channel wireless receiver • Plug and play |
| | | Specifications: |
| | | <ul style="list-style-type: none"> • Distance between transmitter and receiver: >10m • Polar pattern: Cardioid • Frequency response: 65 Hz-15kHz • UHF frequency band: 470-960MHz • Dynamic range: 100 dB A-weighted, typical • Receiver input: ¼" (6.3 mm) unbalanced • Receiver Maximum Output Level: -13dBV, typical • Receiver rechargeable Battery: Lithium-ion Polymer 3.7WH (Equivalent to 3.7V, 1000mAh) • Receiver charge time: 2 hours @5V/1A • Receiver battery Playtime: Up to 6 hours • Microphone battery: 4 x AA alkaline (included) |
| | | What's in the box: |
| | | <ul style="list-style-type: none"> • 2 x Wireless Microphones • 1 x Wireless Receiver • USB-C Cable • Safety sheet • Warranty Card • Warranty: One (1) year for all items |
| 11. | <u>AIR CONDITIONING UNIT, 2 HP, WALL MOUNTED, NON-INVERTER TYPE - COD</u> | <u>AIR CONDITIONING UNIT, 2 HP, WALL MOUNTED, INVERTER TYPE - COD</u> |
| | Qty/ Unit: 2 units | Qty/ Unit: 2 units |
| | Pls. specify brand and model: | Pls. specify brand and model: |
| | Unit Cost: 40,000.00 | Unit Cost: 40,000.00 |
| | Power Source: 220-230VAC/ SINGLE PHASE/60HZ | Power Source: 220-230VAC/ SINGLE PHASE/60HZ |
| | Horsepower: 2.0 HP INVERTER TYPE | Horsepower: 2.0 HP INVERTER TYPE |
| | Nominal Cooling Capacity (Min. – Max.): ISO –T1 (JIS): KW: 19,900 KJ/H or Lower | Nominal Cooling Capacity (Min. – Max.): ISO –T1 (JIS): KW: 19,900 KJ/H or Lower |
| | Power Input: Cooling: KW: 19,900 W or Lower | Power Input: Cooling: KW: 19,900 W or Lower |
| | EER: Cooling: BTU/Hw: 10.3 or Higher | EER: Cooling: BTU/Hw: 10.3 or Higher |
| | Inrush Current (Max Current): Cooling: A: 9.0A or Lower | Inrush Current (Max Current): Cooling: A: 9.0A or Lower |
| | Indoor Unit: Net Weight: kg: 20 kg or Lower | Indoor Unit: Net Weight: kg: 20 kg or Lower |
| | Outdoor Unit: Ref. Amt./ Charge: 50 KG or Lower | Outdoor Unit: Ref. Amt./ Charge: 50 KG or Lower |
| | Range of Usage: From Indoor to Outdoor Unit of ACU 10 Feet Including, Masonry, Painting, Labor Hand and Installation. | Range of Usage: From Indoor to Outdoor Unit of ACU 10 Feet Including, Masonry, Painting, Labor Hand and Installation. |
| | Includes installation cost and masonry works | Includes installation cost and masonry works |
| | Warranty: 1 year on parts and service and 5 years on compressor including free check-up and washing (4 times or quarterly) within the 1st year of warranty. | Warranty: 1 year on parts and service and 5 years on compressor including free check-up and washing (4 times or quarterly) within the 1st year of warranty. |



West Visayas State University

(Formerly Iloilo Normal School)

Procurement Division/ Bids and Awards Committee Secretariat Office

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



| Item No. | Description | Corrections/ Amendments/ Instructions |
|----------|---|---|
| 12. | <u>AIR CONDITIONING UNIT, 2.5 HP, WALL MOUNTED, NON-INVERTER TYPE - COD</u> | <u>AIR CONDITIONING UNIT, 2.5 HP, WALL MOUNTED, INVERTER TYPE - COD</u> |
| | Qty/ Unit: 3 units | Qty/ Unit: 3 units |
| | Pls. specify brand and model: | Pls. specify brand and model: |
| | Unit Cost: 47,000.00 | Unit Cost: 47,000.00 |
| | Power Source: 220-230VAC/ SINGLE PHASE/60HZ | Power Source: 220-230VAC/ SINGLE PHASE/60HZ |
| | Horsepower: 2.5 HP INVERTER TYPE | Horsepower: 2.5 HP INVERTER TYPE |
| | Nominal Cooling Capacity (Min. – Max.): ISO –T1 (JIS): KW: 24,500 KJ/H or Lower | Nominal Cooling Capacity (Min. – Max.): ISO –T1 (JIS): KW: 24,500 KJ/H or Lower |
| | Power Input: Cooling: KW: 2,500 W or Lower | Power Input: Cooling: KW: 2,500 W or Lower |
| | EER: Cooling: BTU/Hw: 10.3 or Higher | EER: Cooling: BTU/Hw: 10.3 or Higher |
| | Inrush Current (Max Current): Cooling: A: 12A or Lower | Inrush Current (Max Current): Cooling: A: 12A or Lower |
| | Indoor Unit: Net Weight: kg: 20 kg or Lower | Indoor Unit: Net Weight: kg: 20 kg or Lower |
| | Outdoor Unit: Ref. Amt./ Charge: 50 KG or Lower | Outdoor Unit: Ref. Amt./ Charge: 50 KG or Lower |
| | Range of Usage: From Indoor to Outdoor Unit of ACU 10 Feet Including, Masonry, Painting, Labor Hand and Installation. | Range of Usage: From Indoor to Outdoor Unit of ACU 10 Feet Including, Masonry, Painting, Labor Hand and Installation. |
| | Includes installation cost and masonry works | Includes installation cost and masonry works |
| | Warranty: 1 year on parts and service and 5 years on compressor including free check-up and washing (4 times or quarterly) within the 1st year of warranty. | Warranty: 1 year on parts and service and 5 years on compressor including free check-up and washing (4 times or quarterly) within the 1st year of warranty. |
| | -----Nothing Follows----- | -----Nothing Follows----- |

For guidance and information of all concerned.

JULIUS B. UNДАР

Chairperson, Bids and Awards Committee