

# West Visayas State University

(Formerly Iloilo Normal School)

## Procurement Division/ Bids and Awards Committee Secretariat Office Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

Trunkline: (063) (033) 320-0870 loc1103/1104 \* Telefax No.: (033) 320-0879

\* Website: <a href="https://www.wvsu.edu.ph">www.wvsu.edu.ph</a> \* Email Address: <a href="https://www.ucdu.ph">bac@wvsu.edu.ph</a>





## SUPPLEMENTAL/BID BULLETIN

Project Reference No. IB No. 2023-45

Procurement of Various Furniture and Fixtures for the

Name of the Project Infrastructure and Smart Campus Development,
Operationalization of Face-to-Face Classes and

Upgrading/ Procurement of Equipment

Location of the Project WVSU - Main Campus

## **ADDENDUM NO. 2023-37**

October 10, 2023

This <u>Addendum No. 2023-37</u> is issued to modify the <u>Section I. Invitation to Bid and Section VII. Technical Specifications.</u> This shall form an integral part of the Bidding Documents.

## I. Section VII. Technical Specifications:

| Item<br>No. | Description   | Corrections/ Amendments/ Instructions                       |
|-------------|---|---|
| 2.          | Chair   | Chair   |
|             | without arm, gaslift and tilting mechanism                      | without arm, gaslift and tilting mechanism                  |
|             | - w/ 2.5mm thick headplate & w/ BIFMA gaslift                   | - w/ 2.5mm thick headplate & w/ BIFMA gaslift               |
|             | - w/ chrome steel base  | - w/ chrome steel base                                      |
|             | - Color: Backrest: Mesh Fabric Black                            | - Color: Mesh Fabric Black                                  |
|             | -Seatrest: Plain Fabric Black                                   |   |
| 3.          | Teacher's Table   | Teacher's Table   |
|             | w/ 25mm Melamine top with ducknose edge                         | w/ 25mm Melamine top and legs                               |
|             | w/ 18mm legs w/ adjustable footings w/ thick pvc edging         | - w/ adjustable footings w/ thick pvc edging                |
|             | w/fixed drawer (3drawers)                                       | w/ center drawer & fixed drawer (3drawers both sides)       |
|             | Dimension: L1.40 x W.70 x H.75m                                 | Dimension: L1.50 x W.70 x H.75m                             |
|             | Color: Light Walnut   | Color: Light Walnut   |
| 4.          | Teacher's Chair   | Teacher's Chair   |
|             | - w/ soft PU adjustable armrest, w/ gaslift & tilting mechanism | - w/ PVC armrest, w/ gaslift & tilting mechanism            |
|             | - top armrest can be adjusted to front and back                 | - w/ high backrest and w/ headrest w/ chrome steel base     |
|             | - w/ reclinable backrest w/ locking position mechanism          | - Color: Mesh Fabric Black                                  |
|             | - w/ adjustable back lumbar support                             |   |
|             | -with coat/jacket hanger at rear                                |   |
|             | -Color: Backrest: Mesh Fabric Black                             |   |
|             | -Seatrest & Headrest: Plain Black Fabric                        |   |
|             | - Dimension: L.645 x W.58 x H1.14-1.21m                         |   |
| 8.          | Stool   | Stool   |
| _           | Heavy duty, adjustable height, stainless steel legs             | Heavy duty, adjustable height, chrome steel legs & footring |
|             | Black Leatherette   | Black Leatherette   |
|             | without armrest   | without armrest   |




# (Formerly Iloilo Normal School) Procurement Division/ Bids and Awards Committee Secretariat Office Luna St., La Paz, Iloilo City 5000 Iloilo, Philippines \* Trunkline: (063) (033) 320-0870 loc1103/1104 \* Telefax No.: (033) 320-0879 \* Website: www.wvsu.edu.ph \* Email Address: bac@wvsu.edu.ph





| Item<br>No. | Description  | Corrections/ Amendments/ Instructions   |
|-------------|--|---|
| 9.          | Teacher's Table  | Teacher's Table   |
|             | - w/ 25mm Melamine top with ducknose edge                                      | - w/ 25mm Melamine top and legs   |
|             | - w/ 18mm legs w/ adjustable footings w/ thick pvc edging                      | - w/ adjustable footings w/ thick pvc edging                                      |
|             | - w/fixed drawer (3drawers)  | - w/ center drawer & fixed drawer (3drawers both sides)                           |
|             | Dimension: L1.40 x W.70 x H.75m  | Dimension: L1.50 x W.70 x H.75m   |
|             | Color: Light Walnut  | Color: Light Walnut   |
| 10.         | Teacher's Chair  | Teacher's Chair   |
|             | - w/ soft PU adjustable armrest, w/ gaslift & tilting mechanism                | - w/PVC armrest, w/ gaslift & tilting mechanism                                   |
|             | - top armrest can be adjusted to front and back                                | - w/ high backrest and w/ headrest w/ chrome steel base                           |
|             | - w/ reclinable backrest w/ locking position<br>mechanism                      | - Color: Mesh Fabric Black  |
|             | - w/ adjustable back lumbar support  |   |
|             | -with coat/jacket hanger at rear   |   |
|             | -Color: Backrest: Mesh Fabric Black  |   |
|             | -Seatrest & Headrest: Plain Black Fabric                                       |   |
|             | - Dimension: L.645 x W.58 x H1.14-1.21m  |   |
| 11.         | Rostrum  | Rostrum   |
|             |  | - MDF Laminated   |
|             |  | - With grommets and hole for microphone   |
|             |  | - Color: Red Walnut   |
|             |  | - Dimension: W.89 x D.69 x H1.16m   |
|             |  | - Installation included   |
| <i>12</i> . | Chair  | Chair   |
|             | with out arm rest  | with out arm rest   |
|             | Mesh Backrest and Mesh Back rest   | with chrome steel legs  |
|             | with stainless steel legs  | Color: Mesh Fabric Black  |
| 15.         | Acoustic Operable Wall/ Movable Partition (CICT Building)                      | Acoustic Operable Wall/ Movable Partition (CICT Building)                         |
|             | Panel Size: 102mm thick, 1.23m Standard width (special sizes available)        | Panel Size: 100mm thick, 1.23m Standard width (special sizes available)           |
|             | Panel Trim: Aluminum – encapsulated with seals – (Satin Clear Anodized Finish) | Panel Trim: Aluminum – encapsulated with seals – (Satin<br>Clear Anodized Finish) |
|             | Panel Trim: Aluminum – w/ PVC sound seals (Satin Anodized Finish)              | Panel Trim: Aluminum – w/ PVC sound seals (Satin Anodized Finish)                 |
|             | Panel Core: 80kg/m3 high density Rockwool<br>Insulation – 50mm thick           | Panel Core: 80kg/m3 high density Rockwool Insulation – 50mm thick                 |
|             | Panel Frame: All Steel   | Panel Frame: All Steel  |
|             | Sound Seals: Retractable top & bottom – jack system for constant pressure      | Sound Seals: Retractable top & bottom – jack system for constant pressure         |
|             | Track & Rollers: Aluminum Track and Polymer Trolley System                     | Track & Rollers: Aluminum Track and Polymer Trolley System                        |
|             | Track Support: 1.2m from track to bottom of beam                               | Track Support: 1.2m from track to bottom of beam                                  |
|             | Sound Barrier: Gypsum board barrier to meet 55STC sound rating                 | Sound Barrier: Gypsum board barrier to meet 45STC sound rating                    |
|             | Closure Panel Type: Telescopic Panel   | Closure Panel Type: Telescopic Panel  |
|             | Sound Rating: 55STC- Estimated (ASTM E90, ASTM E557)                           | Sound Rating: 45STC- Estimated (ASTM E90, ASTM E557)                              |







| Item No.    | Description  | Corrections/ Amendments/ Instructions   |
|-------------|--|---|
|             | Dimension: 7.00 m. Lx 3.00m. H (5<br>standard Panels + 1 Telescopic Panel, Side<br>Stack)  | Dimension: 7.00 m. Lx 3.00m. H (5 standard Panels + 1 Telescopic Panel, Side Stack)   |
|             | Warranty: 3 years  | Warranty: 3 years   |
|             | (Inclusive of foam Padded-WINN Standard<br>Fabric Finish, Transportation, Hauling,<br>Delivery, Crating, Packing and Handling,<br>Vat inclusive) | (Inclusive of foam Padded-WINN Standard Fabric Finish,<br>Transportation, Hauling, Delivery, Crating, Packing and<br>Handling, Vat inclusive) |
| <i>16</i> . | Acoustic Operable Wall/ Movable Partition (Quezon Hall)  | Acoustic Operable Wall/ Movable Partition (Quezon Hall)   |
|             | Panel Size: 102mm thick, 1.23m Standard width (special sizes available)  | Panel Size: 100mm thick, 1.23m Standard width (special sizes available)   |
|             | Panel Trim: Aluminum – encapsulated with seals – (Satin Clear Anodized Finish)   | Panel Trim: Aluminum – encapsulated with seals – (Satin<br>Clear Anodized Finish)   |
|             | Panel Trim: Aluminum – w/ PVC sound seals (Satin Anodized Finish)  | Panel Trim: Aluminum – w/ PVC sound seals (Satin Anodized Finish)   |
|             | Panel Core: 80kg/m3 high density<br>Rockwool Insulation – 50mm thick   | Panel Core: 80kg/m3 high density Rockwool Insulation – 50mm thick   |
|             | Panel Frame: All Steel   | Panel Frame: All Steel  |
|             | Sound Seals: Retractable top & bottom – jack system for constant pressure  | Sound Seals: Retractable top & bottom – jack system for constant pressure   |
|             | Track & Rollers: Aluminum Track and<br>Polymer Trolley System  | Track & Rollers: Aluminum Track and Polymer Trolley<br>System   |
|             | Track Support: 1.2m from track to bottom of beam   | Track Support: 1.2m from track to bottom of beam  |
|             | Sound Barrier: Gypsum board barrier to meet 55STC sound rating   | Sound Barrier: Gypsum board barrier to meet 45STC sound rating  |
|             | Closure Panel Type: Telescopic Panel   | Closure Panel Type: Telescopic Panel  |
|             | Sound Rating: 55STC- Estimated (ASTM E90, ASTM E557)   | Sound Rating: 45STC- Estimated (ASTM E90, ASTM E557)  |
|             | Dimension: 9.00 m. Lx 3.60m. H (7 standard Panels + 1 Telescopic Panel, Side Stack)  | Dimension: 9.00 m. Lx 3.60m. H (7 standard Panels + 1 Telescopic Panel, Side Stack)   |
|             | Warranty: 3 years  | Warranty: 3 years   |
|             | (Inclusive of foam Padded-WINN Standard<br>Fabric Finish, Transportation, Hauling,<br>Delivery, Crating, Packing and Handling,<br>Vat inclusive) | (Inclusive of foam Padded-WINN Standard Fabric Finish,<br>Transportation, Hauling, Delivery, Crating, Packing and<br>Handling, Vat inclusive) |
|             | Nothing Follows  | Nothing Follows   |

## II. **Section I. Invitation to Bid:**

|             | Device at the formation of Dawy  |  |  |  |
|-------------|--|--|--|--|
| Item<br>No. | Description  | Corrections/ Amendments/ Instructions  |  |  |
| 2.          | The <u>West Visayas State University</u> now invites bids for the above Procurement Project. Delivery of the Goods is required by <u>45 calendar days</u> . Bidders should have completed, within <u>2 years</u> from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders). | The <u>West Visayas State University</u> now invites bids for the above Procurement Project. Delivery of the Goods is required by <u>60 calendar days</u> . Bidders should have completed, within <u>2 years</u> from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders). |  |  |

For guidance and information of all concerned.

JULIUS B. UNDAR
Chairperson, Bids and Awards Committee



Luna St., La Paz, Iloilo City 5000
Iloilo, Philippines

Trunkline: (063) (033) 320-0870 loc1103/1104 \* Telefax No.: (033) 320-0879

\* Website: <a href="mailto:www.wvsu.edu.ph">www.wvsu.edu.ph</a>

\* Email Address: <a href="mailto:bac@wvsu.edu.ph">bac@wvsu.edu.ph</a>





# **REVISED PICTURES:**

## 3. TEACHER'S TABLE



# 4. TEACHER'S CHAIR



## 8. STOOL



NOTE: USE CHROME LEGS

## 9. TEACHER'S TABLE



## 10. TEACHER'S CHAIR



## 12. CHAIR

