

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Procurement of GOODS

Government of the Republic of the Philippines

**PROCUREMENT OF VARIOUS DENTAL SUPPLIES/
MATERIALS, INSTRUMENTS, ACCESSORIES, AND
MICROSCOPIC SLIDES (RE-BIDDING) – IB No. 2024-20**

Php1,890,205.00

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Section I. Invitation to Bid.....	5-6
Section II. Instructions to Bidders.....	7
1. Scope of Bid	7
2. Funding Information.....	7
3. Bidding Requirements	7
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	7
5. Eligible Bidders.....	7
6. Origin of Goods	8
7. Subcontracts	8
8. Pre-Bid Conference	8
9. Clarification and Amendment of Bidding Documents	9
10. Documents comprising the Bid: Eligibility and Technical Components	9
11. Documents comprising the Bid: Financial Component	9
12. Bid Prices	9
13. Bid and Payment Currencies	10
14. Bid Security	10
15. Sealing and Marking of Bids	10
16. Deadline for Submission of Bids	10
17. Opening and Preliminary Examination of Bids	11
18. Domestic Preference	11
19. Detailed Evaluation and Comparison of Bids	11
20. Post-Qualification	11
21. Signing of the Contract	11
Section III. Bid Data Sheet	12
Section IV. General Conditions of Contract.....	13
1. Scope of Contract	13
2. Advance Payment and Terms of Payment	13
3. Performance Security	13
4. Inspection and Tests	13
5. Warranty	13
6. Liability of the Supplier	14
Section V. Special Conditions of Contract	15-17
Section VI. Schedule of Requirements	18
Section VII. Technical Specifications	19-42
Section VIII. Checklist of Technical and Financial Documents, Bid Form, Price Schedule, Performance Securing Declaration, Omnibus Sworn Statement, Bid Securing Declaration and Contract Agreement Form..	43-54

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.



West Visayas State University

(Formerly Iloilo Normal School)

Bids and Awards Committee Secretariat Office/ Procurement Section

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc. 1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: govtproc@wvsu.edu.ph



SCP000194Q

INVITATION TO BID FOR

PROCUREMENT OF VARIOUS DENTAL SUPPLIES/ MATERIALS, INSTRUMENTS, ACCESSORIES, AND MICROSCOPIC SLIDES (RE-BIDDING) – IB NO. 2024-20

- The West Visayas State University, through the Special Trust Fund 2024 intends to apply the sum of One Million Eight Hundred Ninety Thousand Two Hundred Five Pesos (Php1,890,205.00) Only being the ABC to payments under the contract for Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding). Bids received in excess of the ABC of per lot shall be automatically rejected at bid opening.

Lot No.	Description	Qty./ Unit	Unit Cost	Total Cost
I.	Various Dental Supplies and Materials	1 lot	Php1,307,635.00	Php1,307,635.00
II.	Various Dental Instruments	1 lot	Php227,750.00	Php227,750.00
III.	Various Dental Chairs Accessories	1 lot	Php278,800.00	Php278,800.00
IV.	Various Microscopic Slides	1 lot	Php76,020.00	Php76,020.00
	---Nothing Follows---			
	GRAND TOTAL			Php1,890,205.00

- The West Visayas State University now invites bids for the above Procurement Project. Delivery of the Goods is required by 45 calendar days. Bidders should have completed, within 2 years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- Prospective Bidders may obtain further information from West Visayas State University, BAC Secretariat Office, Administration Building, and inspect the Bidding Documents at the address given below during 8:00 A.M. – 5:00 P.M.
- A complete set of Bidding Documents may be acquired by interested Bidders on May 29 – June 18, 2024 from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Php5,000.00***. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person, by facsimile, or through electronic means*.

COST OF BIDDING DOCUMENTS PER ITEM			
Lot No.	Description	Total Cost	Cost of Bidding Documents
<i>I.</i>	<i>Various Dental Supplies and Materials</i>	<i>Php1,307,635.00</i>	<i>5,000.00</i>
<i>II.</i>	<i>Various Dental Instruments</i>	<i>Php227,750.00</i>	<i>500.00</i>
<i>III.</i>	<i>Various Dental Chairs Accessories</i>	<i>Php278,800.00</i>	<i>500.00</i>
<i>IV.</i>	<i>Various Microscopic Slides</i>	<i>Php76,020.00</i>	<i>500.00</i>

6. The ***West Visayas State University*** will hold a Pre-Bid Conference¹ on ***June 06, 2024; 10:00 A.M.*** through video conferencing or webcasting via ***google meeting platform (for registration of interested bidders, please send your request to this address: govtproc@wvsu.edu.ph)***, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through (i) **manual submission at the office address indicated below**, (ii) **online or electronic submission as indicated below**, or (iii) **both** on or before ***June 18, 2024; 10:00 A.M.*** Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on ***June 18, 2024; 10:00 A.M.*** at the given ***address below or*** through ***electronic submission using a two-factor security procedure consisting of an archive format compression and password protection with separate password for technical and financial component envelope.*** Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. Requiring the Bidders to submit their bids using a two-factor security procedure consisting of an archive format compression and password protection with separate password for technical and financial component envelope and disclose the password for accessing their respective bid submission only during the actual bid opening.
11. The ***West Visayas State University*** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:
ROSALIE C. QUICOY
West Visayas State University
BAC Secretariat Office, Administration Building
Luna St., La Paz, Iloilo City, 5000
govtproc@wvsu.edu.ph
(033) 320-08-70-78 local 1103
wvsu.edu.ph
13. You may visit the following websites:
For downloading of Bidding Documents: ***wvsu.edu.ph***
For online bid submission: ***govtproc@wvsu.edu.ph***
May 29, 2024

JULIUS B. UNDAR
BAC, Chairperson

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, West Visayas State University wishes to receive Bids for the Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding), with identification number IB No. 2024-20.

The Procurement Project (referred to herein as “Project”) is composed of four (4) lots the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for Special Trust Fund 2024 in the amount of One Million Eight Hundred Ninety Thousand Two Hundred Five Pesos (Php1,890,205.00) Only.

2.2. The source of funding is:

a. NGA, Special Appropriations 2024.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA’s CPI, must be at least equivalent to:

- a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.

7.2. *Not applicable*

7.3. *Not applicable*

7.4. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time through videoconferencing/webcasting via **google meeting platform (for registration of interested bidders, please send your request to this address: govtproc@wvsu.edu.ph)** as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.

10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **2 years** prior to the deadline for the submission and receipt of bids.

- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by

the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in:

a. Philippine Pesos.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid until **October 16, 2024**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated “*passed*,” using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be: <ol style="list-style-type: none"> a. <u><i>Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides or equivalent thereof.</i></u> b. Completed within 2 years prior to the deadline for the submission and receipt of bids.
7.1	N/A
12	The price of the Goods shall be quoted DDP <u><i>in Philippines</i></u> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: <ol style="list-style-type: none"> a. The amount of not less than <u><i>Php37,804.10</i></u> <i>equivalent to two percent (2%) of ABC</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <u><i>Php94,510.25</i></u> <i>equivalent to five percent (5%) of ABC</i> if bid security is in Surety Bond.
19.3	<u><i>Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides – Php1,890,205.00</i></u>
20.1	<i>Latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS).</i>
21.2	<i>Certificate of Warranty to include a statement specifying the service response period which shall not be later than five (5) days from receipt of notice/complaint from the Project Management Office (PMO)/Technical Working Group (TWG)/ End-user.</i>

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.




Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>For Goods supplied from abroad,</i> “The delivery terms applicable to the Contract are DDP delivered <u>West Visayas State University, Luna St., La Paz, Iloilo City</u>. In accordance with INCOTERMS.”</p> <p><i>For Goods supplied from within the Philippines,</i> “The delivery terms applicable to this Contract are delivered <u>West Visayas State University, Luna St., La Paz, Iloilo City</u>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <u>Mr. Julius B. Undar – Chief Administrative Officer and Dr. Ma. Rosvia Bagaforo</u>.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. <i>Specify additional incidental service requirements, as needed. None</i> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>

	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier Contract Description</p>
	<p>Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p>

	<p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<i>[If partial payment is allowed, state]</i> “The terms of payment shall be as follows: <u>not applicable.</u> ”
4	The inspections and tests that will be conducted are: <u>Performance and Functionality Test.</u>



Section VI. Schedule of Requirements


The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Please see attached list

*Project Reference No.: **IB No. 2024-20***

*Name of Project: **Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)***

*Approved Budget for the Contract (ABC): **Php1,890,205.00***




Section VII. Technical Specifications

Please see attached list

*Project Reference No.: **IB No. 2024-20***

*Name of Project: **Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)***

*Approved Budget for the Contract (ABC): **Php1,890,205.00***



Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
1.	<i>CARVING WAX</i>	
	<i>Please specify brand and model:</i>	
	Carving wax used in oral anatomy is typically made from a blend of natural waxes (such as beeswax and paraffin wax) and synthetic materials (such as polymers and resins).	
	Hardness: Soft carving wax	
	Melting Point: Relatively low melting point	
	Dimensional stability: Good dimensional stability	
2.	<i>MODELLING CLAY (PINK)</i>	
	<i>Please specify brand and model:</i>	
	Modeling clay is usually made from a blend of waxes, oils, resins, and synthetic polymers, along with mineral fillers such as calcium carbonate or talc.	
	Texture: Smooth and pliable	
	Color: various colors	
	Consistency: Consistent texture and workability	
3.	<i>PLASTIC ARTICULATOR</i>	
	<i>Please specify brand and model:</i>	
	Plastic articulators are typically made of durable thermoplastic materials such as polycarbonate or acrylic resin.	
4.	<i>ORAL ANATOMY LABORATORY MANUAL</i>	
	<i>Please specify brand and model:</i>	
	The content of the manual covers various aspects of oral anatomy, including the structure and function of the oral cavity, teeth, jaws, salivary glands, muscles, nerves, blood vessels, and lymphatic system. It may also include sections on embryology, histology, and radiographic anatomy.	
	Format: printed	
5.	<i>METAL FLASK</i>	
	<i>Please specify brand and model:</i>	
	The dental metal flask is made of corrosion-resistant metal. It compresses the denture well and produces porosity-free dentures in the dental laboratory. A dental metal flask is used for both upper and lower arches for processing of dentures and it's quite economical for use in the dental lab.	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
		<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
6.	<i>RUBBER IMPRESSION MATERIAL WITH DISPENSER</i>	
	<i>Please specify brand and model:</i>	
	An elastomeric impression material, go-to two-part dental impression material used to capture accurate details of the oral and dental structures. It is moderately hydrophilic, which allows for an accurate impression even in the presence of saliva. Consists of putty and wash impression materials. A dispenser for ease of manipulation is included in the kit.	
7.	<i>SHELLAC BASE PLATES</i>	
	<i>Please specify brand and model:</i>	
	Shellac baseplates are used in the process of manufacturing dentures/false teeth in the field of dentistry. They provide temporary denture plates to check the fit and feel for the patient. It is made up to shellac, stearic acid, talcum and mica. Shellac is a natural polymer from the secretions of lac beetle as the base ingredients.	
8.	<i>METAL SPATULA</i>	
	<i>Please specify brand and model:</i>	
	Are used to mix dental materials such as gypsum products and alginates. The spatula can also be used to load the materials needed for dental preparation. Spatula have flat shaped and high polish stainless steel blade, hand held single ended.	
9.	<i>PRESSER</i>	
	<i>Please specify brand and model:</i>	
	Is a tool used for pressing dental materials, especially into mold or forms. Made of high-grade metal that resist intense compressive force and high temperature.	
10.	<i>POLYMETHYL METHACRYLATE POWDER</i>	
	<i>Please specify brand and model:</i>	
	Poly methyl methacrylate (PMMA or Polymer) is the powder component of acrylic resin, commonly used for prosthetic dental applications, including fabrication of artificial teeth, denture bases, denture obturators, orthodontic retainers, temporary or provisional crowns and for the repair of dental prostheses. Used for fabrication of heat curing acrylic denture base resins.	
11.	<i>METHYL METHACRYLATE LIQUID</i>	
	<i>Please specify brand and model:</i>	
	Commonly known as the monomer, is the liquid component of the acrylic resin; colorless liquid, used for prosthetic dental applications, including fabrication of artificial teeth, denture bases, denture obturators, orthodontic retainers, temporary or provisional crowns and for the repair of dental prostheses. Used for fabrication of heat curing acrylic denture base resins.	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
12.	ZINC OXIDE EUGENOL (ZOE)	
	<i>Please specify brand and model:</i>	
	Made of zinc oxide powder and the liquid eugenol, used as, temporary filling material, surgical dressing, protective bases, temporary luting cement.	
13.	ZINC PHOSPHATE CEMENT	
	<i>Please specify brand and model:</i>	
	Is made up of Zinc oxide powder and the liquid component is phosphoric acid. Used as luting cement for fixed prosthesis and orthodontic bands and as bases for tooth cavity preparation.	
14.	CEMENT SPATULA	
	<i>Please specify brand and model:</i>	
	Cement spatula is used for mixing cements and powder in dental work. It is made if stainless steel metal, durable and easily to handle.	
15.	ALCOHOL LAMP	
	<i>Please specify brand and model:</i>	
	Alcohol lamp is used for heating, sterilization, and combustion in a laboratory. The alcohol lamp uses ethyl alcohol or spirit as a fuel. It is generally made up of glass with a wick and metal cover.	
16.	GLASS SLABS	
	<i>Please specify brand and model:</i>	
	Glass slab is a glass plate that is transparent and comprises rectangular-shaped reflecting surfaces. Used for mixing various dental cements for Restorative Dentistry, it has a smooth and clear surface and resistant to abrasion.	
17.	GLASS IONOMER CEMENT TYPE 1 (GIC TYPE 1)	
	<i>Please specify brand and model:</i>	
	GIC Type I - Luting cement used for cementation of crowns and bridges. Glass Ionomer Cement Type I Lute+ is based on radiopaque fine glass powder and organic polymer liquid used as luting material with excellent tooth adhesion properties having high fluoride release and flow ability.	
	Application:- 1. Cementation of metal-based inlays, inlays crown and bridges. 2. Cementation of high strength (Zirconium based) all ceramic crowns and bridges. 3. Cementation of stainless steel crowns 4. Attachment of metal orthodontic bands. Composition:- Powder – Calcium-alumina-fluorosilicate glass and Liquid – Polyacrylic acid.	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
18.	GLASS IONOMER CEMENT TYPE 2 (GIC TYPE 2)	
	<i>Please specify brand and model:</i>	
	GIC type II has radiopaque glass powder and organic polymer liquid. It offers strong adhesion to enamel and dentine. High compressive strength. It is also used in fillings prior to crown preparations. It provides permanent restoration of class III, class V and small class fillings.	
	Composition:- Powder – Calcium-alumina-fluorosilicate glass and Liquid – Polyacrylic acid.	
19.	ALGINATE (BIG PACKS)	
	<i>Please specify brand and model:</i>	
	Alginate is an elastic, irreversible hydrocolloid impression material. Irreversible hydrocolloid impressions form an inseparable part of indirect restorations. Alginate is one of the most frequently used dental materials; and alginate impression is a simple, cost-effective, and indispensable part of dental practice.	
20.	DENTAL STONES	
	<i>Please specify brand and model:</i>	
	A specially calcined gypsum derivative similar to plaster of Paris manufactured to provide improved properties of strength and hardness. It is frequently coloured yellow. Dental stone is produced by heating gypsum under steam pressure in an autoclave at 120–150°C (248–302°F). Compressive strength is higher than Plaster of Paris	
21.	DIE STONE	
	<i>Please specify brand and model:</i>	
	Die stone is an alpha modified derivative of calcium sulphate hemihydrate formed by boiling gypsum in a 30% aqueous solution of calcium and magnesium chloride; this produces a hard material with compact particles capable of producing a high degree of accuracy during fabrication. Compressive strength is higher than Dental stone.	
22.	PLASTER OF PARIS	
	<i>Please specify brand and model:</i>	
	Plaster of Paris is a fine white powder of calcium sulphate hemihydrate. The chemical formula of Plaster of Paris is CaSO ₄ . 1/2H ₂ O. Used in construction of diagnostic cast in Dentistry and as an investing material for denture fabrication.	
23.	MODELLING COMPOUND	
	<i>Please specify brand and model:</i>	
	Modeling Compound is used in the process of creating a negative replica of the tissues of the oral cavity. It is shaped to fit in a tray. Primarily used as primary impression for complete denture construction.	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
24.	CELLULOID STRIP	
	<i>Please specify brand and model:</i>	
	A clear plastic strip of celluloid acetate used as a matrix band for tooth-coloured restorations in anterior teeth, to restore the contour of the proximal surface.	
25.	CALCIUM HYDROXIDE PASTE (DYCAL)	
	<i>Please specify brand and model:</i>	
	Calcium hydroxide can be used as linings, for indirect and direct pulp cupping, root dressing, root canal sealant, apical closure.	
26.	VISIBLE LIGHT CURING COMPOSITE RESIN KIT	
	<i>Please specify brand and model:</i>	
	The light-cured composite resin is indicated for shallow facial restorations and veneers. The self-cured composite resin is indicated to restore deeper cavities, those with a dentinal gingival margin, and for occlusal restorations. Consists of several shades of composite resin tubes, bonding agent, etchant, micro applicator and shade guide.	
27.	STAINLESS STEEL PERFORATED RIM LOCK IMPRESSION TRAYS	
	<i>Please specify brand and model:</i>	
	Rim Lock Trays are rigid, reusable metal trays recommended for putty wash technique & alginate impression. Unique design of trays offer retention of set impression material, hence reduces the chances of distortion upon removal. The perforations allow the impression material to expand through the holes and so be held securely in place. small, medium and large of both upper and lower trays	
28.	ALUMINUM STOCK TRAYS (UPPER AND LOWER)	
	<i>Please specify brand and model:</i>	
	Used to make primary impression, made of aluminum and can be bend to conform with the patient's mouth.	
29.	PLASTIC SPATULA	
	<i>Please specify brand and model:</i>	
	The plastic spatula is used to mix the alginate and load the material needed into the dental impression tray during impression taking. The plasters spatula is made up of metal and wood as a handle. It is used to mix the dental cements, like dental stone, plaster of paris and die stone.	
30.	DAPPEN DISH	
	<i>Please specify brand and model:</i>	
	It is a small glass bowls that used to hold dental materials and for mixing acrylics prophy paste, cements and other dental materials.	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
31. & 32.	TITANIUM POSTS AND FIBER POSTS	
	<i>Please specify brand and model:</i>	
	<p>Features : Size : 6 X N 2 - Ø 1.20mm 6 X N 3 - Ø 1.35mm 6 X N 4 - Ø 1.50mm Drills Sizes 1 X N 2 - Ø 1.20mm 1 X N 3 - Ø 1.35mm 1 X N 4 - Ø 1.50mm About radio-opaque fibre posts The glass fibre will prevent the post from breaking and makes it very resilient and it will not like a hard and numb metal post transmit stress and shock to the dentine. It will work together with the dentine to absorb any stress or shock as it has about the same elasticity like dentine. The composite will form a bond with a resin cement and the composite used for build-up. The posts are available in 4 different selected sizes and in a cylindrical shape with a rounded cone for the root- canal and matched by the calibrated reamers. The posts are long and they are easily to be shortened so you can always let the post go all the way to the top of your build-up and cut off the extra length when you trim the build-up, thus ensuring maximum bond and strength to the reconstruction. Posts are allowing recognition on the X-Ray.</p>	
33.	SHADE GUIDE	
	<i>Please specify brand and model:</i>	
	VITA Teeth Whitening Shade Guides 16 colors: A1, A2, A3, A3.5, A4, B1, B2, B3, B4, C1, C2, C3, C4, D2, D3, D4 The classic VITA Scale A1 - D4 is a precision instrument that serves to determine the colors of teeth. The arrangement of the color shades of the classical	
34.	TYPODONT REFILLS AND SCREWS	
	<i>Please specify brand and model:</i>	
	Typodont teeth Compatible with nissin articulator and comparable to natural dentine and enamel. This typodont teeth will be used for simulation and exercises during tooth preparation.	
	<p>PER SET INCLUDES TEETH OF ALL QUADRANTS:</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> CENTRAL <input checked="" type="checkbox"/> LATERAL <input checked="" type="checkbox"/> CANINE <input checked="" type="checkbox"/> 1ST PREMOLAR <input checked="" type="checkbox"/> 2ND PREMOLAR <input checked="" type="checkbox"/> FIRST MOLAR <input checked="" type="checkbox"/> SECOND MOLAR 	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
35.	<i>TYPODONT RCT MODEL # 21</i>	
	<i>Please specify brand and model:</i>	
	Made of aluminum material, nontoxic and sterilization compatible. Used during post and core exercise.	
36.	<i>POSTERIOR COMPOSITE (CORE MATERIAL)</i>	
	<i>Please specify brand and model:</i>	
	Like amalgam, but white "Posterior Hybrid Composite"	
	Compressive strength	
	A high compressive strength enhances longevity of a composite by withstanding mastication forces.	
	optimum filler level maximizes strength.	
	Like an amalgam	
	Rcan be placed like an amalgam. The exceptional packable heavy body nature of Rok means the use of a conventional amalgam condenser is possible.	
	Indications	
	• Posterior restorations	
	• Sandwich technique with lass ionomers	
	• Cusp build up	
	• Core build up	
	• Splinting	
	Low shrinkage	
	exhibits low polymerization shrinkage. Utilizing longer resin chains with fewer monomer links, Rok has a very low shrinkage. Lower shrinkage minimizes sensitivity and microleakage; an effective seal against microleakage decreases the potential for secondary caries development.	
	High filler level	
	high filler level of glass particles maximizes strength, whilst minimizing wear and shrinkage.	
	Bond strength	
	Stae, a fluoride releasing single component bonding agent, exhibits uniform bonding to the tooth structure with no gaps or voids visible within the hybrid layer.	
	Color range	
	• A2, A3, A3.5, B1, B2, C2	
37.	<i>GATES GLIDDEN</i>	
	<i>Please specify brand and model:</i>	
	Stainless Steel Length:28mm Size: #1 #2 #3 #4 #5 #6	
	#1-6 Package:	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance						
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance						
38.	<i>RUBBER CHEEK FOR NISSIN TYPODONT MODEL</i>							
	<i>Please specify brand and model:</i>							
	Specification: Material: rubber/silicone Color: Red (slightly transparent)							
	Size: Medium							
	Features: <input checked="" type="checkbox"/> Check simulation <input checked="" type="checkbox"/> Compatible with nissin typodont model (TRM-263) <input checked="" type="checkbox"/> Hole on the upper side for plastic head mount <input checked="" type="checkbox"/> Silicone tube hole for drainage hose attachment/saliva suction (teeth model are not included)							
39.	<i>SEMI-ADJUSTABLE ARTICULATOR</i>							
	<i>Please specify brand and model:</i>							
	basic type, complete set							
	Central lock- Curved condylar guide, Adjustable bennet angle. Semi-adjustable / Arcon type. Adjustable condylar guide angle. Fixed intercondylar distance at the average 110 mm. Stabilization system of condylar guide bow movement with silicone connection. Pin to support the upper frame at the open position can be supplied with standard or elite face.							
	SEMI-ADJUSTABLE articulator with FACEBOW with ORBITAL Pointer and NASION Indicator, both FULL METAL BODY– rigid, sturdy and long-lasting CUSTOMIZABLE HORIZONTAL condylar guidance angle- 0 to 60 degrees							
	FIXED LATER condylar guidance angle- 15 degrees							
	3 INCISAL TABLES (0, 10, 20 degrees)							
	1 INCISAL PIN							
	4 ELASTICS							
	4 METAL magnetic mounting plates							
	2 PLASTIC magnetic mounting plates							
40.	<i>PROSTHODONTIC BURS WITH BUR HOLDER (with autoclavable bur holder, 18 holes, FG only)</i>							
	<i>Please specify brand and model:</i>							
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">0.5mm flat end (regular grit)</td> <td rowspan="5" style="vertical-align: top;">- Flat end taper regular grit and finishing: friction grip, head shape and size, diamond cutting material, possible coating, sterilization compatibility</td> </tr> <tr> <td>0.75mm flat end (regular grit)</td> </tr> <tr> <td>0.75mm round end (regular grit)</td> </tr> <tr> <td>1.0mm flat end (super fine grit)</td> </tr> <tr> <td></td> </tr> </table>	0.5mm flat end (regular grit)	- Flat end taper regular grit and finishing: friction grip, head shape and size, diamond cutting material, possible coating, sterilization compatibility	0.75mm flat end (regular grit)	0.75mm round end (regular grit)	1.0mm flat end (super fine grit)		
0.5mm flat end (regular grit)	- Flat end taper regular grit and finishing: friction grip, head shape and size, diamond cutting material, possible coating, sterilization compatibility							
0.75mm flat end (regular grit)								
0.75mm round end (regular grit)								
1.0mm flat end (super fine grit)								

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
	0.75mm flat end (super fine grit)	- Round end taper regular grit and finishing: Similar specifications to the flat end taper bur, with variations in head shape and potential differences in size and angle.
	0.75mm flat end (super fine grit)	
	1.0mm interproximal (regular grit)	- Interproximal regular grit: Friction grip, head shape and size (designed for interproximal areas), diamond cutting material, possible coating, sterilization compatibility, for high-speed handpiece
	depth cutting (ISO 552) (regular grit)	- Depth cutting bur regular grit: friction grip, head shape and size (e.g., cylindrical with specific cutting depth), material, sterilization compatibility, and recommended for highspeed handpiece
	Needle bur (regular grit) Needle bur (super fine)	- Needle bur regular and finishing grit: friction grip, head shape and size (needle-shaped), diamond material, sterilization compatibility, and recommended RPM range.
	Flame/ football shaped (regular grit) Flame/ football shaped (super fine)	- Egg/football-shaped bur regular and finishing grit: friction grip, head shape and size (egg/football-shaped), diamond cutting material, possible coating, sterilization compatibility, and recommended for high speed
	0.5mm cylinder (regular grit) bulk reduction	Cylinder regular grit: friction grip, head shape and size (cylindrical), material, possible coating, sterilization compatibility, and recommended highspeed RPM range.

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
41.	MICROMOTOR	
	<i>Please specify brand and model:</i>	
	Low Speed Independent Unit	
	MICROMOTOR SET Includes: Base + Pedal + Micromotor Max Speed 35,000rpm Speed Control via hand or feet Auto-cruise function Reverse and Forward function Digital Speed Indicator or Display	
	CONTRA-ANGLE HANDPIECE: 1:1 Direct Drive Latch Type Max Speed: 30,000min ⁻¹	
	STRAIGHT HANDPIECE 1:1 Direct Drive Clean Head System	
42.	ACRYLIC CONTOUR AND FINISHING KIT	
	<i>Please specify brand and model:</i>	
	Small and large sizes	
	Flame shaped	
	Metal finishing burs	
	Green stone	
	Brown stone	
	Carbides	
43.	DENTURE TRIMMING BURS (LOW SPEED)	
	<i>Please specify brand and model:</i>	
	Head Material: Tungsten Carbide	
	Intended Use/Discipline: Dental Laboratory, Dentistry, Endocrinology, Endodontics	
	Diameter: 3/32"(2.35mm)	
	Working on low speed grinding handle	
	Material: High-quality tungsten steel (hard alloy)	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
44.	<i>POLISHING/ BUFFING WHEEL SET</i>	
	<i>Please specify brand and model:</i>	
	Dental Lab Brush Polishing Wheel	
	- Made from a variety of material, these brushes is used for grinding, cleaning, polishing, smoothing and finishing ceramic, metal, jade, jewelry, etc.	
	-Stiff steel and brass rotary wire brushes mounted on HP-sized mandrels designed for tough cleaning tasks;	
	-Classic, high quality natural bristle brushes ideal for cleaning and polishing of denture acrylic, cleaning interproximal spaces after denture beflaking, and for general laboratory polishing applications;	
	-Durable cotton for application of smooth finishing and polishing materials;	
	-High quality fine white wool felt buffs designed for all types of polishing;	
	-Polyamide fiber with silicon carbide or aluminum oxide for pre-polishing metal;	
	-Non-woven cloth brushes for remove scratches on acrylics or vacuum forming material, cleaning the oxidation layer of irregular and high demand surface of metal. high temperature resistant, can used with water or liquid, blocking proof, high durable. widely used in cleaning, pre-polishing, polishing oxidation film, all kinds of metal, fine treatment on non-metallic surface and burr remove.	
	Type <ul style="list-style-type: none"> - Leather wheel for straight - Felt wheel for straight - Felt Contra angle wheel for straight - White Cloth wheel for straight - Goat Hair Brush Wheel 	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
45.	<i>POLYVINYL SILOXANE</i>	
	<i>Please specify brand and model:</i>	
	Light body putty and wash	
	Have remarkable dimensional stability and are odorless and tasteless and pleasant for patients. They are provided in a wide variety of viscosities, rigidities, and working and setting times so they can be used in a variety of clinical situations.	
	Permlastic is a rubber base (polysulfide, condensation-cured, elastomeric) impression material available in three viscosities. Regular Permlastic is recommended for partial- or full denture impressions because it has a high degree of flow that will register the finest detail.	
	Set Includes: 1x Putty base (150ml) 1x Putty catalyst (150ml) 1x Light body Cartridge (50ml) 6x short mixing tips 6x intra-oral tips 1x Scoop for base 1x Scoop for catalyst	
	Normal Set Set Includes: 1x Putty base 305-350 ml 1x Putty catalyst 305-350ml 1x Light body Cartridge 50-150ml 12x short mixing tips 12x intra-oral tips 1x Scoop for base 1x Scoop for catalyst Normal Set	
46.	<i>CARTRIDGE DISPENSING GUN</i>	
	<i>Please specify brand and model:</i>	
	It is used to extrude impression materials and bite registration materials from cartridges. It consists of a release lever and a plunger, which are coordinated simultaneously to load and remove the cartridge. The gun also consists of a trigger to dispense the material.	
	1:1	
	50ml	
47.	<i>GINGIVAL RETRACTION CORD</i>	
	<i>Please specify brand and model:</i>	
	#00, #1, #2	
	It is primarily used to push the gum tissue away from the prepared margins of the tooth, in order to create an accurate impression of the teeth.	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance		
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance		
48.	RETRACTION CORD PACKER			
	<i>Please specify brand and model:</i>			
	Gingival retraction cord packers are used to pack gingival retraction cord into the sulcus. Retraction cord packers are used for atraumatic cord placement in order to create an accurate impression of the teeth. Its round, serrated edges facilitate atraumatic cord placement.			
49.	CROWN AND BRIDGE MATERIAL (TEMPORARY)			
	<i>Please specify brand and model:</i>			
	Dual cured temporary crown and bridge material is dual curing composite for temporary prosthesis such as temporary crowns, bridges, inlays and onlays It is a bis-acrylic temporary resin material for temporary prosthetics such as temporary crowns, bridges, inlays, and onlays. Low shrinkage and low exothermic heat. Fast setting and high flexural strength More natural Working time (23 °C) 1 min 30 sec Light cure: 20 sec Setting time (oral) less than 3 min.			
50.	MIXING BOWL			
	<i>Please specify brand and model:</i>			
	<table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Function: This is an armamentarium used for mixing impression materials such as alginate and gypsum products</td> <td style="width: 50%;">Design: Flexible, chemical resistant, silicone mixing bowl (Large size)</td> </tr> </table>	Function: This is an armamentarium used for mixing impression materials such as alginate and gypsum products	Design: Flexible, chemical resistant, silicone mixing bowl (Large size)	
Function: This is an armamentarium used for mixing impression materials such as alginate and gypsum products	Design: Flexible, chemical resistant, silicone mixing bowl (Large size)			
51.	BASE FORMER			
	<i>Please specify brand and model:</i>			
	<table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Function: Model base formers are the base formers usually made up of rubber which help the dentists or their team members make the casts of ideal dimensions. It should be easy to clean and reusable</td> <td style="width: 50%;">Design: Comes in a set of three sizes Small, Medium and Large made of soft rubber</td> </tr> </table>	Function: Model base formers are the base formers usually made up of rubber which help the dentists or their team members make the casts of ideal dimensions. It should be easy to clean and reusable	Design: Comes in a set of three sizes Small, Medium and Large made of soft rubber	
Function: Model base formers are the base formers usually made up of rubber which help the dentists or their team members make the casts of ideal dimensions. It should be easy to clean and reusable	Design: Comes in a set of three sizes Small, Medium and Large made of soft rubber			
52.	STEPHAN'S ARTICULATOR			
	<i>Please specify brand and model:</i>			
	<table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Function: An instrument that simulates the patient's anatomy specifically its occlusion, it holds the maxillary and mandibular cast in a planned position. It simulates the temporomandibular joint, maxilla and mandibular movements.</td> <td style="width: 50%;">Design: Metal with adjustable screw Stainless Steel Corrosion resistant</td> </tr> </table>	Function: An instrument that simulates the patient's anatomy specifically its occlusion, it holds the maxillary and mandibular cast in a planned position. It simulates the temporomandibular joint, maxilla and mandibular movements.	Design: Metal with adjustable screw Stainless Steel Corrosion resistant	
Function: An instrument that simulates the patient's anatomy specifically its occlusion, it holds the maxillary and mandibular cast in a planned position. It simulates the temporomandibular joint, maxilla and mandibular movements.	Design: Metal with adjustable screw Stainless Steel Corrosion resistant			

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance		
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance		
53.	<i>VIEWBOX</i>			
	<i>Please specify brand and model:</i>			
	<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;"> Function: A device made of lights placed behind a translucent screen that is used to provide backlighting for a radiographic image </td> <td style="width: 70%;"> Design: Dimensions (mm) FRAME: 575 (W) X 260 (H) X 20 (D) Viewing Area (W x H) mm: 492 x 217 Power Consumption: 10W Light Source: white light Power Supply: AC 100-240V 50Hz </td> </tr> </table>	Function: A device made of lights placed behind a translucent screen that is used to provide backlighting for a radiographic image	Design: Dimensions (mm) FRAME: 575 (W) X 260 (H) X 20 (D) Viewing Area (W x H) mm: 492 x 217 Power Consumption: 10W Light Source: white light Power Supply: AC 100-240V 50Hz	
Function: A device made of lights placed behind a translucent screen that is used to provide backlighting for a radiographic image	Design: Dimensions (mm) FRAME: 575 (W) X 260 (H) X 20 (D) Viewing Area (W x H) mm: 492 x 217 Power Consumption: 10W Light Source: white light Power Supply: AC 100-240V 50Hz			
54.	<i>WIRES #20 #25 #30</i>			
	<i>Please specify brand and model:</i>			
	<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;"> Function: Used for wire bending exercises that are used in support with straight wire orthodontic treatment </td> <td style="width: 70%;"> Design: Stainless steel Corrosion-resistant High durability and precision </td> </tr> </table>	Function: Used for wire bending exercises that are used in support with straight wire orthodontic treatment	Design: Stainless steel Corrosion-resistant High durability and precision	
Function: Used for wire bending exercises that are used in support with straight wire orthodontic treatment	Design: Stainless steel Corrosion-resistant High durability and precision			
55.	<i>TOOTH TYPODONTS WITH ARTICULATORS</i>			
	<i>Please specify brand and model:</i>			
	Designed to simulate the movements of the human jaw, allowing dental students to practice various dental procedures and techniques. Typodonts are models of teeth and jaws that are used in dental schools and clinics for teaching, learning and practicing dental procedures.			
56 - 77	<i>TYPODONT TEETH #11,#12,#13,#14,#15,#16,#17,#21,#22,#23,#24,#25,#26,#27,#34,#35,#36,#37,#44,#45,#46,#47</i>			
	<i>Please specify brand and model:</i>			
	<table border="0" style="width: 100%;"> <tr> <td style="width: 60%;"> Dimensions: Width: 162.0/212.0/262.0 cm, Depth: 115.0 cm, Height: 75.0 cm, Seat Height: 45.0 cm </td> <td style="width: 40%;"> Materials Used: Polyester Lamb Fleece Fabric, High-Density Foam Padding, Solid Framework </td> </tr> </table>	Dimensions: Width: 162.0/212.0/262.0 cm, Depth: 115.0 cm, Height: 75.0 cm, Seat Height: 45.0 cm	Materials Used: Polyester Lamb Fleece Fabric, High-Density Foam Padding, Solid Framework	
Dimensions: Width: 162.0/212.0/262.0 cm, Depth: 115.0 cm, Height: 75.0 cm, Seat Height: 45.0 cm	Materials Used: Polyester Lamb Fleece Fabric, High-Density Foam Padding, Solid Framework			

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance												
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance												
78.	<p>BASIC CAVITY PREPARATION BURS WITH BUR HOLDER (#1/4 OR 1/2ROUND BUR, # 1 ROUND BUR, INVERTED CONE BUR, SHORT TAPERED BUR, LONG TAPERED BUR, STRAIGHT BUR)</p> <p><i>Please specify brand and model:</i></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">Dental Burs Holder</td> <td></td> </tr> <tr> <td>Round Bur</td> <td>Diamond points, round shape, friction grip, used for initial access cavity preparation</td> </tr> <tr> <td>Inverted cone bur</td> <td>Diamond points, round shape, friction grip, used for making cavity prep undercuts</td> </tr> <tr> <td>Long tapered bur</td> <td>Diamond points, round shape, friction grip, used for defining cavity preparations</td> </tr> <tr> <td>Short tapered bur</td> <td>Diamond points, round shape, friction grip, used for defining cavity preparations</td> </tr> <tr> <td>Straight bur</td> <td>Diamond points, round shape, friction grip, used for defining cavity preparations</td> </tr> </table>	Dental Burs Holder		Round Bur	Diamond points, round shape, friction grip, used for initial access cavity preparation	Inverted cone bur	Diamond points, round shape, friction grip, used for making cavity prep undercuts	Long tapered bur	Diamond points, round shape, friction grip, used for defining cavity preparations	Short tapered bur	Diamond points, round shape, friction grip, used for defining cavity preparations	Straight bur	Diamond points, round shape, friction grip, used for defining cavity preparations	
Dental Burs Holder														
Round Bur	Diamond points, round shape, friction grip, used for initial access cavity preparation													
Inverted cone bur	Diamond points, round shape, friction grip, used for making cavity prep undercuts													
Long tapered bur	Diamond points, round shape, friction grip, used for defining cavity preparations													
Short tapered bur	Diamond points, round shape, friction grip, used for defining cavity preparations													
Straight bur	Diamond points, round shape, friction grip, used for defining cavity preparations													
79.	<p>ARTICULATING PAPER</p> <p><i>Please specify brand and model:</i></p> <p>Articulating paper is a diagnostic tool used in dentistry to highlight occlusal contacts and the distribution of occlusal forces.</p>													
80.	<p>AMALGAM CAPSULE (2 SPILLS)</p> <p><i>Please specify brand and model:</i></p> <p>Each capsule contains 2 spills or 2 doses of amalgam, these are pre-dosed capsules which are filled with non-gamma 2 alloy and mercury and ready for mixing on an amalgamator.</p>													
II.	<p>VARIOUS DENTAL INSTRUMENTS</p>													
1.	<p>WAX CARVERS (SET) (ROACH, VEHE, LECRON, WAX KNIFE (SMALL), WAX KNIFE (LARGE), ZAHL, BEAVER TAIL/BEALE, WAX CARVER WITH SPOON)</p> <p><i>Please specify brand and model:</i></p> <p>These instruments are used to carve anatomical features and contour plastic dental fillings during restorative procedure and prosthodontic procedure</p> <p>Material: Stainless Steel, PU</p>													

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
2.	<i>SCALPEL</i>	
	<i>Please specify brand and model:</i>	
	Blade #15 is universal blade and this is used for all types of incisions; #10 blade is used for precise incisions; Blade Handle #7 and #3 hold the scalpel blade Set includes: 1x Blade Handle 1x Blade #15 1x Blade #10	
3.	<i>BIRD BEAK PLIER</i>	
	<i>Please specify brand and model:</i>	
	Versatile loop forming pliers for round wires up to .030" (.76 mm)	
4.	<i>WIRE CUTTER</i>	
	<i>Please specify brand and model:</i>	
	This is an instrument with a wide spring steel clip holds and catches the wire throughout cutting. Cuts wire up to .018" x .025"	
5.	<i>BASIC DIAGNOSTIC HAND INSTRUMENTS (MOUTH MIRROR, EXPLORER, COTTON PLIERS, SPOON EXCAVATORS)</i>	
	<i>Please specify brand and model:</i>	
	Generally, they are made of stainless-steel metal, sterilizable and resistant to both heat and cold sterilization. Cutting edge of the instruments is strong enough to cut tooth structures.	
6.	<i>BASIC HAND CUTTING INSTRUMENTS (CHISEL-DOUBLE, CHISEL-SINGLE, GINGIVAL MARGIN TRIMMER, HATCHET, HOE, HOLLENBACK CARVER, ANGLE FORMER)</i>	
	<i>Please specify brand and model:</i>	
	Chisel-double	sharp edge smooth edge, used for cleaving enamel
	chisel-single	sharp edge smooth cutting edge used to refine the cavity preparation
	gingival margin trimmer	to cut enamel and produce a bevel on enamel margins. These dental instruments have slightly curved blades with sharp beveled cutting edges to provide mesial or distal access into the preparation. double ended

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
	Hatchet, Hoe and Angle Former	should be made of high-grade stainless steel and is used to remove undermined lips of tooth structure on the proximal walls, thereby creating ideal exit angles (of 90 degrees), without over-extending or nicking the adjacent tooth surface
	Hollenbeck carver	a double ended, metal, round handle dental instrument used for placing, carving and contouring amalgam.
7.	<i>RESTORATIVE DENTISTRY HAND INSTRUMENTS</i>	
	<i>Please specify brand and model:</i>	
	These are hand instruments used in preparing, smoothening, and defining cavity walls for the reception of the filling materials. It also includes hand instruments used in filling cavities with amalgam and resin dental fillings. They are made of stainless-steel materials and are resistant to both heat and cold sterilizers.	
	Amalgam burnisher (egg & ball)	Stainless steel, autoclavable, used for polishing and contouring amalgam restorations
	Amalgam carrier	Stainless steel, autoclavable, used to load and pack amalgam restoration on the prepared cavity
	Amalgam plugger	Stainless steel, autoclavable, used for condensing amalgam on prepared tooth
	Amalgam carver	Stainless steel, autoclavable, this double-ended surgical instrument is used to place, carve, and contour amalgam.
	Cement spatula	Used for mixing cements in dentistry. should be non-corrosive and autoclavable
	Cleoid & discoid	Double ended, stainless steel, designed for shaping filling material to fit the anatomy of tooth, and for removing soft excess amalgam

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
		<p style="text-align: center;">Statement of Compliance</p> <p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
	Periodontal probe	Should ideally be metal, blunt end, with millimeter grade for measuring gingival pocket depth
	Mouth mirror with handles 4 / 5	Allows indirect vision by the dentist, reflecting light onto desired surfaces, and retraction of soft tissues. Should be metal, non-corrosive and autoclavable. mirror size #5 is bigger than size #4 but has the same functions.
	Woodson plastic filler	Highly polished stainless steel instruments used for composite placement and contouring.
III.	VARIOUS DENTAL CHAIRS ACCESSORIES	
1.	WATER RETRACTOR VALVE (HIGH SPEED)	
	<i>Please specify brand and model:</i>	
	Material: Copper Quality Certification: CE Size: 4 x 3 x 3 cm Approx weight: 100g	
2.	DENTAL PRESSURE WATER VALVE (AIR CONTROL)	
	<i>Please specify brand and model:</i>	
	Dental Pressure Water Valve Dental Accessories Square Pressure Water Valve Air Control Valve	
3.	DENTAL PEDAL MULTIFUNCTIONAL FOOT SWITCH CONTROL	
	<i>Please specify brand and model:</i>	
	Dental Switch multifunctional tube Apparats control equipment Foot Controller pedal switch	
4.	DENTAL SOLENOID VALVE (24 VOLTS)	
	<i>Please specify brand and model:</i>	
	High Quality DC 24V AC24V Dental Solenoid Valve Dental Chair Electromagnetic Valve 0.8Mpa Dental Lab Equipment Accessory	
	Voltage: DC24V/AC24V Connector size:5mm Pressure:0-0.8mPA Medium: Water, Air, Oil Material: Cooper, NBR, FKM Usage for the water tank of the dental chair	
5.	DENTAL TRIPLE DIAPHRAGM VALVE CONTROL	
	<i>Please specify brand and model:</i>	
	Dental Triple Diaphragm Valve Control Triple Diaphragm Dental Chair Accessories	

Section VII. Technical Specifications


Item No.	Specification	Statement of Compliance
		<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
6.	<i>DENTAL PLASTIC FILTER FLOOR BOX</i>	
	<i>Please specify brand and model:</i>	
	Dental Plastic Water Filter Floor Box Dental Chair Accessories Dental Accessories. The connector is connect 8*5mm pipe	
7.	<i>DENTAL HEXAGON PRESSURE VALVE CONTROL</i>	
	<i>Please specify brand and model:</i>	
8.	<i>DENTAL HOLDER VALVE (HANGER VALVE)</i>	
	<i>Please specify brand and model:</i>	
	Material: Copper Type: Normal Open / Normal Closed Suitable for the tube 4mm (Outside Dia.) *2.5mm (Inner Dia.)	
9.	<i>DENTAL WEAK (TUBING FOR SUCTION AND SILICONE SALIVA EJECTOR)</i>	
	<i>Please specify brand and model:</i>	
	Made of high-quality silicone. The length is 1.5m The inner diameter of the strong suction hose is 1cm and the inner diameter of the weak suction hose is 0.6cm.	
10.	<i>DENTAL AIR FILTER REDUCING VALVE</i>	
	<i>Please specify brand and model:</i>	
	Material: Copper	
11.	<i>DENTAL REGULATING CONTROL WATER VALVE (CUSPIDOR)</i>	
	<i>Please specify brand and model:</i>	
	Material: Copper Sizes: connect 6*4 mm(hose) and 4*2.5mm(hose)	
12.	<i>DENTAL CONNECTOR PRESSURE VALVE (ELECTRIC, WATER & AIR)</i>	
	<i>Please specify brand and model:</i>	
	T-Connector Size: 8mm, 6mm, 4mm Straight Connector Size: 8mm, 6mm, 4mm Cross Connector Size: 8mm, 6mm, 4mm	
13.	<i>DENTAL 2-WAY TOGGLE VALVE</i>	
	<i>Please specify brand and model:</i>	
	Material: Copper 6mm (outer diameter) * 4mm (inner diameter) hose and 4mm (outer diameter) * 2.5mm (inner diameter) hose	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
14.	<i>DENTAL HANDPIECE HOSE WITH ADAPTER</i>	
	<i>Please specify brand and model:</i>	
	Material: Silicone Hole: 2 Holes Color: Grey Length: 170cm / 66.93in	
15.	<i>DENTAL 3-WAY SYRINGE</i>	
	<i>Please specify brand and model:</i>	
	Material: Alloy Controls the air flow volume Controls the water flow	
16.	<i>DENTAL HALOGEN BULB</i>	
	<i>Please specify brand and model:</i>	
	Pin type 12v 50-75watts	
17.	<i>DENTAL HALOGEN BULB PIN TYPE SOCKET</i>	
	<i>Please specify brand and model:</i>	
	Material: Porcelain	
18.	<i>DENTAL TRANSFORMER</i>	
	<i>Please specify brand and model:</i>	
	6 amperes 12v-0-12v Input: 220v Output: 12v	
19.	<i>DENTAL ELECTRICAL TOGGLE SWITCH</i>	
	<i>Please specify brand and model:</i>	
	Dental Electrical Toggle Switch for Light	
20.	<i>DENTAL HANDPIECE BEARING</i>	
	<i>Please specify brand and model:</i>	
	Product name: Kaso Cartridge Bearing	
21-23.	<i>DENTAL HOSE</i>	
	<i>Please specify brand and model:</i>	
	The dental hoses is specific to the existing dental chairs Material: Grade Pneumatic Polyurethane Size: 4 x 2.5mm Material: High Grade Pneumatic Polyurethane Size: 6 x 4mm Material: High Grade Pneumatic Polyurethane Size: 8 x 5mm	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
24.	<i>CUSPIDOR FILTER SCREEN/MESH</i>	
	<i>Please specify brand and model:</i>	
	Material: Plastic	
	Standard	
	Hard and durable	
	Compatible with dental cuspidor	
	It is used to filter blood clot and other solid and semi-solid debris to minimize clogging of hoses.	



Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
IV.	VARIOUS MICROSCOPIC SLIDES	
	<i>Please specify brand and model:</i>	
	<i>One set of fixed and prepared specimen slides with cover glass: 1 slide for each</i>	
1.	DENTINAL TUBULES, NARROW	
2.	DENTINAL TUBULES, PULPAL VIEW	
3.	DENTINAL TUBULES, WIDE SECTION	
4.	INTERGLOBULAR DENTIN	
5.	PERITUBULAR DENTIN, CROSS-SECTION	
6.	PERITUBULAR DENTIN, LONGITUDINAL SECTION	
7.	APEX OF THE TONGUE	
8.	DORSUM OF THE TONGUE	
9.	LINGUAL RADIX	
10.	LIP	
11.	ENDOCHONDRAL OSSIFICATION	
12.	INTRAMEMBRANOUS OSSIFICATION	
13.	OSSIFICATION OF LONG BONE	
14.	SENSORY ORGANS OF A MUSCLE SPINDLE	
15.	PACINIAN CORPUSCLE	
16.	HARD PALATE	
17.	PALATINE TONSILS	
18.	SOFT PALATE	
19.	BONE, CROSS-SECTION	
20.	BONE, LONGITUDINAL SECTION	
21.	PREMOLAR, DENTIN/ ENAMEL	
22.	PREMOLAR, PULP/DENTIN	
23.	PREMOLAR, LONGITUDINAL SECTION	
	<p>Function: Used in microscopic examination of the different normal and abnormal structures in the oral cavity.</p> <p>Performance: Used in examining the different oral structures in their normal and abnormal appearances under the microscope.</p> <p>Environmental Interface: Glass slide and covers are more eco-friendly than plastic ones in several ways. Unlike plastic, glass is non-toxic and non-reactive, which reduces the risk of exposure to harmful chemicals during manufacturing and use. Additionally, glass coverslips produce less waste than plastic coverslips, which take hundreds of years to decompose and release toxic chemicals into the environment. Moreover, glass slide covers can be easily sanitized and reused, reducing the need for disposable options and, consequently, reducing their cost and environmental impact.</p> <p>Design: Thin flat piece of glass, typically 75 by 26 mm (3 by 1 inches) and about 1 mm thick, with the specimen on the middle and a cover glass on top to protect the specimen from removal and to hold it in place.</p>	

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance
Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)		Statement of Compliance
24.	<i>ODONTOGENESIS (ADVANCED BELL STAGE)</i>	
25.	<i>ODONTOGENESIS (EARLY BELL STAGE)</i>	
26.	<i>ODONTOGENESIS (BUD STAGE)</i>	
27.	<i>ODONTOGENESIS (EARLY CAP STAGE)</i>	
28.	<i>ODONTOGENESIS (LATE CAP STAGE)</i>	
29.	<i>TEETH (APEX OF ROOT)</i>	
30.	<i>TEETH (GROUND SECTION)</i>	
31.	<i>PREMOLAR, CROSS SECTION</i>	
32.	<i>PREMOLAR, LONGITUDINAL SECTION</i>	
33.	<i>SALIVARY GLANDS (PAROTID GLAND)</i>	
34.	<i>SALIVARY GLANDS (SALIVARY DUCT [SEM])</i>	
35.	<i>SALIVARY GLANDS (SALIVARY GLAND [SEM])</i>	
36.	<i>SALIVARY GLANDS (SUBLINGUAL GLAND)</i>	
37.	<i>SALIVARY GLANDS (SUBMANDIBULAR GLAND)</i>	
38.	<i>GINGIVA</i>	
39.	<i>PERIODONTIUM</i>	
40.	<i>TOOTH WITH INFLAMED GINGIVA</i>	
	<p>Function: Used in microscopic examination of the different normal and abnormal structures in the oral cavity.</p> <p>Performance: Used in examining the different oral structures in their normal and abnormal appearances under the microscope.</p> <p>Environmental Interface: Glass slide and covers are more eco-friendly than plastic ones in several ways. Unlike plastic, glass is non-toxic and non-reactive, which reduces the risk of exposure to harmful chemicals during manufacturing and use. Additionally, glass coverslips produce less waste than plastic coverslips, which take hundreds of years to decompose and release toxic chemicals into the environment. Moreover, glass slide covers can be easily sanitized and reused, reducing the need for disposable options and, consequently, reducing their cost and environmental impact.</p> <p>Design: Thin flat piece of glass, typically 75 by 26 mm (3 by 1 inches) and about 1 mm thick, with the specimen on the middle and a cover glass on top to protect the specimen from removal and to hold it in place.</p>	
	----Nothing Follows----	

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Section VIII. Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

(Bidder should submit only one (1) copy labeled “ORIGINAL”)

Class “A” Documents

Legal Documents

- (a) Valid and updated PhilGEPS Certificate of Platinum Registration and Membership ONLY for purposes of determining eligibility in accordance with GPPB Resolution No. 015-2021. Please see attached sample of Revised PhilGEPS Certificate of Platinum Registration and Membership;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
- or**
Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS);
- and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (g) The Supplier’s audited financial statements, showing, among others, the Supplier’s total and current assets and liabilities, stamped “received” by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (h) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC);
- or**
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- (i) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

or

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (j) [For foreign bidders claiming by reason of their country’s extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (k) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

(Bidder should submit only one (1) copy labeled “ORIGINAL”)

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).



Bid Form for the Procurement of Goods
[shall be submitted with the Bid]

BID FORM

Date : _____

Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Purpose of Commission or gratuity
_____	_____
_____	_____

(if none, state “None”)]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____


Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

Please see attached list

*Project Reference No.: **IB No. 2024-20***

*Name of Project: **Procurement of Various Dental Supplies/ Materials, Instruments, Accessories, and Microscopic Slides (Re-bidding)***

*Approved Budget for the Contract (ABC): **Php1,890,205.00***



Suggested Format/ Template

Name of the Procuring Entity: _____
 Project: _____
 Location of the Project: _____

Statement of all Ongoing Government & Private Contracts including contracts awarded but not yet started

Business Name: _____
 Business Address: _____

Name of Contract	Date of Contract	Contract Duration	Owner's Name and Address	Kind of Goods	Date of Delivery	Amount		End-user's acceptance or official receipt(s) or sales invoice issued for the contract
						Contract	Value of Outstanding Contract	
<u>Government</u>								
<u>Private</u>								
						Total Cost		

Note: This statement shall be supported with:

1. **Notice of Award (NOA)**
2. **Contract**
3. **Notice to Proceed (NTP)**
4. **And other documents, if necessary**

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Suggested Format/ Template

Name of the Procuring Entity: _____

Project: _____

Location of the Project: _____

Statement of Bidder's Single Largest Completed Contract (SLCC) similar to the Contract to be bid which should be at least fifty percent (50%) of the ABC

Business Name: _____

Business Address: _____

Name of Contract	a. Owner's Name b.Owner's Name Address c.Telephone Nos.	Nature of Work	Bidder's Role		a. Amount of Award b.Amount of Completion c.Duration	a. Date Awarded b.Contract Effectivity c.Date Completed
			Description	%		

Note: This statement shall be supported with:

- 1. Contract**
- 2. Certificate of completion/ acceptance or**
- 3. Official receipt issued to the Procuring Entity**

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacture/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)
[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. [Name of Bidder] complies with existing labor laws and standards; and

8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
- Carefully examining all of the Bidding Documents;
 - Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of __, 20__ at _____, Philippines.


[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]



Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION **Project Identification No.: [Insert number]**

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]*

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Contract Agreement Form for the Procurement of Goods (Revised)
[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT made the ____ day of _____ 20____ between [name of PROCURING ENTITY] of the Philippines (hereinafter called “the Entity”) of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called “the Supplier”) of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder’s bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder’s bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder’s response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity’s bid evaluation;
 - iii. Performance Security;
 - iv. Notice of Award of Contract; and the Bidder’s conforme thereto; and
 - v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**
3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature]
[Insert Signatory’s Legal Capacity]

for:
[Insert Procuring Entity]

[Insert Name and Signature]
[Insert Signatory’s Legal Capacity]
for:
[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]



Republic of the Philippines



Government Procurement Policy Board