PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Procurement of GOODS

Government of the Republic of the Philippines

PROCUREMENT OF VARIOUS LABORATORY EQUIPMENT

- IB No. 2024-28

Php2,192,138.60

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Section	ı I. Invitation to Bid5	-6
Section	ı II. Instructions to Bidders	.7
1.	Scope of Bid	7
2.	Funding Information	7
3.	Bidding Requirements	7
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	7
5.	Eligible Bidders	7
6.	Origin of Goods	8
7.	Subcontracts	8
8.	Pre-Bid Conference	8
9.	Clarification and Amendment of Bidding Documents	9
10.	Documents comprising the Bid: Eligibility and Technical Components	9
11.	Documents comprising the Bid: Financial Component	9
12.	Bid Prices	
13.	Bid and Payment Currencies	10
14.	Bid Security	10
15.	Sealing and Marking of Bids	10
16.	Deadline for Submission of Bids	
17.	Opening and Preliminary Examination of Bids	11
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	11
20.	Post-Qualification	11
21.	Signing of the Contract	11
Section	n III. Bid Data Sheet1	12
Section	ı IV. General Conditions of Contract 1	13
1.	Scope of Contract	
2.	Advance Payment and Terms of Payment	13
3.	Performance Security	13
4.	Inspection and Tests	13
5.	Warranty	13
6.	Liability of the Supplier	
Section	N. Special Conditions of Contract15-1	7
Section	1 VI. Schedule of Requirements1	18
	1 VII. Technical Specifications19-2	
Section	NIII. Checklist of Technical and Financial Documents, Bid Form Schedule, Performance Securing Declaration, Omnibus Swo	n,
	ent, Bid Securing Declaration and Contract Agreement Form28-3	

Glossary of Acronyms, Terms, and Abbreviations

ABC –Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*.(2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC –Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.


SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

West Visayas State University

(Formerly Iloilo Normal School)



Iloilo, Philippines

*Trunkline: (063) (033) 320-0870 loc. 1103/1104 * Telefax No.: (033) 320-0879 *Website: www.wvsu.edu.ph *Email Address: govtproc@wvsu.edu.ph





INVITATION TO BID FOR

PROCUREMENT OF VARIOUS LABORATORY EQUIPMENT - IB NO. 2024-28

1. The West Visayas State University, through the Special Trust Fund (Unexpended Balances of 2023), Special Trust Fund 2024 and General Appropriations Act (GAA) 2024 intends to apply the sum of Two Million One Hundred Ninety-Two Thousand One Hundred Thirty-Eight Pesos and 60/100 (Php2,192,138.60) Only being the ABC to payments under the contract for Procurement of Various Laboratory Equipment. Bids received in excess of the ABC of per item shall be automatically rejected at bid opening.

Item No.	Description	Description Qty./ Unit		Total Cost	
1.	Drying Oven	2 units	92,000.00	184,000.00	
2.	Constant Temperature Incubator	2 units	63,250.00	126,500.00	
3.	Electronic Top Loading Balance	6 units	25,000.00	150,000.00	
4.	Analytical Balance	1 unit	100,000.00	100,000.00	
5.	Muffle Furnace	1 unit	320,000.00	320,000.00	
6.	Micro Centrifuge	1 unit	57,385.00	57,385.00	
7.	Digital Thermocouple Thermometer	8 units	6,031.70	48,253.60	
8.	UV-VIS Spectrophotometer	1 unit	900,000.00	900,000.00	
9.	Autoclave	1 unit	170,000.00	170,000.00	
10.	Serological Centrifuge	2 units	25,000.00	50,000.00	
11.	Hematocrit Centrifuge	2 units	40,000.00	80,000.00	
12.	Test Tube Rack	12 pcs.	500.00	6,000.00	
	Nothing Follows	7	B		
	GRAND TOTAL		Ph	p2,192,138.60	

- 2. The <u>West Visayas State University</u> now invites bids for the above Procurement Project. Delivery of the Goods is required by <u>60 calendar days</u>. Bidders should have completed, within <u>2 years</u> from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from <u>West Visayas State University</u>, <u>BAC</u>
 <u>Secretariat Office</u>, <u>Administration Building</u>, and inspect the Bidding Documents at the address given below during <u>8:00 A.M. 5:00 P.M.</u>
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>June 20 July 11, 2024</u> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of <u>PhP5,000.00</u>. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.

	COST OF BIDDING DOCUMENTS PER ITEM				
Item No.	Description	Total Cost	Cost of Bidding Documents		
1.	Drying Oven	184,000.00	500.00		
2.	Constant Temperature Incubator	126,500.00	500.00		
3.	Electronic Top Loading Balance	150,000.00	500.00		
4.	Analytical Balance	100,000.00	500.00		
5.	Muffle Furnace	320,000.00	500.00		
6.	Micro Centrifuge	57,385.00	500.00		
7.	Digital Thermocouple Thermometer	48,253.60	500.00		
8.	UV-VIS Spectrophotometer	900,000.00	1,000.00		
9.	Autoclave	170,000.00	500.00		
10.	Serological Centrifuge	50,000.00	500.00		
11.	Hematocrit Centrifuge	80,000.00	500.00		
12.	Test Tube Rack	6,000.00	500.00		

- 6. The <u>West Visayas State University</u> will hold a Pre-Bid Conference¹ on <u>June 28, 2024; 10:00 A.M.</u> through video conferencing or webcasting via <u>google meeting platform</u> (for registration of <u>interested bidders</u>, <u>please send your request to this address: govtproc@wvsu.edu.ph</u>), which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before <u>July 11, 2024; 2:00 P.M.</u> Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on <u>July 11, 2024; 2:00 P.M.</u> at the given <u>address below or</u> through <u>electronic submission using a two-factor security procedure consisting of an archive format compression and password protection with separate password for technical and financial component envelope.

 Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.</u>
- 10. Requiring the Bidders to submit their bids using a two-factor security procedure consisting of an archive format compression and password protection with separate password for technical and financial component envelope and disclose the password for accessing their respective bid submission only during the actual bid opening.
- 11. The <u>West Visayas State University</u> reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

ROSALIE C. QUICOY
Head, BAC Secretariat
West Visayas State University
BAC Secretariat Office, Administration Building
Luna St., La Paz, Iloilo City, 5000
govtproc@wvsu.edu.ph
(033) 320-08-70-78 local 1103
wvsu.edu.ph

13. You may visit the following websites:

For downloading of Bidding Documents: wvsu.edu.ph
For online bid submission: govtproc@wvsu.edu.ph

June 20, 2024

JULIUS B. UNDAR BAC, Chairperson

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, <u>West Visayas State University</u> wishes to receive Bids for the <u>Procurement of Various Laboratory Equipment</u>, with identification number <u>IB No.</u> <u>2024-28.</u>

The Procurement Project (referred to herein as "Project") is composed of <u>Various</u> <u>Laboratory Equipment</u> the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for <u>Special Trust Fund (Unexpended Balances of 2023)</u>, <u>Special Trust Fund 2024 and General Appropriations Act (GAA) 2024</u> in the amount of <u>Two Million One Hundred Ninety-Two Thousand One Hundred Thirty-Eight Pesos and 60/100 (Php2,192,138.60) Only.</u>
- 2.2. The source of funding is:
 - a. NGA, Special Trust Fund (Unexpended Balances of 2023), Special Trust Fund 2024 and General Appropriations Act (GAA) 2024.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB**by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. Not applicable
- 7.3. *Not applicable*
- 7.4. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

1902

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time through videoconferencing/webcasting via google meeting platform (for registration of interested bidders, please send your request to this address: govtproc@wvsu.edu.ph) as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within <u>2 years</u> prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *November 08, 2024*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

1902

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items, which shall be awarded as separate contracts per item.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. Procurement of Various Laboratory Equipment or equivalent thereof.
	b. Completed within <u>2 years</u> prior to the deadline for the submission and receipt of bids.
7.1	N/A
12	The price of the Goods shall be quoted DDP <u>in Philippines</u> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than <i>PhP43,842.77 equivalent to two percent</i> (2%) of ABC1, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>Php109,606.93 equivalent to five percent</i> (5%) of ABC1 if bid security is in Surety Bond.
19.3	Procurement of Various Laboratory Equipment -Php2,192,138.60.
20.1	Latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS).
21.2	Certificate of Warranty to include a statement specifying the service response period which shall not be later than five (5) days from receipt of notice/complaint from the Project Management Office (PMO)/Technical Working Group (TWG)/ End-user.

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

1902

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



Section V. Special Conditions of Contract Special Conditions of Contract

GCC	•
Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	For Goods supplied from abroad, "The delivery terms applicable to the Contract are DDP delivered <u>West Visayas State University</u> , <u>Luna St.</u> , <u>La Paz</u> , <u>Iloilo City</u> . In accordance with INCOTERMS."
	For Goods supplied from within the Philippines, "The delivery terms applicable to this Contract are delivered <u>West Visayas State University</u> , <u>Luna St.</u> , <u>La Paz</u> , <u>Iloilo City</u> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is <u>Mr. Julius B. Undar – Chief Administrative Officer, Mr. Hector P. Caro and Dr. Stephen G. Sabinay – TWG.</u>
	Incidental Services – The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;c. furnishing of a detailed operations and maintenance manual for each
	appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
	f. Specify additional incidental service requirements, as needed. None
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier Contract Description

Final Destination
Gross weight

Any special lifting instructions
Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.


Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. Intellectual Property Rights —
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows: not applicable."
4	The inspections and tests that will be conducted are: <u>Performance and</u> Functionality Test.



Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description		Total	Delivered, Weeks/Months
1.	Drying Oven	2 units		
2.	Constant Temperature Incubator	2 units		
3.	Electronic Top Loading Balance	6 units		
4.	Analytical Balance	1 unit		
5.	Muffle Furnace	1 unit		
6.	Micro Centrifuge	1 unit		
7.	Digital Thermocouple Thermometer	8 units		
8.	UV-VIS Spectrophotometer	1 unit		
9.	Autoclave	1 unit		
10.	Serological Centrifuge	2 units		
11.	Hematocrit Centrifuge	2 units		
12.	Test Tube Rack	12 pcs.		
	Nothing Follows		弘元	W.

Name of Bidder:_		
Submitted by:		1902
, ===	(Printed Name and S	Signature)
Designation:	1 1 10	
	AW V	THE PARTY OF
Date:	W/W (1)	DILOC

Item		Specification	Statement of Compliance
No.		Specification	Statement of Compliance [Bidders must state here either "Comply" or "Not Comply"
140.			against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the
			Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
]	Procurement of Var	rious Laboratory Equipment	Statement of Compliance
<i>1</i> .	DRYING OVEN	– CENTRAL LAB.	
1.	Please specify brand a		
	Quantity/Unit: 2 units		
	Unit Cost: Php92,000.		
	Features:	S SIAI	
	* Forced Air type	712	
	* External material: powder coating.	cold-rolled steel with anti-bacteria	
	adjustable shelves.	er chamber, round angle structure,	
		intelligent temperature controller.	34.15
	* Over-temperature pro		Se Maria
	Capacity	70 Litters or higher	50/100/
	Temp. Range	RT+10~200/300°C	
	Temp. Precision	0.1°C	
	Temp. Fluctuation	±1°C	
	Ambient Temp.	5~40°C	
	Timing Range	1~9999min	7-10 VD
	Shelves No.	2 pcs	
	Display	LED	3 × 8
	Consumption	1550/2400W	
	Power Supply	Standard: AC 220V±10%, 50/60Hz	7
	Internal Size	450*352*450 or bigger	
		DEMO and Installation	
	Minimum of 1-year wa		
<i>2</i> .		PERATURE INCUBATOR –	
	CENTRAL LAB.	7 7 7	
	Please specify brand		
	Quantity/Unit: 2 unit		
	Unit Cost: Php63,250	J.UU	
	Features: 1. LCD display.		
	2. Microcomputer temp	nerature controller	
		and magnetic door sealing.	
	4. Castors are equipped		
		er adopts round angle structure, easy	
	Safety Functions:		
		otection, temperature sensor	
	malfunction alarm.		
1		ved automatically when power off or	
	system error.		

Item	S	pecification	Statement of Compliance
No.			[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
]	Procurement of Vario	us Laboratory Equipment	Statement of Compliance
	Capacity	84 Litters or Bigger	
	Readability	0.1°C	
	Temp. Range	RT +5°C - 60°C or higher	100
	Temp. Fluctuation	± 0.3°C	5
	Time Setting	1 – 9999 min	
	Number of Shelve	2 adjustable	
	Power Supply	220V ±15% Volts AC, 50/60HZ	
	Consumption	500W or higher	
	NOTE: With On-Site DE		
	Minimum of 1-year warra	anty	
2		P LOADING BALANCE -	
<i>3</i> .	CENTRAL LAB.		
	Please specify brand an	nd model:	NEW COV
	Quantity/Unit: 6 units		
	Unit Cost: Php25,000.0	0	7050
	Specifications:		
	Capacity:	600 g or higher	1900
	Graduation:	0.01 g or lower	2.2
	Operating	5 °C to 35 °C	970
	Temperature:		7 ~ [6]
	Power Source:	Adapter 9VDC / 300mA and 4 x UM-2 dry battery (included)	7 /
	Platter Size:	144 x 124 x 6.5mm; Round:	
		116mm diameter	
	Display:	LCD, 6.5 digits, 16mm (height), LED backlight	
	Certificate of Calibration:	Provided with certificate of calibration	
	Features:		
		backlight, more durable, more energy	
	saving		
	Double overload protecti	on	
	Weighing, counting and		
		s, up to 13 weighing units available	
	Auto temperature and lin		
	Low power indication an	•	
	Both plug and dry battery	/ models available	
	Plastic shield included		
		Feet for stability of the scale	
	NOTE: With On-Site DE		
	Minimum of 1-year warra	anty	

Item	S	pecification		Statement of Compliance [Bidders must state here either "Comply" or "Not Comply"
No.				against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
	Procurement of Vario			Statement of Compliance
<i>4</i> .	ANALYTICAL BALA		RAL LAB.	
	Please specify brand an	nd model:		
	Quantity/Unit: 1 unit		200000	
	Unit Cost: Php100,000.	.00	CTA	100
	General Specifications	7.6	SIAI	
	Balance Type	Analytical balan	ce	
	Maximum Weighing	220 g or higher		
	Capacity			
	Repeatability	0.1 mg	(4)	
	Scale Interval	0.1 mg	(4)	
	Linearity	0.2 mg	AMITTINE.	30
	Weighing Chamber Height	209 mm or highe	er	
	Weighing Pan Diameter	ø 90 mm or bigg	ger	
	Chemical Resistance	Yes		
	Draft Shield	Manual		
	Weighing Units		lb, oz, ozt, tlh, tls, g, parts lb, tlc, Kt,	
	Underfloor Weighing	Yes	112	531 1
	Power Requirements	Line Voltage 100 50 – 60 Hz	0 – 240 V,	9 ~ 1
	Features		ALL LEVE	
	Adjustment	Internal automat		1
	Anti-Theft Locking Device	Kensington I capability for cal	Lock, lockdown ble or chain	
	Display	Colored Touchso		
	Housing Protection		ole housing, Glass	
			t shield are coated	
			rostatic influences,	
		In-use cover, Dust cover for		
	Languages	balances with draft shield English, etc.		
	Leveling	Real-Time Level	1 Support	
	Calibration History	Yes	ι σαρροιτ	
	Connections (Data)	Data Interface	Mini USB	
	MOTE, With On City DE	MO and In-4-11 '	0.0	
	NOTE: With On-Site DE		OII	
	Minimum of 1-year warr	anty		

Item No.		pecification	Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the
			against each of the individual parameters of each Specification stating the corresponding performance parameter of the
			stating the corresponding performance parameter of the
			agricument offered Statements of "Comple" on "Not Comple"
			equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-
			referenced to that evidence. Evidence shall be in the form of
			manufacturer's un-amended sales literature, unconditional
			statements of specification and compliance issued by the
			manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently
1			found to be contradicted by the evidence presented will render the
			Bid under evaluation liable for rejection. A statement either in the
			Bidder's statement of compliance or the supporting evidence that
			is found to be false either during Bid evaluation, post- qualification or the execution of the Contract may be regarded as
			fraudulent and render the Bidder or supplier liable for
			prosecution subject to the applicable laws and issuances.]
;		us Laboratory Equipment	Statement of Compliance
<i>5</i> .	MUFFLE FURNACI	E – CENTRAL LAB.	
	Please specify brand an	nd model:	
	Quantity/Unit: 1 unit	110000	
	Unit Cost: Php320,000.	00	
	Features	- S A 7	
		erature. Heating wire is set in four sides	2
	of the furnace, anti-corro	osion, prevent contamination. Special	~ ~ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	•	hell temperature. SCR control, PID	
	parameter self-setting.		
		n. Multiple safety protection design.	
		ower off when over-temperature/over-	D. 0
		switch without interference.	30,000
	Built-in parameter passw	ord control function.	C. C. C. C.
	Specification		94/1-2//
	Max. Temp.(°C)	1300	SC // 23 //
	Capacity(L)	10 to 14 litters	
	Temp. Accuracy	±1°C	
	Consumption (KW)	4	7.000
	Power Supply	220 ±10%, 50/60HZ	1000
	Heating Rate	0-30°C/min	X5 2
	Rising Time (Empty)	30 minutes	
	Temp. Uniformity	±5°C	7 X V
	Includes the following	The same of the sa	
	Crucible Tongs - 6 pcs		
	<u> </u>	cm (11/2") diameter or wider	1
	0 0 11 0 0	d tips for handling dishes in muffle	
	furnaces	111111111	
		steel rod 0.8 cm diameter	
	Length: 50.8 cm (20")		
		h Form, w/Lid, 20ml – 20 pcs	
		crucible. The porcelain is uniform in	
		ch allows stable mechanical strength	
	and little permeability.		
		the glazed pieces can withstand	
	temperatures of 1050 deg		
	č	on the inside and outside surface.	
	Gloves, Large – 6 packs		
<u> </u>	Insulated non-woven hea		
	1 1 1	red coating, intermittent heat up to	
	500-degree F		
	1 pair per pack	9.1.	
<u> </u>	Straight wall metal crud	-	
		to oxidation in the 1000° to 1200°C	
	temperature range		
		tance to many acid and aqueous salt	
	solutions.		
	NOTE: With On-Site DE	EMO and Installation	
	Minimum of 1-year warra	anty	

Item No.		Specification	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]				
	Procurement of Vari	ous Laboratory Equipment	Statement of Compliance				
6.		UGE – CENTRAL LAB.	•				
	Please specify brand a						
	Quantity/Unit: 1 unit						
	Unit Cost: Php57,385.	00					
	Features:	100000					
	* Digital display, switch	n display RCF value.	904.				
	* Microcomputer proces						
		ring operation can be modified.					
	* Multi-stage shock abs	orption, centrifuge vibration is small.					
	* DC brushless motor d						
		loor lock, unbalanced protection.					
	* 10 levels speed-up and						
	* Can store 20 procedur	es.	61.1				
	Technical Parameter:		ST. VIEW				
	Max.Speed	16,000 rpm or Faster	50.715-17				
	Max.RCF	$18,000 \times g$ or higher					
	Max.Capacity	12*1.5/2.0 ml or 24*1.5/2.0 ml	0010011				
	Speed Precision	±20 rpm					
	Time Range	1~999 min					
	Power Supply	Standard: AC 220V 50/60Hz					
	Consumption	350W or higher					
	Noise	≤65dB(A)					
	Rotor Type	Angle Rotor	3000				
	NOTE: With On-Site D						
	Minimum of 1-year war						
<i>7</i> .		OCOUPLE THERMOMETER –	1				
	CENTRAL LAB.	TIEC C.					
	Please specify brand a						
	Quantity/Unit: 8 units						
	Unit Cost: Php6,031.70	0					
	Features:						
	Dual temperature monit						
		en the input exceeds the measurement range					
	Temperature reading in	°F, °C, K					
	Large LCD screen						
		difference between two inputs					
	Auto power off						
		n and factory restoration function					
	Specifications:	0G . 2000G . 1: 1					
	Temperature range: -50						
	Battery: 9V battery (inc						
	Resolution: 0.1°C or 0.1						
	Input: Mini k type (flat	pin) connector					
	Package Contents:						
	1* Digital thermometer	2 consor/wire					
	2* K-type thermocouple						
	2* K type thermocouple 2* Screw	mserieu into the probe					
	1* Operation Manual						
	Warranty: 1year						
	v arranty. Tyval						

No.		pecification	Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]				
		us Laboratory Equipment	Statement of Compliance				
8.	UV-VIS SPECTROP. CENTRAL LAB.	HOTOMETER –					
	Please specify brand an	nd model:					
	Quantity/Unit: 1 unit						
	Unit Cost: Php900,000.	00					
	Туре	UV-Vis Spectrophotometer with multi cell sample compartment Can be used stand alone or with compatible computer					
	Wavelength range	190 nm or less to 1100nm or higher					
	Spectral bandwidth	1 nm (190 to 1,100 nm)					
	Wavelength setting	0.1 nm increments (1 nm increment when setting scanning range)					
	Wavelength accuracy	\pm 0.05 nm at D2 peak 656.1 nm, \pm 0.3 nm for entire range	E VIEW				
	Wavelength repeatability	± 0.025 nm	3/16/				
	Wavelength slew rate Wavelength scanning speed	Approx. 29,000 nm/min 3,000 to 2 nm/min 29,000 nm/min when survey scanning					
	Lamp interchange wavelength	Automatic interchange linked to wavelength. The interchange wavelength can be set freely in the range of 295 to 364 nm (0.1 nm increments).					
	Stray light	Less than 0.004% at 220 nm (NaI) Less than 0.004% at 340 nm (NaNO2) Less than 0.15% at 198 nm (KCl)					
	Photometric system	Double beam optics					
	Photometric range	Absorbance: -4 to 4 Abs Transmittance: 0% to 400%					
	Photometric accuracy	\pm 0.0015 Abs at 0.5 Abs \pm 0.002 Abs at 1.0 Abs \pm 0.004 Abs at 2.0 Abs (measured using NIST930D/NIST1930 or equivalent.)					
	Photometric	Less than ± 0.00002 Abs at 0.5 Abs					
	repeatability	Less than \pm 0.00003 Abs at 1 Abs Less than \pm 0.00007 Abs at 2 Abs					
	Baseline stability	Less than 0.0002 Abs/Hr (700 nm, one hour after light source turned ON)					
	Baseline flatness	Less than ± 0.0003 Abs (1,100 to 190 nm, one hour after light source turned ON)					
	Noise level	Less than 0.00001 Abs (700 nm)					
	1 10130 10 101		l				

and the thirthing parameters of each Specification seasure corresponding performance parameter of the engineent eight evidence in a Bilders Bild and cross rejerenced to that evidence in a Bilders Bild and cross rejerenced to that evidence in a Bilders Bild and cross rejerenced to that evidence in the state from an ampeteral by evidence or subsequently found to be contracted by the evidence process of the contraction of the contraction of the contraction by the evidence process of the contraction of the con	г <u>. </u>		~	Color of Color Programme Color of Color
Light source Built-in or Equivalent Monochromator LO-RAY-LIGH grade blazed holographic grating in Czerny-Turner mounting Detector Silicon photodiode Sample compartment Internal dimensions: W110 × D250 × H115 mm Distance between light beams: 100 mm Holds up to six 10 mm square cells on the sample side. Number of cells: 6 on the same side 1 on the preference Power requirements AC 100-230V, 50/60 Hz, 140 VA Environmental Temperature: 15°C to 35°C requirements Hundiffy: 35% to 80% (without condensation: 70% max. at 30°C or higher) Output device USB memory / Extended memory Data files saved in text format or UVPC formate "Files" PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color fouch screen Touch pen (standard included) Touch panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pes quarts, 7 pes glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 231 Capacity Capacity 23L Door Manual Designed Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply			Specification	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the
Built-in or Equivalent		Procurement of Vari	ous Laboratory Equipment	Statement of Compliance
Monochromator LO-RAY-LIGH grade blazed holographic grating in Czerny-Turner mounting		Light source		
holographic grating in Czemy- Turner mounting Detector Silicon photodiode Internal dimensions: W110 × D250 XH15 mm Distance between light beams: 100 mm Holds up to six 10-mm square cells on the sample side. Number of cells: 6 on the same side 1 on the peference Power requirements AC 100-230V, 50/60 Hz, 140 VA Environmental Temperature: 15°C to 35°C requirements Humidity: 35% to 80% (without condensation; 70% max. at 30°C or higher) Output device USB memory / Exténded memory Date files saved in text format or UVPC formate *Files PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color fouch sereen Touch pen (standard) repen (standard included) Touch panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pes quarts, 7 pes glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLA VE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 231. Capacity 231. Door Manual Dosigned Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		3.6 1		
Detector Silicon photodiode Sample compartment Internal dimensions; W110 × D250 × H 115 mm Distance between light beams; 100 mm H olds up to six 10-mm square cells on the sample side. Number of cells: 6 on the same side 1 on the perference Power requirements AC 100-230V, 50/60 Hz, 140 VA Environmental Temperature: 15°C to 35°C requirements Humidity: 35% to 80% (without condensation; 70% max. at 30°C or higher) Output device USB memory / Extended memory Data files saved in text format or UVPC formats* Files PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color fouch screen Touch pen (standard) panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pes quarts, 7 pes glass) or more With analysis software 21 CTR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Phy170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 231. Capacity Capacity 231. Capacity Other Compatible AVE (Standard) Description Features: AUTOCLAVE BKM-K23N(220V) 231. Capacity Other Chamber Material Soulon Other Compatible AVE (Standard);		Monochromator		
Detector Sample compartment Internal dimensions. W110 × D250 × H115 mm Distance between light beams: 100 mm Holds up to six 10-mm square cells on the sample side. Number of cells: 6 on the same side 1 on the reference Power requirements AC 100-230V, 50/60 Hz, 140 VA Environmental Temperature: 15°C to 35°C requirements Humidity: 35% to 80% (without condensation; 70% max. at 30°C or higher) Output device USB memory / Extended memory Data files saved in text format or UVPC format* *Files PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color touch screen Touch pen (standard included) Touch panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pes quarts, 7 pes glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 231. Capacity Capacity Uvrik Cost proper in the possible proper in the proper				
Sample compartment Internal dimensions: W110 × D250 × H115 mm Distance between light beams; 100 mm Hodds up to six 10-mm square cells on the same side Number of cells: 6 on t		Detector		
XH115 mm Distance between light beams: 100 mm				
beams: 100 mm Holds up to six 100 mm square cells on the sample side. Number of cells: 6 on the same side		Sample compartment	and the second s	
Holds up to six 10-mm square cells on the sample side. Number of cells: 6 on the same side I on the reference Power requirements AC 100-230V, 50/60 Hz, 140 VA Environmental Temperature: 15°C to 35°C requirements Humidity: 35% to 80% (without condensation; 70% max. at 30°C or higher) Output device USB memory / Extended memory Data files saved in text format or UVPC format* *Files PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color touch screen Touch pen (standard) included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 231. Capacity Capacity 23L Door Manual Dosigned Pressure 0.28Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220-10%, 50/60Hz (Standard);			The state of the s	~ \\\\\.
on the sample side. Number of cells: 6 on the same side I on the reference Power requirements AC 100-230V, 50/60 Hz, 140 VA Environmental Temperature: 15°C to 35°C requirements Humidity: 35% to 80% (without condensation; 70% max. at 30°C or higher) Output device USB memory / Extended memory Data files saved in text format or UVPC format* *Files PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color touch screen Touch pen (standard) includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 231. Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);				
Number of cells: 6 on the same side 1 on the reference				
I on the reference		20		
Power requirements AC 100-230V, 50/60 Hz, 140 VA Environmental Temperature: 15°C to 35°C requirements Humidity: 35% to 80% (without condensation; 70% max. at 30°C or higher) Output device USB memory / Extended memory Data files saved in text format or UVPC format**Files PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color touch screen Touch pen (standard included) Touch panel protective sheet (included) Touch panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity 23L Door Manual Designed Pressure 0.23Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);				
Environmental requirements Temperature: 15°C to 35°C Humidity: 35% to 80% (without condensation; 70% max. at 30°C or higher) Output device USB memory / Extended memory Data files saved in text format or UVPC format**Files PC compatibility UV-Vis software (standard) External control possible via USB Display 24-bit color touch screen Touch pen (standard included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.28Mpa Working Pressure 0.23Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		Dower requirements		
requirements Humidity: 35% to 80% (without condensation; 70% max. at 30°C or higher) Output device USB memory / Extended memory Data files saved in text format or UVPC format**Files PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color touch screen Touch pen (standard included) Touch panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pes quarts, 7 pes glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.28Mpa Working Pressure 0.28Mpa Working Pressure 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);				
condensation; 70% max. at 30°C or higher) Output device USB memory / Extended memory Data files saved in text format or UVPC format* *Files PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color touch screen Touch pen (standard included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Perssure 0.28Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		//		
higher		requirements		
Output device USB memory / Extended memory Data files saved in text format or UVPC format* *Files PC compatibility UV-Vis software (standard) External control possible via USB. Display Di		110		
Data files saved in text format or UVPC format* *Files PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color touch screen Touch pen (standard included) Touch pen (standard included) Touch panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pes quarts, 7 pes glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.28Mpa Working Pressure 121/134°C Chamber Material S0408 Power Supply AC220±10%, 50/60Hz (Standard);		Output device		
UVPC format**Files PC compatibility UV-Vis software (standard) External control possible via USB. Display 24-bit color fouch screen Touch pen (standard included) Touch pen (standard included) Touch panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.28Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		Output device		705851
PC compatibility External control possible via USB. Display 24-bit color touch screen Touch pen (standard) included) External control possible via USB. Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		1/1/00		
External control possible via USB. Display 24-bit color touch screen Touch pen (standard included) Touch panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pes quarts, 7 pes glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		PC compatibility		17-21-17
Display 24-bit color touch screen Touch pen (standard included) Touch panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity 23L Door Manual Designed Pressure 0.23Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		1 C companionity		
pen (standard included) Touch panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		Dienlay		3 7 6
panel protective sheet (included) Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity Capacity Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		Dispiny		7 18
Includes: i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			1	1 /
i7 computer (PC) and Compatible Printer Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		Includes	paner protective sheet (meradea)	1
Compatible AVR multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			omnatible Printer	
multi cell sample compartment with Square cells Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			ompatiole i inter	
Cuvettes (7 pcs quarts, 7 pcs glass) or more With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			artment with Square cells	
With analysis software 21 CFR Part II compliant With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			•	
With USB storage device for date storage Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);				
Minimum Warranty two (2) years NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);				
NOTE: With On-Site DEMO and Installation 9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			č	
9. AUTOCLAVE - URDC Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Capacity Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);				
Please specify brand and model: Quantity/Unit: 1 unit Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);	o			
Quantity/Unit: 1 unitUnit Cost: Php170,000.00Description Features: AUTOCLAVE BKM-K23N(220V) 23L CapacityCapacity23LDoorManualDesigned Pressure0.28MpaWorking Pressure0.23MpaWorking Temp.121/134°CChamber MaterialS30408Power SupplyAC220±10%, 50/60Hz (Standard);	7.			
Unit Cost: Php170,000.00 Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			па тоает:	
Description Features: AUTOCLAVE BKM-K23N(220V) 23L Capacity Capacity Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);		~	2.00	
23L Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);				
Capacity 23L Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			AUTOCLAVE BKM-K23N(220V)	
Door Manual Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			Laar	
Designed Pressure 0.28Mpa Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);				
Working Pressure 0.23Mpa Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);				
Working Temp. 121/134°C Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			1	
Chamber Material S30408 Power Supply AC220±10%, 50/60Hz (Standard);			•	
Power Supply AC220±10%, 50/60Hz (Standard);				
110V 60Uz (Ontional)		Power Supply		
[110 v, ouriz (Optional)			110V,60Hz (Optional)	

Item	<u> </u>	pecification	Statement of Compliance				
No.			[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]				
]	Procurement of Vario	us Laboratory Equipment	Statement of Compliance				
	Consumption	1.8KW	_				
	Altitude	<2500m					
	Chamber Size(µ*L)	250*450mm					
	Standard Accessories	Tray, USB port					
	Optional Accessories	Printer					
	External Size(W*D*H)	700*495*410mm					
	Package Size(W*D*H)	810*610*590mm					
	Net Weight(kg)	36	E WILLIAM				
	Gross Weight(kg)	50	~ ~ ///				
	Warranty: Parts & Service	ces: 1 year					
		or Laboratory and Educational					
	Facilities						
<i>10</i> .	SEROLOGICAL CE	NTRIFUGE - COM	DAVID OF THE STATE				
	Please specify brand an						
	Quantity/Unit: 2 units						
	Unit Cost: Php25,000.0	00	Station				
	6-8 placer		STATE OF THE PARTY				
	can be used for 5-15 mL						
	Volume test tube	The state of the s					
	Warranty: 1 year		NG 8 - 12				
11.	HEMATOCRIT CEN	TTDIEUCE COM					
11.			20 21 12				
	Please specify brand an	ia moael:	2 2				
	Quantity/Unit: 2 units		3 18				
	Unit Cost: Php40,000.0						
	Micro Hematocrit Centri	fuge DSC-100MH-1					
	Model: DSC-100MH-1						
	Speed: 12,000rpm (fixed						
	R.C.F.: 14,648g	. 11111111111					
	Timer: 0~15 min. mecha	nical timer					
	Motor: Universal motor						
	Capacity: 24 x capillary t	,					
		entage reader (Aluminum)					
		sc reader (plastic), Capillary tube,					
	Wax						
	Weight (kg): 4.5 / 5.0 Kg						
	Overall dimension: W29						
		60Hz (220V 50/60Hz available)					
	Warranty: 1 year						
<i>12</i> .	TEST TUBE RACK -						
	Please specify brand an	nd model:					
	Quantity/Unit: 12 pcs.						
	Unit Cost: Php500.00						
	40 holes for 20mm Test t	tube rack Autoclavable					
	Warranty: 1 year						

T4	G •0• 4•	Statement of Compliance
Item No.	Specification	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
]	Procurement of Various Laboratory Equipment	Statement of Compliance
	TERMS AND CONDITIONS:	
	 Preventive Maintenance: Response time will be 5 days if on-line and 15 days if onsite. Certificate by the supplier on this requirement should be attached to the submission. 	
	Warranty: Supplier should include in the submission a warranty certificate of one (1) year duly signed by the authorized representative.	
	Others:	
	 Bidders should include/ submit brochures indicating brand and model offered. Supplier must submit a certificate as an authorized or exclusive distributor from the Manufacturer local or abroad in favor of the supplier. 	到宴
	Nothing Follows	
Subn	e of Bidder: nitted by: (Printed Name and Signature) gnation:	
Date		

Section VIII. Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

(Bidder should submit only one (1) copy labeled "ORIGINAL")

Class "A" Documents

	Class "A" Documents
<u>Legal D</u>	<u>ocuments</u>
(a)	Valid and updated PhilGEPS Certificate of Platinum Registration and Membership ONLY for purposes of determining eligibility in accordance with GPPB Resolution No. 015-2021. Please see attached sample of Revised PhilGEPS Certificate of Platinum Registration and Membership;
Technic	ral Documents
(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
(e)	or Original copy of Notarized Bid Securing Declaration; and Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after- sales/parts, if applicable; and
(f)	Original duly signed Omnibus Sworn Statement (OSS);
	and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Financi	al Documents
(g)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
(h)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
	 <u>or</u> A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(i)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
	or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
Other de	ocumentary requirements under RA No. 9184 (as applicable)
(j)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
(k)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
	II. EINIANGIAI, GOMDONENIU ENIVELODE
-	II. FINANCIAL COMPONENT ENVELOPE
	(Bidder should submit only one (1) copy labeled "ORIGINAL")
	(Bidder should submit only one (1) copy labeled "ORIGINAL") (a) Original of duly signed and accomplished Financial Bid Form; and (b) Original of duly signed and accomplished Price Schedule(s).

Bid Form for the Procurement of Goods [shall be submitted with the Bid]

BID FORM
Date :
Project Identification No.:
To: [name and address of Procuring Entity]
Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,
If our Bid is accepted, we undertake:
 a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.
[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:
Name and address Amount and Purpose of Of agent Currency Commission or gratuity
CITO CITO
(if none, state "None")]
Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.
We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.
We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.
The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].
We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.
Name:
Legal capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

	101 000 011010 011011	
Name of Bidder	Project ID No. 2024-28 Page 1 of 1	

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Qua ntit y	Unit price EXWper item	Transporta tion and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Inciden tal Service s, if applica ble, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
1.	Drying Oven		2						
2.	Constant Temperature Incubator		2						
3.	Electronic Top Loading Balance	1	6	2007	100				
4.	Analytical Balance	V	1	A	3/	10			
5.	Muffle Furnace		1	1000	10	\sim	1		
6.	Micro Centrifuge		I_{Δ}		11/2	1			
7.	Digital Thermocouple Thermometer	111	8	11/2	100			1	
8.	UV-VIS Spectrophotometer		1		111		R		
9.	Autoclave	8	1	1	1	7	IS	1	
10.	Serological Centrifuge		2	LAIT		3/			
11.	Hematocrit Centrifuge	Ros	12)(12 14	105	1	1		
12.	Test Tube Rack	138	12	18		*			
	Nothing Follows				N	L			
	TOTAL BID PRICE		Ų.					PhP	

Name:
Legal Capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

Name of the Pr Project: Location of the								
Statement of awarded but			<u>overnme</u>	ent &	<u>Private</u>	<u>Contract</u>	s including	contracts
Business Name Business Addre	ess:			_ -				
						Aı	mount	End-user's
Name of Contract	Date of Contrac t	Contract Duratio n	Owner's Name and Address	Kind of Good s	Date of Deliver y	Contrac t	Value of Outstandin g Contract	acceptanc e or official receipt(s) or sales invoice issued for the contract
Governmen t	g.					WE.	V)	
	// 63	120	50		18 0	30	1//	
	1/1		0///	11/1/2			12	
<u>Private</u>			ZOIL	902 0 C		*		
			-4000	10.00		T () C		
Note: This states 1. Notice o 2. Contract 3. Notice to 4. And other	f Award (N t o Proceed (OA)Î				Total Co	51	
Name:								
Legal Capacity	:							
Signature:								
Duly authorize Date:	_		d behalf of	f:				

	Procuring Entity: _					
Project:						
Location of the	he Project:					
C4 4 4	enil i ci	1 T	. C 1.1	C 4 (ST.		41
		_	gest Completed (•	o the
Contract to	<u>o de dia wnich s</u>	<u>nouia be</u>	at least fifty perc	ent (50%) of the	<u>le ABC</u>	
Business Nar	ne:					
Business Ado	dress:					
Name of Contract	a. Owner's Name b.Owner's Name Address c.Telephone Nos.	Nature of Work	Bidder's Role	a. Amount of Award b.Amount of Completion c.Duration	a. Date Awarded b.Contract Effectivity c.Date	
			Description %		Completed	
	10X	1	100			
			(4)			
	200	1				
 Contract Certif 	atement shall be sup act icate of completic al receipt issued t	on/accept	ance or	SI		
Name:	M/×	100				
Legal Capaci	ty:	110	TI O CITY			
		to the residence with	ILO CIT	=		
Duly authoriz	zed to sign the Bid f	or and beha	alf of:			
Date:						

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE	PHILIPPINES)		
CITY OF) S.S.		

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- 2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised) [shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF) S.S.	

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;


[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. [Name of Bidder] complies with existing labor laws and standards; and

- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of ____, 20__ at ______, Philippines.



Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHI	LIPPINES)		
CITY OF) S.S.		

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Contract Agreement Form for the Procurement of Goods (Revised) [Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

after receiving the Notice of Award]
CONTRACT AGREEMENT
THIS AGREEMENT made the day of 20 between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;
country of Supplier] (hereinafter called "the Supplier") of the other part; WHEREAS, the Entity invited Rids for certain goods and ancillary corvious, particularly thriaf description of

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Name and Signature]
[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]
for:
for:
[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]



