



West Visayas State University

(Formerly Iloilo Normal School)

Bids and Awards Committee Secretariat Office/ Procurement Section

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



SCP000194Q

SUPPLEMENTAL/BID BULLETIN

Project Reference No.	IB No. 22-06-17
Name of the Project	Procurement of Various Electrical, Hardware, IT, Janitorial, Medical, Office and Plumbing Supplies
Location of the Project	WVSU - Main Campus

ADDENDUM NO. 2022- 09

June 20, 2022

This **Addendum No. 2022-09** is issued to modify the **Section VI. Schedule of Requirements, Section VII. Technical Specifications and Section VIII. Bidding Forms**. These shall form an integral part of the Bidding Documents.

I. Section VI, VII and VIII:

Item No.	Description	Corrections/ Amendments/ Instructions
I.	ELECTRICAL SUPPLIES	ELECTRICAL SUPPLIES
4.	Electrical PVC pipe, elbow, 1"Ø	Electrical PVC elbow, 3/4"Ø
10.	Extension Cord, with 4-gang, Universal Outlet, 2500W, 10A	Extension Cord, with 4-gang, Universal Outlet, 2500W, 10A, 2 meters
12.	Grease, 250g	Grease, 500g
19.	PVC solvent, big	PVC solvent, big, 400cc
23.	T5 LED light 18w, daylight, 30 sets/box	T5 LED light 16w , daylight, 30 sets/box
36.	Welding rod, 6013, special, 20kls./ box	Welding rod, 6013, special, 20kls./ box; size: 1/8
II.	HARDWARE SUPPLIES	HARDWARE SUPPLIES
10.	Blind Rivets, 1 1/2 x 3/4	Blind Rivets, 1/8 x 3/4
26.	Door Handle, chrome plated	Door Handle, chrome plated, size: 5"
56.	Raincoat, Extra Large	Raincoat, Extra Large, Poncho, color: olive green
59.	RSB 10mm Ø; Qty. 50; Unit: kgs	RSB 10mm Ø; Qty. 50; Unit: pcs
61.	Rubber Boots, Vulcanized Sizes, S,M,L	Rubber Boots, Vulcanized Sizes, S,M,L, Plain rubber
66.	Security Light 12W, Day Light	Security Light 12W, Day Light (LED Bulb)
70.	Tile cutter blade, 4" Ø	Tile cutter blade, 4" Ø ; diamond circular
III.	IT SUPPLIES/ CONSUMABLES	IT SUPPLIES/ CONSUMABLES
8.	Ink, Canon PG740 Black for Canon MX397 Printer, Original; Qty. 6; Unit: carts	Ink, Epson 001 (BCYM), Original; Qty. 18; Unit: sets
9.	Ink, Canon PG741 Tri-color (CYM) for Canon MX397 Printer, Original; Qty. 6; Unit: carts	DELETED
27.	Ink, HP GT51 Black for HP415 Printer	Ink, HP GT53 Black for HP415 Printer
35.	Wireless Router	Wireless Router (pls. see attached technical specifications)
V.	MEDICAL SUPPLIES AND SAFETY EQUIPMENT	MEDICAL SUPPLIES AND SAFETY EQUIPMENT
3.	Alcohol, 70% alcohol mix	Alcohol, 70% Ethyl
14.	Chemical Gloves, nitrile, powder less, 50's	Chemical Gloves, nitrile, powder less, 50's, Large
20.	Face Mask, 4-ply, Good Quality, 50's	Face Mask, 3-ply , Good Quality, 50's, Medical grade
21.	Fire Blanket 1.5 meters x 1.5 meters	Fire Blanket 1.5 meters x 1.8 meters
25.	Hydrogen Peroxide, 3% Solution, Antiseptic	Hydrogen Peroxide, 3% Solution, Antiseptic, 500ml



West Visayas State University

(Formerly Iloilo Normal School)

Bids and Awards Committee Secretariat Office/ Procurement Section

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



SCP000194Q

Item No.	Description	Corrections/ Amendments/ Instructions
29.	Medicine Kit (Includes Sphygmomanometer, Stethoscope, Bandage, Scissors, Plaster, Spirit of Ammonia, Medicines, Liniment Oil, Betadine, Agua Oxynada, Rebreathing Mask (for CPR) and Cotton	Medicine Kit (Includes Sphygmomanometer, Stethoscope, Bandage, Scissors, Plaster, Spirit of Ammonia, Medicines, Liniment Oil, Betadine, Agua Oxynada, Rebreathing Mask (for CPR) and Cotton (with bag)
35.	Sterilization Box with Timer Controller	Sterilization Box with Timer Controller, 120 L
VI.	OFFICE SUPPLIES	OFFICE SUPPLIES
6.	Ballpen, Blue, 100's	Ballpen, Blue, 50's
8.	Ballpoint pen 0.4 Black	Ballpoint pen 0.5 Black
67.	Laminating Machine	Laminating Machine, size: 9"
157.	Storage Basket	Storage Basket (Pls. see attached picture)
VII.	PLUMBING SUPPLIES	PLUMBING SUPPLIES
14.	Flexible hose, 1/2x1/2x16"	Flexible hose, 1/2x1/2x 18"
19.	Gate valve, 3/4"Ø, g.i.	Gate valve, 3/4"Ø, brass
22.	Lavatory p-trap	Lavatory p-trap; chrome
40.	Solvent Cement, 300cc	Solvent Cement, 400cc
41.	Swing valve, 1 1/4"Ø, g.i.	Swing valve, 1 1/4"Ø, brass
46.	Water closet handle	Tank lever arm
	---Nothing Follows---	---Nothing Follows---

For guidance and information of all concerned.

JULIUS B. UNДАР

Chairperson, Bids and Awards Committee



West Visayas State University

(Formerly Iloilo Normal School)

Bids and Awards Committee Secretariat Office/ Procurement Section

Luna St., La Paz, Iloilo City 5000

Iloilo, Philippines

* Trunkline: (063) (033) 320-0870 loc1103/1104 * Telefax No.: (033) 320-0879

* Website: www.wvsu.edu.ph * Email Address: bac@wvsu.edu.ph



SCP000194Q

Section VII. Technical Specifications

Item No.	Specification	Statement of Compliance <i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
Procurement of Various IT and Related Equipment		Statement of Compliance
III.	IT SUPPLIES/ CONSUMABLES	
35.	<u>WIRELESS ROUTER</u>	
	<i>Qty/ Unit: 1 unit</i>	
	<i>Pls. specify brand and model:</i>	
	<ul style="list-style-type: none"> • Standards: IEEE 802.11ac/n/a 5 GHz 	
	<ul style="list-style-type: none"> • IEEE 802.11n/b/g 2.4 GHz 	
	<ul style="list-style-type: none"> • WiFi Speeds: 5 GHz: 1300 Mbps (802.11ac) 	
	<ul style="list-style-type: none"> • 2.4 GHz: 600 Mbps (802.11n) 	
	<ul style="list-style-type: none"> • Antennas: 4x Fixed High-Performance Antennas (External) 	
	<ul style="list-style-type: none"> • Working Modes: Router Mode 	
	<ul style="list-style-type: none"> • Access Point Mode 	
	<ul style="list-style-type: none"> • Processor: Qualcomm CPU 	
	<ul style="list-style-type: none"> • Ethernet Ports: 1 x Gigabit WAN Port 	
	<ul style="list-style-type: none"> • 4 x Gigabit LAN Ports 	
	<ul style="list-style-type: none"> • WiFi Encryption: WPA, WPA2, WPA/WPA2-Enterprise (802.1x) 	
	<ul style="list-style-type: none"> • Protocols: IPv4, IPv6 	
	<ul style="list-style-type: none"> • System Requirements Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+ Safari 4.0+, or other JavaScript-enabled browser 	
	<ul style="list-style-type: none"> • Certifications: FCC, CE, RoHS 	
	<ul style="list-style-type: none"> • Warranty: 1 year 	



Section VII. Technical Specifications

LOT VI – OFFICE SUPPLIES

Item No. 157 – Storage Basket

