# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

# Procurement of GOODS

# Government of the Republic of the Philippines

SUPPLY AND DELIVERY OF VARIOUS I.T. EQUIPMENT IB No. 2022-10

PhP987,030.32

Sixth Edition July 2020

## Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## **Table of Contents**

Section	I. Invitation to Bid5-0	6
Section	II. Instructions to Bidders	7
1.	Scope of Bid	7
2.	Funding Information	7
3.	Bidding Requirements	7
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	7
5.	Eligible Bidders	7
6.	Origin of Goods	8
7.	Subcontracts	8
8.	Pre-Bid Conference	8
9.	Clarification and Amendment of Bidding Documents	8
10.	Documents comprising the Bid: Eligibility and Technical Components	9
11.	Documents comprising the Bid: Financial Component	9
12.	Bid Prices	9
13.	Bid and Payment Currencies10	0
14.	Bid Security 10	0
15.	Sealing and Marking of Bids1	0
16.	Deadline for Submission of Bids10	0
17.	Opening and Preliminary Examination of Bids 10	0
18.	Domestic Preference	1
19.	Detailed Evaluation and Comparison of Bids 1	1
20.	Post-Qualification	1
21.	Signing of the Contract1	1
Section	III. Bid Data Sheet12	)
Section	IV. General Conditions of Contract 13	3
1.	Scope of Contract	3
2.	Advance Payment and Terms of Payment	3
3.	Performance Security 12	3
4.	Inspection and Tests	
5.	Warranty 12	3
6.	Liability of the Supplier	4
Section	V. Special Conditions of Contract15-17	7
	VI. Schedule of Requirements18	
	VII. Technical Specifications20	
Section	VIII. Checklist of Technical and Financial Documents, Bid Form	ı,
	Schedule, Performance Securing Declaration, Omnibus Swor ent, Bid Securing Declaration and Contract Agreement Form22-32	

# Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

- **CPI** Consumer Price Index.
- DDP Refers to the quoted price of the Goods, which means "delivered duty paid."
- DTI Department of Trade and Industry.
- **EXW** Ex works.
- FCA "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**–Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

GOCC -Government-owned and/or -controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.



 West Disapas State University JANIUAY CAMPUS
 (Formerly Janiuay Polytechnic College, Don Tiburcio A. Lutero National Comp. High School, Janiuay Nat'l Comp. High School, Janiuay National Vocational High School, Janiuay High School)
 OFFICE OF THE BIDS AND AWARDS COMMITTEE Janiuay, Iloilo, Philippines \*Trunkline: (063) (033) 330-3485

\* Website: www.wvsu.edu.ph \*Email Address: janiuay@wvsu.edu.ph



## INVITATION TO BID FOR <u>SUPPLY AND DELIVERY OF VARIOUS I.T. EQUIPMENT</u> <u>IB No. 2022-10</u>

- The <u>West Visayas State University Janiuay Campus</u>, through the <u>Fund 164</u> intends to apply the sum of <u>Nine Hundred Eighty-Seven Thousand Thirty Pesos and 32/100 (PhP987,030.32)</u> <u>Only</u> being the ABC to payments under the contract for <u>Supply and Delivery of Various I.T.</u> <u>Equipment</u>. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The <u>West Visayas State University Janiuay Campus</u> now invites bids for the above Procurement Project. Delivery of the Goods is required by <u>thirty (30) calendar days</u>. Bidders should have completed, within <u>2 years</u> from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from <u>West Visayas State University</u> <u>Janiuay Campus</u>, and inspect the Bidding Documents at the address given below during <u>8:00</u> <u>A.M. 5:00 P.M.</u>
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>November 17</u> <u>to December 07, 2022</u> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Php1,000.00**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
- 6. The <u>West Visayas State University Janiuay Campus</u> will hold a Pre-Bid Conference<sup>1</sup> on <u>November 25, 2022; 02:00 P.M.</u> through video conferencing or webcasting via <u>google</u> <u>meet/zoom (for registration of interested bidders, please send your request to this address:</u> <u>supply.jc@wvsu.edu.ph</u>), which shall be open to prospective bidders.
- Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before *December 07, 2022; 02:00 P.M.* Late bids shall not be accepted.

For online or electronic submission, bid proposals will only be submitted once.

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on <u>December 07, 2022; 02:00 P.M.</u> at the given <u>address below or</u> through <u>electronic submission using a two-factor security procedure consisting of an archive format</u> <u>compression and password protection with separate password for technical and financial</u> <u>component envelope</u>. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. Requiring the Bidders to submit their bids using a two-factor security procedure consisting of an archive format compression and password protection with separate password for technical and financial component envelope and disclose the password for accessing their respective bid submission only during the actual bid opening.

<sup>&</sup>lt;sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

- 11. The <u>West Visayas State University Janiuay Campus</u> reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. Only one (1) representative per bidder will be allowed to attend the bid opening. Health and safety protocols like wearing of face mask and physical distancing will be strictly observed.
- 13. For further information, please refer to:

RIZA R. LADON BAC Secretariat West Visayas State University – Janiuay Campus Locsin St., Janiuay, Iloilo (033) 330-3485 local 132 CP No.: 09950589425

You may visit the following websites:
For downloading of Bidding Documents: <u>www.wvsu.edu.ph</u>
For online bid submission: <u>supply.jc@wvsu.edu.ph</u>

November 16, 2022

FLORENCIO L. CORDURA, Jr., MAT. Math. BAC, Chairperson

# Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, <u>West Visayas State University – Janiuay Campus</u> wishes to receive Bids for the <u>Supply and Delivery of Various I.T. Equipment</u>, with identification number <u>IB No. 2022-10.</u>

The Procurement Project (referred to herein as "Project") is composed of <u>One (1) Lot</u>, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for <u>Fund 164</u> in the amount of <u>Nine Hundred Eighty-Seven Thousand Thirty Pesos and</u> <u>32/100 (PhP987,030.32) Only.</u>
- 2.2. The source of funding is:
  - a. The Special Appropriations, Special Trust Fund 2022.

## **3.** Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No. 9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

- a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- b. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:
  - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies] of the ABC for this Project; and
  - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. *Not applicable*
- 7.3. *Not applicable*
- 7.4. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time through videoconferencing/webcasting via <u>google meet/zoom (for</u> registration of interested bidders, please send your request to this address: <u>supply.jc@wvsu.edu.ph</u>) as indicated in paragraph 6 of the **IB**.

## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within <u>2 years</u> prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.

- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

#### **13. Bid and Payment Currencies**

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>2</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until <u>*April 06, 2023*</u>. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case

 $<sup>^{2}</sup>$  In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18.** Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

#### One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

ITB	
Clause 5.3	For this purpose, contracts similar to the Project shall be:
5.5	
	a. <u>Supply and Delivery of Various I.T. Equipment</u> .
	<ul> <li>b. Completed within <u>2 years</u> prior to the deadline for the submission and receipt of bids.</li> </ul>
7.1	N/A
12	The price of the Goods shall be quoted DDP <u>in Philippines</u> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	<ul> <li>a. The amount of not less than <u>PhP19,740.61</u> equivalent to two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> </ul>
	<ul> <li>b. The amount of not less than <u><i>PhP49,351.52</i></u> equivalent to five percent (5%) of ABC] if bid security is in Surety Bond.</li> </ul>
19.3	Nine Hundred Eighty-Seven Thousand Thirty Pesos and 32/100
	(PhP987,030.32) Only
20.1	No Additional Requirements.
21.1	No Additional Requirements.

# Section IV. General Conditions of Contract

## **1.** Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

## 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### **3.** Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## 5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Delivery and Documents –						
Derivery and Documents –						
For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:						
<i>For Goods supplied from abroad,</i> "The delivery terms applicable to the Contract are DDP delivered <u>West Visayas State University – Janiuay Campus,</u> <u>Janiuay, Iloilo</u> . In accordance with INCOTERMS."						
For Goods supplied from within the Philippines, "The delivery terms applicable to this Contract are delivered <u>West Visayas State University – Janiuay</u> <u>Campus, Janiuay, Iloilo</u> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."						
Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).						
For purposes of this Clause the Procuring Entity's Representative at the Project Site is <u>Mr. Francis Alvin O. Chan – Administrative Officer IV.</u>						
<b>Incidental Services</b> – The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i>						
a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;						
<ul> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> </ul>						
c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;						
d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and						
<ul> <li>e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> <li>f. Specify additional incidental service requirements, as needed. None</li> </ul>						
The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.						

Spare Parts –
The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
b. in the event of termination of production of the spare parts:
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
The spare parts and other components required are listed in <b>Section VI</b> ( <b>Schedule of Requirements</b> ) and the costs thereof are included in the contract price.
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of
Spare parts or components shall be supplied as promptly as possible, but in any case, within month of placing the order.
 Packaging –
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follows:
Name of the Procuring Entity Name of the Supplier Contract Description

	Final Destination
	Gross weight Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[ <i>If partial payment is allowed, state</i> ] "The terms of payment shall be as follows: <u>Not Applicable</u> ."
4	The inspections and tests that will be conducted are: <u>Not Applicable</u>

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Unit	Total	Delivered, Weeks/ Months
	SUPPLY AND DELIVERY OF VARIOUS I.T.	EQUIPM	ENT		
1	Desktop Computer Processor: Intel® Core™ i5-12400 Processor 2.5Ghz 6 Cores, 12 threads, 18M Cache, up to 4.40 GHz Memory: 8GB 3200MHZ DDR4 nVMe SSD: 512GB M.2 2280 Videocard: Integrated CD-ROM: DVD-Writer Operating System: Windows 10 or higher Licensed Monitor: 21.5-inch Monitor Display Keyboard + Mouse USB Type / Mousepad Warranty: One (1) year warranty	15	unit		
2	Printer Continuous Ink System Dimensions (W x D x H): 461 x 215 x 130 mmWeight:2.4 kg Input Capacity: Up to 50 sheets of Plain Paper (75g/m2) Paper Sizes: A4, Letter, Legal (8.5 x 14") Paper Feed Method: Friction Feed Print Speed: ISO 24734, A4 Simplex (Black / Colour): Up to 9.0 ipm / 4.8 ipm* Printing Technology: Piezoelectric Printhead Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Print Direction: Bi-directional, Uni-directional printing Maximum Print Resolution: 720 x 720 dpi Minimum Ink Droplet Size: 3.0 pl Automatic 2-sided Printing: No Operating System Compatibility: Windows XP/XP Professional/Vista/7/8/8.1/10 Warranty: One (1) year warranty	32	unit		
3	<ul> <li>Printer with scanner / Continuous Ink System</li> <li>Standard Paper Input Capacity: Up to 100 sheets of Plain Paper (80 g/m2) Up to 20 sheets of Premium Glossy Photo Paper</li> <li>Paper Sizes: Legal (8.5 x 14"), Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 5 x 8", 4 x 6", Envelopes: #10, DL, C6</li> <li>Print Method: On-demand inkjet (Piezoelectric)</li> <li>Printer Language: ESC/P-R, ESC/P Raster</li> <li>Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow)</li> <li>Maximum Resolution: 5760 x 1440 dpi</li> <li>Automatic 2-sided Printing: No</li> </ul>	3	unit		
4	Warranty: One (1) year warranty         Power Strip Surge Protector Rack-Mount PDU         • 12 Right Angle Outlets Wide-Spaced         • Heavy Duty 1U Rack Mount PDU Power Strip for Server Racks         • 15A/125V         • 6ft Cord         • Black	2	unit		
5	Ethernet Switch 16 Port 10/100 LAN: IEEE 802.3 10BASE-T Standards: IEEE 802.3 10BASE-T Ethernet (twisted pair copper) Port Packet Filtering/ Forwarding Rate: 148,800 pps for 100 M Network Cables :10BASE-TFanless: Yes 802.3az Energy-Efficient Ethernet support: Yes Form Factor: Desktop Rackmountable Housing: Metal Warranty: One (1) year warranty	10	unit		
6	LCD Projector LCD: Size: 0.55" (D7) Native Resolution: SVGA Lamp: Type: 210W UHE Life (Normal / Eco)*1: 6,000 hours / 10,000 hours Resolution, Projectors Facets: SVGA, Contrast Ratio, Projectors Facets: 15,000:1 Brightness Range Lumens, Projectors Facets: 2000 Features, Projectors Facets: Wifi, Quick Corner Laser / Lamp, Projectors Facets: Lamp Projection Technology: RGB liquid crystal shutter projection system White Light Output (Normal/Eco):3,300lm / 2,050lm	2	unit		

	Colour Light Output: 3,300lm			
	Warranty: One (1) year warranty			
7	Firewall/ Security Gateway CPU: Marvell Armada 3720 (88F3720) ARMv8-A 64-bit Cortex A53 @ 1.2GHz with NEON SIMD and FPU CPU Cores: Dual Core Networking: One 1 Gigabit Ethernet WAN port (RJ45 / SFP Combo) Four 1 Gigabit Ethernet LAN ports (Marvel 88E6141 switch, uplink at 2.5 Gbps) LAN ports can be repurposed for additional WAN ports Storage: 8GB eMMC Flash on board Memory: 4 GB DDR4 (not expandable)	1	unit	
	<ul> <li>Expansion: 1x M.2 'B' key sockets (SSD, LTE)1x miniPCIe (WiFi) microSIM slot</li> <li>Console Port: MiniUSB (console cable included)</li> <li>USB Ports: 1x 2.0 port</li> <li>LED: 3 full color RGB LEDs (Pattern info here)</li> <li>Enclosure: Desktop 1.7" (42.2 mm) tall x 4.25" (108 mm) deep x 6.8" (172.7 mm)</li> <li>wide with integrated keyholes for easy wall mounting</li> <li>Cooling: Passive</li> <li>Environmental: 32°F (0°C) to 122°F (50°C)</li> <li>Certifications: CE, FCC (Class B), RoHS, UL, RCM, VCCI</li> </ul>			
	Warranty: One (1) year warranty			
8	<ul> <li>305M Cat5e UTP Ethernet cable</li> <li>UTP-104 24AWG Solid (Grey, Blue)</li> <li>CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard. STANDARD: UL444,910 &amp; ISO/IEC 11801 &amp; TIA/EIA-568-B-2 CAT 5E</li> <li>Comply with Cat5e specifications</li> <li>Cable Construction: 4-pair unshielded twisted pair (UTP) cable</li> <li>24 AWG solid</li> </ul>	3	box	
9	Gigabit Multi-WAN VPN RouterInterface: 1 Fixed Gigabit WAN Port, 1 Fixed Gigabit LAN Port, 3 ChangeableGigabit WAN/LAN PortsNetwork Media: 10BASE-T: UTP category 3, 4, 5 cable (Max 100m) EIA/TIA-568100Ω STP (Max 100m), 100BASE-TX: UTP category 5, 5e cable (Max 100m),EIA/TIA-568 100Ω STP (Max 100m), 1000BASE-T: UTP category 5, 5e, 6 cable(Max 100m)Concurrent Session: 25,000IPsec VPN Throughput: 41.5 MbpsWAN Connection Type: Static/Dynamic IP, PPPoE, PPTP, L2TPMAC Clone: Modify WAN/LAN MAC Address, LAN MAC Address can bemodified only in Standalone Mode.DHCP: DHCP Server/Client, DHCP Address Reservation, Multi-net DHCP, Multi-IPInterfaces, Multi-IP Interfaces and Multi-Net DHCP are supported only in Controller ModeVLAN: 802.1Q VLANIPTV: IGMP v2/v3 ProxyFiltering: WEB Group Filtering, URL Filtering, Web SecurityARP Inspection: Sending GARP Packets, ARP Scanning, IP-MAC BindingAttack Defense: TCP/UDP/ICMP Flood Defense, Block TCP Scan (StealthFIN/Xmas/Null), Block Ping from WANAccess Control: Source/Destination IP Based Access ControlWarranty: One (1) year warranty	2	unit	
10	Wifi Router         Standards: Wi-Fi 5, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11n/b/g 2.4 GHz         WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)         WiFi Range: 4× Fixed High-Performance Antennas         WiFi Capacity: Medium Dual-Band, MU-MIMO         Working Modes: Router Mode , Access Point Mode         HARDWARE: Processor 1.2 GHz CPU         Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports         SECURITY: WiFi Encryption WPA, WPA2, WPA3, WPA/WPA2-Enterprise         (802.1x) Network Security SPI Firewall         Access Control: IP & MAC Binding         Parental Controls: URL Filtering         Time Controls: WAN Types Dynamic IP, Static IP, PPPoE, PPTP, L2TP         Quality of Service: QoS by Device         DDNS: NAT Forwarding, Port Forwarding, Port Triggering         DMZ: UPnP         Warranty: One (1) year warranty	10	unit	

Name of Bidder:\_\_\_\_\_

Submitted by: \_\_\_\_\_

(Printed Name and Signature)

Designation:

Date:

# Section VII. Technical Specifications

Item No.SpecificationQuantityUnit[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross- referenced to that evidence. Evidence shall be in the form of manufacturers sun-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence that is found the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of complication or the execution of the Contract may be regarded as fraudulent and render the Bidder or					J
1         Desktop Computer         15         unit           Precessor Indie CurveN (61 2400 Processor 2.50b / 6 Curve, 12 threads, 1500 Calco, up 0.4.01 GHz         15         unit           View S87: 91300 Mit 2000         1200 Mit 2200         15         unit           View S87: 91300 Mit 2000         1200 Mit 2200         1200 Mit 2200         1200 Mit 2200           View S87: 91300 Mit 2000         1200 Mit 2200         1200 Mit 2200         1200 Mit 2200           View S87: 91300 Mit 2200         1200 Mit 2200         1200 Mit 2200         1200 Mit 2200           View S87: 91300 Mit 2200         1200 Mit 2200         1200 Mit 2200         1200 Mit 2200           View S77: A1 Stank Mitter Deduk         Stank Mitter Deduk         32         unit           Paper Feed Mitter Logi (8.5 x 17) Mit 200 mit 0200 Mit 120 Mit 1200 Mit 1					
Processor: Intel® (Core® 15.1240) Processor 2.5Gbv 6 Cores, 12 Interacts, NG 2004 (Core® 15.1240) Processor 2.5Gbv 6 Cores, 12 Interacts, NG 2004 (Core 2006) Core 2016 (Discore 2007) Core 2016 (Discore 20		SUPPLY AND DELIVERY (	OF VARI	IOUS I	I.T. EQUIPMENT
Processor: Intel® (Core® 15.1240) Processor 2.5Gbv 6 Cores, 12 Interacts, NG 2004 (Core® 15.1240) Processor 2.5Gbv 6 Cores, 12 Interacts, NG 2004 (Core 2006) Core 2016 (Discore 2007) Core 2016 (Discore 20	1	Desktop Computer	15	unit	
2     Printer Continuous Ink System     32     unit       Dimension W J N J N; Si A, Litts L A J SI S J N muWeight 2.4 kg Input Capacity: Up to 50 sheets of Plain Paper (75gm2) Paper Feed Method: Friction Fed     32     unit       Paper Feed Method: Friction Fed     Print Sign 1.50 2273.4 A Simpler (Bhak / Colony: Up to 9.0 ipm / Print Sign 74.5 No.1 Postolectic Printmal Norde Configuration: 180 1 nozds Black, 29 to 1 nozzles per Color (Open Angema, Yellow)     1       Print Berg Technology: Presolectic Printmal Methods (Print Sign 74.5 No.1 / Open Sign 75.5 No.1 / Open Sig		Processor: Intel® Core <sup>™</sup> i5-12400 Processor 2.5Ghz 6 Cores, 12 threads, 18M Cache, up to 4.40 GHz Memory: 8GB 3200MHZ DDR4 nVMe SSD: 512GB M.2 2280 Videocard: Integrated CD-ROM: DVD-Writer Operating System: Windows 10 or higher Licensed Monitor: 21.5-inch Monitor Display Keyboard + Mouse USB Type / Mousepad			
Dimensions (W D X H): 601 x 215 x 130 mmWeights2 4 kg         Hyper Coprety: (b): 60 besics of Delin Paper (75):m2)           Paper Stess: A1, Letter, Lagal (5.5 x 14*)         Paper Stess: A1, Letter, Lagal (5.5 x 14*)           Print Speed: 180 x 1 mozzles Black, (20 m/z): bp 0.0 ipm / d, 3 jmm         Minimum Third Resolution: 720 x 720 dpi           Maximum Trik Resolution: 720 x 720 dpi         Minimum Trik Resolution: 720 x 720 dpi           Maximum Trik Resolution: 720 x 720 dpi         Minimum Trik Resolution: 720 x 720 dpi           Maximum Trik Resolution: 720 x 720 dpi         Minimum Trik Resolution: 720 x 720 dpi           Maximum Trik Resolution: 720 x 720 dpi         Minimum Trik Resolution: 720 x 720 dpi           Maximum Trik Resolution: 720 x 720 dpi         Minimum Trik Resolution: 720 x 720 dpi           Stondard Paper Lapuer Continuous Ink System         3         unit           Stondard Paper Lapuer Continuous Ink System         3         unit           Stondard Paper Lapuer Continuous Ink System         3         unit           Stondard Paper Lapuer Continuous Continuous Ink System         3         unit           Stondard Paper Lapuer Continuous Ink System         3         unit           Maximum Resolution: 750 x 1440 dpi (215 x 345 mm, 85 x 13*); Letter, A1 (6K (195 x 270 mm), B5 x 16 apg. (215 x 345 mm), 85 x 13*); Letter, A1 (6K (195 x 270 mm), B5 x 16 apg. (215 x 345 mm), 85 x 13*); Letter, Configuration: 180 x 1 ang. (215 x 345 mm), 85 x 1 ang. (215 x 345 mm), 85 x 1 a		Warranty: One (1) year warranty			
g/m2) Up to 20 sheets of Premium Glossy Photo Paper       Paper Strees: Legal (85, 147), Indian-Legal (21 S x45 mm), 8.5 x [13", Letter, A4, 165 (195 x 270 mm), B5, A5, B6, A6, Hagaki (100x 148 mm), 5, 3 T, 5, x F, 4 S°, Favelgoes: #10, DL, C6       Print Method: On-demand inkjet (Piezoelectric)       Warranty: One (1) year warranty       4     Power Strip Surge Protector Rack-Mount PDU       •     12 Right Angle Outlets Wide-Spaced       •     Heavy Duty 1 U Rack Mount PDU Power Strip for Server Racks       •     15A/125V       •     6ft Cord       •     Black       5     Ethernet Switch 16 Fort 10/100       LAN: IEEE 802.3 10BASE-T Ethernet (twisted pair copper) Poor Packet Filtering Forwarding Rate: 148,800 pps for 100 M Network Cables :10BASE-TFanless: Yes       802.3aw Energy-Efficient Ethernet support: Yes Form Facto: Tbeskon Rack mountable       Housing: Metal       Warranty: One (1) year warranty       6     LCD Projectors Facte: 300,00 hours / 10,000 hours Resolution, Projectors Facte: 30,001 hours / 10,000 hours Resolution, Projectors Facte: 30,001       Brightness Range Lumens, Projectors Facte: 30,000       Features, Projectors Facte: 30,000       Brightness Range Lumens, Projectors Facte: 30,000       Brightness Range Lumens, Projectors Facte: 30,000       Br		<ul> <li>Dimensions (W x D x H): 461 x 215 x 130 mmWeight:2.4 kg</li> <li>Input Capacity: Up to 50 sheets of Plain Paper (75g/m2)</li> <li>Paper Sizes: A4, Letter, Legal (8.5 x 14")</li> <li>Paper Feed Method: Friction Feed</li> <li>Print Speed: ISO 24734, A4 Simplex (Black / Colour): Up to 9.0 ipm / 4.8 ipm*</li> <li>Printing Technology: Piezoelectric Printhead</li> <li>Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow)</li> <li>Print Direction: Bi-directional, Uni-directional printing</li> <li>Maximum Print Resolution: 720 x 720 dpi</li> <li>Minimum Ink Droplet Size: 3.0 pl</li> <li>Automatic 2-sided Printing: No</li> <li>Operating System Compatibility: Windows XP / XP Professional / Vista / 7 / 8 / 8.1 / 10</li> <li>Warranty: One (1) year warranty</li> <li>Printer with scanner / Continuous Ink System</li> </ul>			
• 12 Right Angle Outlets Wide-Spaced         • Heavy Duty 1U Rack Mount PDU Power Strip for Server Racks         • 15A/125V         • 6ft Cord         • Black         5       Ethernet Switch         16 Port 10/100         LAN: IEEE 802.3 10BASE-T         Standards: IEEE 802.3 10BASE-T Ethernet (twisted pair copper)         Port Packet Filtering/ Forwarding Rate: 148,800 pps for 100 M         Network Cables :10BASE-TFanless: Yes         802.3az Energy-Efficient Ethernet support: Yes         Form Factor: Desktop Rackmountable         Housing: Metal         Warranty: One (1) year warranty         6       LCD Projector         LCD: Size: 0.55° (D7)         Native Resolution: SVGA         Lamp: Type: 210W UHE         Life (Normal / Eco)*11: 6,000 hours / 10,000 hours         Resolution: Projectors Facets: SVGA,         Contrast Ratio, Projectors Facets: 2000         Features, Projectors Facets: SVGA,         Contrast Ratio, Projectors Facets: 2000         Features, Projectors Facets: Wift, Quick Corner		<ul> <li>Standard Paper Input Capacity: Up to 100 sheets of Plain Paper (80 g/m2) Up to 20 sheets of Premium Glossy Photo Paper</li> <li>Paper Sizes: Legal (8.5 x 14"), Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 5 x 8", 4 x 6", Envelopes: #10, DL, C6</li> <li>Print Method: On-demand inkjet (Piezoelectric)</li> <li>Printer Language: ESC/P-R, ESC/P Raster</li> <li>Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow)</li> <li>Maximum Resolution: 5760 x 1440 dpi</li> <li>Automatic 2-sided Printing: No</li> <li>Warranty: One (1) year warranty</li> </ul>			
5     Ethernet Switch 16 Port 10/100 LAN: IEEE 802.3 10BASE-T Standards: IEEE 802.3 10BASE-T Ethernet (twisted pair copper) Port Packet Filtering/ Forwarding Rate:148,800 pps for 100 M Network Cables :10BASE-TFanless: Yes 802.3az Energy-Efficient Ethernet support: Yes Form Factor: Desktop Rackmountable Housing: Metal Warranty: One (1) year warranty     10     unit       6     LCD Projector LCD: Size: 0.55" (D7) Native Resolution: SVGA Lamp: Type: 210W UHE Life (Normal / Eco)*1: 6,000 hours / 10,000 hours Resolution, Projectors Facets: SVGA, Contrast Ratio, Projectors Facets: 15,000:1 Brightness Range Lumens, Projectors Facets: 2000 Features, Projectors Facets: Wifi, Quick Corner     2     unit	4	<ul> <li>12 Right Angle Outlets Wide-Spaced</li> <li>Heavy Duty 1U Rack Mount PDU Power Strip for Server Racks</li> <li>15A/125V</li> <li>6ft Cord</li> </ul>	2	unit	
16 Port 10/100       LAN: IEEE 802.3 10BASE-T         Standards: IEEE 802.3 10BASE-T Ethernet (twisted pair copper)       Port Packet Filtering/ Forwarding Rate: 148,800 pps for 100 M         Network Cables : 10BASE-TFanless: Yes       802.3az Energy-Efficient Ethernet support: Yes         Form Factor: Desktop Rackmountable       Housing: Metal         Warranty: One (1) year warranty       2         6       LCD Projector         LCD: Size: 0.55" (D7)         Native Resolution: SVGA         Lamp: Type: 210W UHE         Life (Normal / Eco)*1: 6,000 hours / 10,000 hours         Resolution, Projectors Facets: SVGA,         Contrast Ratio, Projectors Facets: 2000         Frightness Range Lumens, Projectors Facets: 2000         Features, Projectors Facets: Wifi, Quick Corner	=		10		
LCD: Size: 0.55" (D7) Native Resolution: SVGA Lamp: Type: 210W UHE Life (Normal / Eco)*1: 6,000 hours / 10,000 hours Resolution, Projectors Facets: SVGA, Contrast Ratio, Projectors Facets: 15,000:1 Brightness Range Lumens, Projectors Facets: 2000 Features, Projectors Facets: Wifi, Quick Corner		16 Port 10/100 LAN: IEEE 802.3 10BASE-T Standards: IEEE 802.3 10BASE-T Ethernet (twisted pair copper) Port Packet Filtering/ Forwarding Rate:148,800 pps for 100 M Network Cables :10BASE-TFanless: Yes 802.3az Energy-Efficient Ethernet support: Yes Form Factor: Desktop Rackmountable Housing: Metal Warranty: One (1) year warranty			
20		LCD: Size: 0.55" (D7) Native Resolution: SVGA Lamp: Type: 210W UHE Life (Normal / Eco)*1: 6,000 hours / 10,000 hours Resolution, Projectors Facets: SVGA, Contrast Ratio, Projectors Facets: 15,000:1 Brightness Range Lumens, Projectors Facets: 2000 Features, Projectors Facets: Wifi, Quick Corner			

-		1	1	
	<b>Projection Technology:</b> RGB liquid crystal shutter projection system			
	White Light Output (Normal/Eco):3,300lm / 2,050lm			
1	Colour Light Output: 3,300lm			
	Warranty: One (1) year warranty			
7	Firewall/ Security Gateway	1	unit	
1	CPU: Marvell Armada 3720 (88F3720) ARMv8-A 64-bit Cortex A53 @			
1	1.2GHz with NEON SIMD and FPU			
1	CPU Cores: Dual Core			
1	Networking: One 1 Gigabit Ethernet WAN port (RJ45 / SFP Combo)			
	Four 1 Gigabit Ethernet LAN ports (Marvel 88E6141 switch, uplink at			
	2.5 Gbps)			
1	LAN ports can be repurposed for additional WAN ports			
	Storage: 8GB eMMC Flash on board			
1	Memory: 4 GB DDR4 (not expandable)			
1	Expansion: 1x M.2 'B' key sockets (SSD, LTE)1x miniPCIe (WiFi)			
1	microSIM slot			
1	Console Port: MiniUSB (console cable included)			
1	USB Ports: 1x 2.0 port			
	LED: 3 full color RGB LEDs (Pattern info here)			
	Enclosure: Desktop 1.7" (42.2 mm) tall x 4.25" (108 mm) deep x 6.8"			
1	(172.7 mm) wide with integrated keyholes for easy wall mounting			
	Cooling: Passive			
	Environmental: 32°F (0°C) to 122°F (50°C)			
	Certifications: CE, FCC (Class B), RoHS, UL, RCM, VCCI			
	Warranty: One (1) year warranty			
8	305M Cat5e UTP Ethernet cable	3	box	
1	• UTP-104 24AWG Solid (Grey, Blue)			
1	• CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T)			
1	standard. STANDARD: UL444,910 &ISO/IEC 11801 &TIA/EIA-			
1	568-B-2 CAT 5E			
1	Comply with Cat5e specifications			
	<ul> <li>Cable Construction: 4-pair unshielded twisted pair (UTP) cable</li> </ul>			
	<ul> <li>24 AWG solid</li> </ul>			
9	Gigabit Multi-WAN VPN Router	2	unit	
,	Interface: 1 Fixed Gigabit WAN Port, 1 Fixed Gigabit LAN Port, 3	4	unit	
	Changeable Gigabit WAN/LAN Ports Network Media: 10BASE-T: UTP category 3, 4, 5 cable (Max 100m)			
1	EIA/TIA-568 100 $\Omega$ STP (Max 100m), 100BASE-TX: UTP category 5,			
1	EIA/IIA-508/1002/STP (Max 100m), 100BASE-TX: OTP category 5, 5e cable (Max 100m), EIA/TIA-568/100Ω STP (Max 100m),			
1	1000BASE-T: UTP category 5, 5e, 6 cable (Max 100m),			
1	Concurrent Session: 25,000			
1	<b>IPsec VPN Throughput:</b> 41.5 Mbps			
	WAN Connection Type: Static/Dynamic IP, PPPoE, PPTP, L2TP			
1	MAC Clone: Modify WAN/LAN MAC Address, LAN MAC Address			
1	can be modified only in Standalone Mode.			
1	DHCP: DHCP Server/Client, DHCP Address Reservation, Multi-net			
1	DHCP, Multi-IP Interfaces, Multi-IP Interfaces and Multi-Net DHCP are			
	supported only in Controller Mode			
	VLAN: 802.1Q VLAN			
	<b>IPTV:</b> IGMP v2/v3 Proxy			
1	Filtering: WEB Group Filtering, URL Filtering, Web Security			
1	<b>ARP Inspection:</b> Sending GARP Packets, ARP Scanning, IP-MAC			
	Binding			
	Attack Defense: TCP/UDP/ICMP Flood Defense, Block TCP Scan			
	(Stealth FIN/Xmas/Null), Block Ping from WAN			
	Access Control: Source/Destination IP Based Access Control			
	Warranty: One (1) year warranty			
10	Wifi Router	10	unit	
	Standards: Wi-Fi 5 , IEEE 802.11ac/n/a 5 GHz, IEEE 802.11n/b/g 2.4			
1	GHz			
1	GHz WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps			
	WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)			
	WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n) WiFi Range: 4× Fixed High-Performance Antennas			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> <li>Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> <li>Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports</li> <li>SECURITY: WiFi Encryption WPA, WPA2, WPA3, WPA/WPA2-</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> <li>Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports</li> <li>SECURITY: WiFi Encryption WPA, WPA2, WPA3, WPA/WPA2-</li> <li>Enterprise (802.1x) Network Security SPI Firewall</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> <li>Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports</li> <li>SECURITY: WiFi Encryption WPA, WPA2, WPA3, WPA/WPA2-</li> <li>Enterprise (802.1x) Network Security SPI Firewall</li> <li>Access Control: IP &amp; MAC Binding</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> <li>Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports</li> <li>SECURITY: WiFi Encryption WPA, WPA2, WPA3, WPA/WPA2-Enterprise (802.1x) Network Security SPI Firewall</li> <li>Access Control: IP &amp; MAC Binding</li> <li>Parental Controls: URL Filtering</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> <li>Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports</li> <li>SECURITY: WiFi Encryption WPA, WPA2, WPA3, WPA/WPA2-Enterprise (802.1x) Network Security SPI Firewall</li> <li>Access Control: IP &amp; MAC Binding</li> <li>Parental Controls: URL Filtering</li> <li>Time Controls: WAN Types Dynamic IP, Static IP, PPPoE, PPTP,</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> <li>Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports</li> <li>SECURITY: WiFi Encryption WPA, WPA2, WPA3, WPA/WPA2-Enterprise (802.1x) Network Security SPI Firewall</li> <li>Access Control: IP &amp; MAC Binding</li> <li>Parental Controls: URL Filtering</li> <li>Time Controls: WAN Types Dynamic IP, Static IP, PPPoE, PPTP, L2TP</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> <li>Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports</li> <li>SECURITY: WiFi Encryption WPA, WPA2, WPA3, WPA/WPA2-Enterprise (802.1x) Network Security SPI Firewall</li> <li>Access Control: IP &amp; MAC Binding</li> <li>Parental Controls: WAN Types Dynamic IP, Static IP, PPPoE, PPTP, L2TP</li> <li>Quality of Service: QoS by Device</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> <li>Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports</li> <li>SECURITY: WiFi Encryption WPA, WPA2, WPA3, WPA/WPA2-Enterprise (802.1x) Network Security SPI Firewall</li> <li>Access Control: IP &amp; MAC Binding</li> <li>Parental Controls: URL Filtering</li> <li>Time Controls: WAN Types Dynamic IP, Static IP, PPPoE, PPTP, L2TP</li> <li>Quality of Service: QoS by Device</li> <li>DDNS: NAT Forwarding, Port Forwarding, Port Triggering</li> </ul>			
	<ul> <li>WiFi Speeds: 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 400 Mbps (802.11n)</li> <li>WiFi Range: 4× Fixed High-Performance Antennas</li> <li>WiFi Capacity: Medium Dual-Band, MU-MIMO</li> <li>Working Modes: Router Mode , Access Point Mode</li> <li>HARDWARE: Processor 1.2 GHz CPU</li> <li>Ethernet Ports: 1× Gigabit WAN Port, 4× Gigabit LAN Ports</li> <li>SECURITY: WiFi Encryption WPA, WPA2, WPA3, WPA/WPA2-Enterprise (802.1x) Network Security SPI Firewall</li> <li>Access Control: IP &amp; MAC Binding</li> <li>Parental Controls: WAN Types Dynamic IP, Static IP, PPPoE, PPTP, L2TP</li> <li>Quality of Service: QoS by Device</li> </ul>			

Name of Bidder:\_\_\_\_\_

Submitted by: \_\_\_\_\_

(Printed Name and Signature)

Designation: \_\_\_\_\_\_ Date: \_\_\_\_\_\_

21

# Section VIII. Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

#### <u>Legal Documents</u>

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,

<u>and</u>

- □ (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
   and
- $\Box$  (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

## <u>Technical Documents</u>

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- □ (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- □ (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
   or

Original copy of Notarized Bid Securing Declaration; and

- □ (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (j) Original duly signed Omnibus Sworn Statement (OSS);
   and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

## <u>Financial Documents</u>

- (k) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
- □ (l) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

□ (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### Other documentary requirements under RA No. 9184 (as applicable)

- (n) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- □ (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

## 25 FINANCIAL COMPONENT ENVELOPE

- $\Box$  (a) Original of duly signed and accomplished Financial Bid Form; **and**
- $\Box$  (b) Original of duly signed and accomplished Price Schedule(s).

# Bid Form for the Procurement of Goods [shall be submitted with the Bid]

#### **BID FORM**

Project Identification No. : \_\_\_\_\_

Date : \_\_\_\_\_

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform] [description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of Of agent Currency Commission or gratuity

(if none, state "None") ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:
Legal capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

# **Price Schedule for Goods Offered from Within the Philippines** [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

# 

1	2	3		4	5	6	7	8	9	10
Item	Description	Country of origin	Qty	unit	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
SU	PPLY AND DELIVERY OF VA	RIOUS			IPM	ENT	r		1	
1	Desktop Computer Processor: Intel® Core™ i5-12400 Processor 2.5Ghz 6 Cores, 12 threads, 18M Cache, up to 4.40 GHz Memory: 8GB 3200MHZ DDR4 nVMe SSD: 512GB M.2 2280 Videocard: Integrated CD-ROM: DVD-Writer Operating System: Windows 10 or higher Licensed Monitor: 21.5-inch Monitor Display Keyboard + Mouse USB Type / Mousepad Warranty: One (1) year warranty		15	unit						
2	Printer Continuous Ink System Dimensions (W x D x H): 461 x 215 x 130 mmWeight:2.4 kg Input Capacity: Up to 50 sheets of Plain Paper (75g/m2) Paper Sizes: A4, Letter, Legal (8.5 x 14") Paper Feed Method: Friction Feed Print Speed: ISO 24734, A4 Simplex (Black / Colour): Up to 9.0 ipm / 4.8 ipm* Printing Technology: Piezoelectric Printhead Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Print Direction: Bi-directional, Uni- directional printing Maximum Print Resolution: 720 x 720 dpi Minimum Ink Droplet Size: 3.0 pl Automatic 2-sided Printing: No Operating System Compatibility: Windows XP / XP Professional / Vista / 7 / 8 / 8.1 / 10 Warranty: One (1) year warranty		32	unit						
3	Printer with scanner / Continuous Ink System Standard Paper Input Capacity: Up to 100 sheets of Plain Paper (80 g/m2) Up to 20 sheets of Premium Glossy Photo Paper Paper Sizes: Legal (8.5 x 14"), Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 5 x 8", 4 x 6", Envelopes: #10, DL, C6 Print Method: On-demand inkjet (Piezoelectric) Printer Language: ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Automatic 2-sided Printing: No Warranty: One (1) year warranty Power Strip Surge Protector Rack-		3	unit						
+	<ul> <li>Nower Strip Surge Frotector Kack- Mount PDU</li> <li>12 Right Angle Outlets Wide-Spaced</li> <li>Heavy Duty 1U Rack Mount PDU Power Strip for Server Racks</li> <li>15A/125V</li> <li>6ft Cord</li> <li>Black</li> </ul>		2	umt						

5	Ethernet Switch	10	unit				
	16 Port 10/100						
	<b>LAN:</b> IEEE 802.3 10BASE-T						
	Standards: IEEE 802.3 10BASE-T Ethernet						
	(twisted pair copper)						
	Port Packet Filtering/ Forwarding						
	Rate: 148,800 pps for 100 M						
	Network Cables :10BASE-TFanless: Yes						
	802.3az Energy-Efficient Ethernet						
	support: Yes						
	Form Factor: Desktop Rackmountable						
	Housing: Metal						
	Warranty: One (1) year warranty		•				
6	LCD Projector	2	unit				
	<b>LCD:</b> Size: 0.55" (D7)						
	Native Resolution: SVGA						
	Lamp: Type: 210W UHE						
	Life (Normal / Eco)*1: 6,000 hours / 10,000						
	hours						
	Resolution, Projectors Facets: SVGA,						
	Contrast Ratio, Projectors Facets: 15,000:1						
	Brightness Range Lumens, Projectors						
	Facets: 2000						
	Features, Projectors Facets: Wifi, Quick						
	Corner						
	Laser / Lamp, Projectors Facets: Lamp						
	<b>Projection Technology:</b> RGB liquid crystal						
	shutter projection system						
	White Light Output (Normal/Eco):3,300lm						
	/ 2,050lm						
	Colour Light Output: 3,300lm						
	Warranty: One (1) year warranty						
7		1	unit				<b>├</b> ───┤
/	Firewall/ Security Gateway	1	uiit				
	<b>CPU:</b> Marvell Armada 3720 (88F3720)						
	ARMv8-A 64-bit Cortex A53 @ 1.2GHz						
	with NEON SIMD and FPU						
	CPU Cores: Dual Core						
	Networking: One 1 Gigabit Ethernet WAN						
	port (RJ45 / SFP Combo)						
	Four 1 Gigabit Ethernet LAN ports (Marvel						
	88E6141 switch, uplink at 2.5 Gbps)						
	LAN ports can be repurposed for						
	additional WAN ports						
	Storage: 8GB eMMC Flash on board						
	Memory: 4 GB DDR4 (not expandable)						
	Expansion: 1x M.2 'B' key sockets (SSD,						
	LTE)1x miniPCIe (WiFi) microSIM slot						
	Console Port: MiniUSB (console cable						
	included)						
	USB Ports: 1x 2.0 port						
	LED: 3 full color RGB LEDs (Pattern info						
	here)						
	Enclosure: Desktop 1.7" (42.2 mm) tall x						
	4.25" (108 mm) deep x 6.8" (172.7 mm) wide						
	with integrated keyholes for easy wall						
	mounting						
	Cooling: Passive						
1	<b>Environmental:</b> $32^{\circ}F(0^{\circ}C)$ to $122^{\circ}F(50^{\circ}C)$						
	Certifications: CE. FULICIASS BL ROBS		1				
	Certifications: CE, FCC (Class B), RoHS, UL, RCM, VCCI						
	UL, RCM, VCCI						
8	UL, RCM, VCCI Warranty: One (1) year warranty	3	hov				
8	UL, RCM, VCCI Warranty: One (1) year warranty 305M Cat5e UTP Ethernet cable	 3	box				
8	UL, RCM, VCCI Warranty: One (1) year warranty 305M Cat5e UTP Ethernet cable • UTP-104 24AWG Solid (Grey, Blue)	3	box			 	
8	UL, RCM, VCCI Warranty: One (1) year warranty <b>305M Cat5e UTP Ethernet cable</b> • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit	 3	box				
8	UL, RCM, VCCI Warranty: One (1) year warranty <b>305M Cat5e UTP Ethernet cable</b> • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard.	 3	box				
8	UL, RCM, VCCI Warranty: One (1) year warranty <b>305M Cat5e UTP Ethernet cable</b> • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard. STANDARD: UL444,910 & ISO/IEC	 3	box				
8	UL, RCM, VCCI Warranty: One (1) year warranty <b>305M Cat5e UTP Ethernet cable</b> • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard.	3	box				
8	UL, RCM, VCCI Warranty: One (1) year warranty <b>305M Cat5e UTP Ethernet cable</b> • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard. STANDARD: UL444,910 & ISO/IEC	 3	box				
8	<ul> <li>UL, RCM, VCCI</li> <li>Warranty: One (1) year warranty</li> <li>305M Cat5e UTP Ethernet cable</li> <li>UTP-104 24AWG Solid (Grey, Blue)</li> <li>CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard.</li> <li>STANDARD: UL444,910 &amp; ISO/IEC 11801 &amp; TIA/EIA-568-B-2 CAT 5E</li> </ul>	3	box				
8	UL, RCM, VCCI Warranty: One (1) year warranty <b>305M Cat5e UTP Ethernet cable</b> • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard. STANDARD: UL444,910 &ISO/IEC 11801 &TIA/EIA-568-B-2 CAT 5E • Comply with Cat5e specifications • Cable Construction: 4-pair unshielded	3	box				
8	UL, RCM, VCCI Warranty: One (1) year warranty <b>305M Cat5e UTP Ethernet cable</b> • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard. STANDARD: UL444,910 & ISO/IEC 11801 & TIA/EIA-568-B-2 CAT 5E • Comply with Cat5e specifications	3	box				
	<ul> <li>UL, RCM, VCCI</li> <li>Warranty: One (1) year warranty</li> <li>305M Cat5e UTP Ethernet cable <ul> <li>UTP-104 24AWG Solid (Grey, Blue)</li> <li>CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard.</li> <li>STANDARD: UL444,910 &amp; ISO/IEC 11801 &amp; TIA/EIA-568-B-2 CAT 5E</li> <li>Comply with Cat5e specifications</li> <li>Cable Construction: 4-pair unshielded twisted pair (UTP) cable</li> <li>24 AWG solid</li> </ul> </li> </ul>	3					
8	<ul> <li>UL, RCM, VCCI</li> <li>Warranty: One (1) year warranty</li> <li>305M Cat5e UTP Ethernet cable <ul> <li>UTP-104 24AWG Solid (Grey, Blue)</li> <li>CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard.</li> <li>STANDARD: UL444,910 &amp; ISO/IEC 11801 &amp; TIA/EIA-568-B-2 CAT 5E</li> <li>Comply with Cat5e specifications</li> <li>Cable Construction: 4-pair unshielded twisted pair (UTP) cable</li> <li>24 AWG solid</li> </ul> </li> <li>Gigabit Multi-WAN VPN Router</li> </ul>		box				
	UL, RCM, VCCI Warranty: One (1) year warranty <b>305M Cat5e UTP Ethernet cable</b> • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard. STANDARD: UL444,910 & ISO/IEC 11801 & TIA/EIA-568-B-2 CAT 5E • Comply with Cat5e specifications • Cable Construction: 4-pair unshielded twisted pair (UTP) cable • 24 AWG solid <b>Gigabit Multi-WAN VPN Router</b> Interface: 1 Fixed Gigabit WAN Port, 1						
	UL, RCM, VCCI Warranty: One (1) year warranty 305M Cat5e UTP Ethernet cable • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard. STANDARD: UL444,910 & ISO/IEC 11801 & TIA/EIA-568-B-2 CAT 5E • Comply with Cat5e specifications • Cable Construction: 4-pair unshielded twisted pair (UTP) cable • 24 AWG solid Gigabit Multi-WAN VPN Router Interface: 1 Fixed Gigabit WAN Port, 1 Fixed Gigabit LAN Port, 3 Changeable						
	<ul> <li>UL, RCM, VCCI</li> <li>Warranty: One (1) year warranty</li> <li>305M Cat5e UTP Ethernet cable <ul> <li>UTP-104 24AWG Solid (Grey, Blue)</li> <li>CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard.</li> <li>STANDARD: UL444,910 &amp; ISO/IEC 11801 &amp; TIA/EIA-568-B-2 CAT 5E</li> <li>Comply with Cat5e specifications</li> <li>Cable Construction: 4-pair unshielded twisted pair (UTP) cable</li> <li>24 AWG solid</li> </ul> </li> <li>Gigabit Multi-WAN VPN Router Interface: 1 Fixed Gigabit WAN Port, 1 Fixed Gigabit LAN Port, 3 Changeable Gigabit WAN/LAN Ports</li> </ul>						
	UL, RCM, VCCI Warranty: One (1) year warranty <b>305M Cat5e UTP Ethernet cable</b> • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard. STANDARD: UL444,910 & ISO/IEC 11801 & TIA/EIA-568-B-2 CAT 5E • Comply with Cat5e specifications • Cable Construction: 4-pair unshielded twisted pair (UTP) cable • 24 AWG solid <b>Gigabit Multi-WAN VPN Router</b> Interface: 1 Fixed Gigabit WAN Port, 1 Fixed Gigabit LAN Port, 3 Changeable Gigabit WAN/LAN Ports <b>Network Media:</b> 10BASE-T: UTP category						
	<ul> <li>UL, RCM, VCCI</li> <li>Warranty: One (1) year warranty</li> <li>305M Cat5e UTP Ethernet cable <ul> <li>UTP-104 24AWG Solid (Grey, Blue)</li> <li>CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard.</li> <li>STANDARD: UL444,910 &amp; ISO/IEC 11801 &amp; TIA/EIA-568-B-2 CAT 5E</li> <li>Comply with Cat5e specifications</li> <li>Cable Construction: 4-pair unshielded twisted pair (UTP) cable</li> <li>24 AWG solid</li> </ul> </li> <li>Gigabit Multi-WAN VPN Router Interface: 1 Fixed Gigabit WAN Port, 1 Fixed Gigabit LAN Port, 3 Changeable Gigabit WAN/LAN Ports</li> <li>Network Media: 10BASE-T: UTP category 3, 4, 5 cable (Max 100m) EIA/TIA-568 100Ω</li> </ul>						
	<ul> <li>UL, RCM, VCCI</li> <li>Warranty: One (1) year warranty</li> <li>305M Cat5e UTP Ethernet cable <ul> <li>UTP-104 24AWG Solid (Grey, Blue)</li> <li>CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard.</li> <li>STANDARD: UL444,910 &amp; ISO/IEC</li> <li>11801 &amp; TIA/EIA-568-B-2 CAT 5E</li> <li>Comply with Cat5e specifications</li> <li>Cable Construction: 4-pair unshielded twisted pair (UTP) cable</li> <li>24 AWG solid</li> </ul> </li> <li>Gigabit Multi-WAN VPN Router Interface: 1 Fixed Gigabit WAN Port, 1 Fixed Gigabit LAN Port, 3 Changeable Gigabit WAN/LAN Ports</li> <li>Network Media: 10BASE-T: UTP category 3, 4, 5 cable (Max 100m) EIA/TIA-568 100Ω STP (Max 100m), 100BASE-TX: UTP</li> </ul>						
	<ul> <li>UL, RCM, VCCI</li> <li>Warranty: One (1) year warranty</li> <li>305M Cat5e UTP Ethernet cable <ul> <li>UTP-104 24AWG Solid (Grey, Blue)</li> <li>CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard.</li> <li>STANDARD: UL444,910 &amp; ISO/IEC 11801 &amp; TIA/EIA-568-B-2 CAT 5E</li> <li>Comply with Cat5e specifications</li> <li>Cable Construction: 4-pair unshielded twisted pair (UTP) cable</li> <li>24 AWG solid</li> </ul> </li> <li>Gigabit Multi-WAN VPN Router Interface: 1 Fixed Gigabit WAN Port, 1 Fixed Gigabit LAN Port, 3 Changeable Gigabit WAN/LAN Ports</li> <li>Network Media: 10BASE-T: UTP category 3, 4, 5 cable (Max 100m) EIA/TIA-568 100Ω</li> <li>STP (Max 100m), 100BASE-TX: UTP category 5, 5e cable (Max 100m), EIA/TIA-568</li> </ul>						
	UL, RCM, VCCI Warranty: One (1) year warranty <b>305M Cat5e UTP Ethernet cable</b> • UTP-104 24AWG Solid (Grey, Blue) • CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard. STANDARD: UL444,910 & ISO/IEC 11801 & TIA/EIA-568-B-2 CAT 5E • Comply with Cat5e specifications • Cable Construction: 4-pair unshielded twisted pair (UTP) cable • 24 AWG solid <b>Gigabit Multi-WAN VPN Router</b> <b>Interface:</b> 1 Fixed Gigabit WAN Port, 1 Fixed Gigabit LAN Port, 3 Changeable Gigabit WAN/LAN Ports <b>Network Media:</b> 10BASE-T: UTP category 3, 4, 5 cable (Max 100m) EIA/TIA-568 100Ω STP (Max 100m), 100BASE-TX: UTP category 5, 5e cable (Max 100m), EIA/TIA- 568 100Ω STP (Max 100m), 100BASE-T:						
	<ul> <li>UL, RCM, VCCI</li> <li>Warranty: One (1) year warranty</li> <li>305M Cat5e UTP Ethernet cable <ul> <li>UTP-104 24AWG Solid (Grey, Blue)</li> <li>CAT5e UTP Cable supports Gigabit Ethernet (1000 Base-T) standard.</li> <li>STANDARD: UL444,910 &amp; ISO/IEC 11801 &amp; TIA/EIA-568-B-2 CAT 5E</li> <li>Comply with Cat5e specifications</li> <li>Cable Construction: 4-pair unshielded twisted pair (UTP) cable</li> <li>24 AWG solid</li> </ul> </li> <li>Gigabit Multi-WAN VPN Router Interface: 1 Fixed Gigabit WAN Port, 1 Fixed Gigabit LAN Port, 3 Changeable Gigabit WAN/LAN Ports</li> <li>Network Media: 10BASE-T: UTP category 3, 4, 5 cable (Max 100m) EIA/TIA-568 100Ω</li> <li>STP (Max 100m), 100BASE-TX: UTP category 5, 5e cable (Max 100m), EIA/TIA-568</li> </ul>						

<u> </u>								
	<b>IPsec VPN Throughput:</b> 41.5 Mbps							
	WAN Connection Type: Static/Dynamic IP,							
	PPPoE, PPTP, L2TP							
	MAC Clone: Modify WAN/LAN MAC							
	Address, LAN MAC Address can be							
	modified only in Standalone Mode.							
	DHCP: DHCP Server/Client, DHCP Address							
	Reservation, Multi-net DHCP, Multi-IP							
	Interfaces, Multi-IP Interfaces and Multi-Net							
	DHCP are supported only in Controller Mode							
	VLAN: 802.1Q VLAN							
	<b>IPTV:</b> IGMP v2/v3 Proxy							
	Filtering: WEB Group Filtering, URL							
	Filtering, Web Security							
	ARP Inspection: Sending GARP Packets,							
	ARP Scanning, IP-MAC Binding							
	Attack Defense: TCP/UDP/ICMP Flood							
	Defense, Block TCP Scan (Stealth							
	FIN/Xmas/Null), Block Ping from WAN							
	Access Control: Source/Destination IP							
	Based Access Control							
	Warranty: One (1) year warranty							
10	Wifi Router	10	unit					
	Standards: Wi-Fi 5, IEEE 802.11ac/n/a 5							
	GHz, IEEE 802.11n/b/g 2.4 GHz							
	WiFi Speeds: 5 GHz: 867 Mbps (802.11ac)							
	2.4 GHz: 400 Mbps (802.11n)							
	WiFi Range: 4× Fixed High-Performance							
	Antennas							
	WiFi Capacity: Medium Dual-Band, MU-							
	MIMO							
	Working Modes: Router Mode, Access							
	Point Mode							
	HARDWARE: Processor 1.2 GHz CPU							
	<b>Ethernet Ports:</b> 1× Gigabit WAN Port, 4×							
	Gigabit LAN Ports							
	SECURITY: WiFi Encryption WPA,							
	WPA2, WPA3, WPA/WPA2-Enterprise							
	(802.1x) Network Security SPI Firewall							
	Access Control: IP & MAC Binding							
	Parental Controls: URL Filtering							
	Time Controls: WAN Types Dynamic IP,							
	Static IP, PPPoE, PPTP, L2TP							
	Quality of Service: QoS by Device							
	DDNS: NAT Forwarding, Port Forwarding,							
	Port Triggering							
	DMZ: UPnP							
	Warranty: One (1) year warranty			1		1	1	

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

\_\_\_\_\_

## **Performance Securing Declaration (Revised)**

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_) S.S.

#### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years <u>for the second offense</u>, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF,** I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

#### REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

#### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

#### 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[*If a sole proprietorship:*] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[*If a sole proprietorship:*] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a corporation or joint venture:*] None of the officers, directors, and controlling stockholders of [*Name of Bidder*] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:

- a. Carefully examining all of the Bidding Documents;
- b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
- c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
- d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_ at \_\_\_\_\_, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice] REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_) S.S.

#### **BID SECURING DECLARATION Project Identification No.:** *[Insert number]*

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

#### CONTRACT AGREEMENT

THIS AGREEMENT made the \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz*.:
  - Philippine Bidding Documents (PBDs);
    - i. Schedule of Requirements;
    - ii. Technical Specifications;
    - iii. General and Special Conditions of Contract; and
    - iv. Supplemental or Bid Bulletins, if any
  - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

iii. Performance Security;

i

- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. <u>Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.</u>
- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Signatory's Legal Capacity]

> for: [Insert Procuring Entity]

[Insert Name and Signature] [Insert Signatory's Legal Capacity] for: [Insert Name of Supplier]

**Acknowledgment** 

[Format shall be based on the latest Rules on Notarial Practice]

