



WEST VISAYAS STATE UNIVERSITY MEDICAL CENTER

E. Lopez St., Jaro, Iloilo City

"PhilHealth Accredited Health Care Provider"

Tel No.: (033) 320 2431 | Fax No.: (033) 3202623 | Email Address: medcenter@wvsu.edu.ph



SUPPLEMENTAL/BID BULLETIN

Project Reference No. IB No. 22-34
 Name of the Project Procurement of Various Infection Prevention and Control Committee (ICC) Supplies-A
 Location of the Project WVSU Medical Center

ADDENDUM NO. 01 - 2022


August 4, 2022

This Addendum No. 01 is issued to modify or amend items in the Bidding Documents. Attached are the revised Section III. Bid Data Sheet (pages 12-13), Section VI. Schedule of Requirements (pages 18-19), Section VII. Technical Specifications (pages 20-22) and Price Schedules for Goods (pages 25-30). These shall form an integral part of the Bidding Documents.

A. Section VII. Technical Specifications

Item No.	Item Description	Qty	Unit	Corrections/Modifications/Amendments <i>(in bold & italicized words)</i>
19	Non Contact Forehead Thermometer: Precise Non- Contact Measurements, User Selectable C or F; Automatic Selection Range and Display Resolution; Selectable Body or surface temperature; Set alarm value memorization of the last 32 measurements, Automatic data hold and auto power off; Backlight LED Display; Specifications: Body Mode 32- 42.5 degrees celcius; Measuring Distance: 1-15 cm; Response Time: 0.5 seconds	20	unit	Non Contact <i>Forehead</i> Thermometer: Precise Non- Contact Measurements, User Selectable C or F; Automatic Selection Range and Display Resolution; Selectable Body or surface temperature; Set alarm value memorization of the last 32 measurements, Automatic data hold and auto power off; Backlight LED Display; Specifications: Body Mode 32- 42.5 degrees celcius; Measuring Distance: 1-15 cm; Response Time: 0.5 seconds
	Terms and Conditions:			Terms and Conditions:
	3. For item #3; #4 to provide Automatic Sensor dispenser with the following inclusion:(40 units)			3. For item #3; #4 to provide Automatic Sensor dispenser with the following inclusion:(40 units)
	a. mounting plate with tabe feature for easy dispenser removal			a. mounting plate with tab feature for easy dispenser removal
	b. Infrared sensing technology; 1L Capacity			b. Infrared sensing technology; 1L Capacity
	c. Indicator light for operational and for change of battery			c. Indicator light for operational and for change of battery
	d. multiple doses per activation			d. multiple doses per activation
	e. free nozzle and battery			e. free nozzle and battery
	f. free installion, preventive maintanance quarterly			f. free installation , preventive maintenance quarterly
	g. two year warranty			g. two years warranty

For guidance and information of all concerned.


MARY EUGENE C. ORILLO
 Chairperson
 Bids and Awards Committee

Received by the Bidder:

Printed Name & Signature

Name of Bidder/Company

Date: _____

Section III. Bid Data Sheet

IB No. 22-34 Procurement of Various Infection Prevention and Control Committee (ICC) Supplies-A
Revised as indicated in the Bid Bulletin

ITB Clause					
5.3	For this purpose, contracts similar to the Project shall be: <ol style="list-style-type: none"> a. <u>Procurement of Various Medical and Surgical Supplies.</u> b. Completed within 2 years prior to the deadline for the submission and receipt of bids. 				
7.1	N/A				
12	The price of the Goods shall be quoted DDP <u>in Philippines</u> or the applicable International Commercial Terms (INCOTERMS) for this Project.				
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: <ol style="list-style-type: none"> a. The amount of not less than <u>PhP 176,284.60</u> [Indicate the amount equivalent to two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <u>PhP 440,711.50</u> [Indicate the amount equivalent to five percent (5%) of ABC] if bid security is in Surety Bond. 				
19.3	<u>Procurement of Various Infection Prevention and Control Committee (ICC) Supplies-A</u>				
	Item No.	Description	Qty.	Unit	Total ABC
	1	Disposable Full Face shield; Anti fog; :latex free; one size fits all; soft head foam; comfort stretch band	3,000	pcs	90,000.00
	2	Disinfectant tablet 2.5g, 100's (NaDcc) Sodium Dichloroicysocyanurate, effervescent base	120	jar	240,000.00
	3	Ethyl Alcohol 70%; with moisturizer, 500 ml/ bottle	5,000	bot	500,000.00
	4	Hand Antiseptic in 100g, 68g Ethyl Alcohol, hypoallergenic, bactericidal, fungicidal, tuberculocidal	430	gal	688,000.00
	5	Ready to use disinfectant wipes (alcohol free, aldehyde free, phenol free, phospate free, bleach free, amonia free, odorless, soft and non abrasive) 50/s per pack	200	pack	300,000.00
	6	Examination Gloves (clean); small ; Powdered Free; Latex Free; Nitrile; 100's/box	3,333	box	899,910.00
	7	Examination Gloves (clean); medium ; Powdered Free; Latex Free; Nitrile; 100's/box	8,333	box	2,249,910.00
	8	Examination Gloves (clean); large ; Powdered Free; Latex Free; Nitrile; 100's/box	8,333	box	2,249,910.00
	9	Puncture proof sharp collector , 5-5.5 Liters; with visible fill level indicator; compatible with existing locking cabinets	500	unit	140,000.00
	10	Interfolded Paper towel ; 175 pulls/ pack	2,000	packs	100,000.00
	11	Hydrogen peroxide plus silver solution ; broad spectrum disinfectant, odorless, colorless, for high level disinfection, 99.95 biodegradable; 5L/ carbouys	50	carbo uys	375,000.00
	12	Disinfectant concentrate (Benzalkonium Chloride, Didecyldimethylammoniumchloride, Polyhexamethylenebiguanide hydrochloride) 1L/ Bottle	30	liter	300,000.00
	13	KN95 mask , Anti- Viral; 4 layer mask with Polypropylene; Highly effective against influenzae viruses; NIOSH APPROVED; Large	2,000	pcs	120,000.00

Item No.	Description	Qty.	Unit	Total ABC
14	KN95 mask , Anti- Viral ; 4 layer mask with Polypropylene; Highly effective against influenzae viruses; NIOSH APPROVED;Medium	2,000	pcs	120,000.00
15	Absorbent Cotton ; 40's 28 x 24 Mesh; 36 " x 100 yds - 2 ply	36	rolls	9,000.00
16	Digital BP Apparatus ; Oscillometric Measuring method; memory function: Storage and recall 90 measurements with average; Digital LCD; Pressure: 0-280 mmHg; Pulse 40-199/ minute; Sensor accuracy: 3mmHg and Pulse 5%; Electro Pneumatic pump, 24-34 arm size range; Power: 6 Volts or 4 AA battery; Weight: 460 g; automatic power off. (with warranty card)	15	unit	30,000.00
17	UV-C Trolley 1 arm 2x30 watts lamp tubes ; Set up time upto 120 minutes; Ozone free; Remote Controlled; lamp type: UV-C mercury; UVC wavelength: 254 nm; Ozone free quartz glass tube type; Coverage area: 60-80 sqm; Dimension: 335 x 305 x 106 mm; Radiation intensity 180	10	Unit	120,000.00
18	Thermoscanner with tripod : Accuracy 0.2 degrees; measuring distance: 5- 10 cm; can standby for 1 week; Operating Method: 10-40 C; Response time: 0.5 seconds; Charging method: USB charging or battery; weight: 350 g; Dimension: 170 x 115 x 140 mm; Infrared measuring range: 0-50 C; With digital display	15	unit	67,500.00
19	Non Contact Forehead Thermometer : Precise Non-Contact Measurements, User Selectable C or F; Automatic Selection Range and Display Resolution; Selectable Body or surface temperature; Set alarm value memorization of the last 32 measurements, Automatic data hold and auto power off; Backlight LED Display; Specifications: Body Mode 32- 42.5 degrees celcius; Measuring Distance: 1-15 cm; Response Time: 0.5 seconds	20	unit	40,000.00
20	Pulse Oximeter : Power Supply: 2 x AAA 1.5V; with backlit screen, large fonts; High definition large fonts;2-Direction Display Adjustable, Allow You To View Your Results In Different Direction; Low Voltage Indicator, Real-Time Spot-Checks Small Portable Size Makes It Easy To Handle And Carry; Oxygen Saturation: 36%-99% ±2%; Display Method: 20mA-120mA Working Method: Intermittent operation; Size: 5.8x3.2x3cm;	20	unit	20,000.00
21	Disinfectant sprayer ; 2 Liters; heavy duty hard plastic; adjustable nozzle from spray to mist	100	unit	50,000.00
22	Foot Bath ; Size: 53CM. x 43CM; set comes with 1 sturdy and durable disinfectant foot mat with tray;set include Foot rubber tray Foot bath mat	10	unit	5,000.00
23	UV Box ; Size: 25inx17inx15in Capacity: 70L megabox UVC tube 8watts 220 vac outlet	10	unit	20,000.00
24	UV Light Bulb (Germicidal tubes T8; 30 watts)	40	unit	80,000.00

20.2 *No additional Requirements.*

21.2 *No additional contract documents*

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

IB No. UMC 22-34 Procurement of Various Infection Prevention and Control Committee(ICC) Supplies-A Revised as indicated in the Bid Bulletin

Item No.	Description	Quantity		Total	Delivered, Weeks/Months
1	Disposable Full Face shield; Anti fog; latex free; one size fits all; soft head foam; comfort stretch band	3,000	pcs		
2	Disinfectant tablet 2.5g, 100's (NaDcc) Sodium Dichloroicocysocyanurate, effervescent base	120	jar		
3	Ethyl Alcohol 70%; with moisturizer, 500 ml/ bottle	5,000	bot		
4	Hand Antiseptic in 100g, 68g Ethyl Alcohol, hypoallergenic, bactericidal, fungicidal, tuberculocidal	430	gal		
5	Ready to use disinfectant wipes (alcohol free, aldehyde free, phenol free, phosphate free, bleach free, amonia free, odorless, soft and non abrasive) 50/s per pack	200	pack		
6	Examination Gloves (clean); small; Powdered Free; Latex Free; Nitrile; 100's/box	3,333	box		
7	Examination Gloves (clean); medium; Powdered Free; Latex Free; Nitrile; 100's/box	8,333	box		
8	Examination Gloves (clean); large; Powdered Free; Latex Free; Nitrile; 100's/box	8,333	box		
9	Puncture proof sharp collector, 5-5.5 Liters; with visible fill level indicator; compatible with existing locking cabinets	500	unit		
10	Interfolded Paper towel; 175 pulls/ pack	2,000	packs		
11	Hydrogen peroxide plus silver solution; broad spectrum disinfectant, odorless, colorless, for high level disinfection, 99.95 biodegradable; 5L/ carbouys	50	carbo uys		
12	Disinfectant concentrate (Benzalkonium Chloride, Didecyldimethylammoniumchloride, Polyhexamethylenebiguanide hydrochloride) 1L/ Bottle	30	liter		
13	KN95 mask, Anti- Viral; 4 layer mask with Polypropylene; Highly effective against influenzae viruses; NIOSH APPROVED; Large	2,000	pcs		
14	KN95 mask, Anti- Viral ; 4 layer mask with Polypropylene; Highly effective against influenzae viruses; NIOSH APPROVED; Medium	2,000	pcs		
15	Absorbent Cotton; 40's 28 x 24 Mesh; 36 " x 100 yds - 2 ply	36	rolls		
16	Digital BP Apparatus; Oscillometric Measuring method; memory function: Storage and recall 90 measurements with average; Digital LCD; Pressure: 0-280 mmHg; Pulse 40-199/ minute; Sensor accuracy: 3mmHg and Pulse 5%; Electro Pneumatic pump, 24-34 arm size range; Power:6 Volts or 4 AA battery; Weight:460g; automatic power off. (with warranty card)	15	unit		

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

IB No. UMC 22-34 Procurement of Various Infection Prevention and Control Committee(ICC) Supplies-A
Revised as indicated in the Bid Bulletin

Item No.	Description	Quantity		Total	Delivered, Weeks/Months
17	UV-C Trolley 1 arm 2x30 watts lamp tubes ; Set up time upto 120 minutes; Ozone free; Remote Controlled; lamp type: UV-C mercury; UVC wavelength: 254 nm; Ozone free quartz glass tube type; Coverage area: 60-80 sqm; Dimension: 335 x 305 x 106 mm; Radiation intensity 180	10	Unit		
18	Thermoscanner with tripod: Accuracy 0.2 degrees; measuring distance: 5- 10 cm; can standby for 1 week; Operating Method: 10-40 C; Response time: 0.5 seconds; Charging method: USB charging or battery; weight: 350 g; Dimension: 170 x 115 x 140 mm; Infrared measuring range: 0-50 C; With digital display	15	unit		
19	Non Contact Forehead Thermometer: Precise Non- Contact Measurements, User Selectable C or F; Automatic Selection Range and Display Resolution; Selectable Body or surface temperature; Set alarm value memorization of the last 32 measurements, Automatic data hold and auto power off; Backlight LED Display; Specifications: Body Mode 32- 42.5 degrees celcius; Measuring Distance: 1-15 cm; Response Time: 0.5 seconds	20	unit		
20	Pulse Oximeter: Power Supply: 2 x AAA 1.5V; with backlit screen, large fonts; High definition large fonts;2-Direction Display Adjustable, Allow You To View Your Results In Different Direction; Low Voltage Indicator, Real-Time Spot-Checks Small Portable Size Makes It Easy To Handle And Carry; Oxygen Saturation: 36%-99% ±2%; Display Method: 20mA-120mA Working Method: Intermittent operation; Size: 5.8x3.2x3cm;	20	unit		
21	Disinfectant sprayer; 2 Liters; heavy duty hard plastic; adjustable nozzle from spray to mist	100	unit		
22	Foot Bath; Size: 53CM. x 43CM; set comes with 1 sturdy and durable disinfectant foot mat with tray;set include Foot rubber tray Foot bath mat	10	unit		
23	UV Box; Size: 25inx17inx15in Capacity: 70L megabox UVC tube 8watts 220 vac outlet	10	unit		
24	UV Light Bulb (Germicidal tubes T8; 30 watts)	40	unit		

Name of Bidder: _____

Submitted by: _____
 (Printed Name and Signature)

Designation: _____

Date: _____

Section VII. Technical Specifications

IB No. UMC 22-34 Procurement of Various Infection Prevention and Control Committee(ICC) Supplies-A
Revised as indicated in the Bid Bulletin

Item No.	Specification	Statement of Compliance			
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]			
Procurement of Various Infection Prevention and Control Committee (ICC) Supplies-A		Qty	Unit	Brand	Statement of Compliance
1	Disposable Full Face shield; Anti fog; latex free; one size fits all; soft head foam; comfort stretch band	3,000	pcs		
2	Disinfectant tablet 2.5g, 100's (NaDcc) Sodium Dichloroicysocyanurate, effervescent base	120	jar		
3	Ethyl Alcohol 70%; with moisturizer, 500 ml/ bottle	5,000	bot		
4	Hand Antiseptic in 100g, 68g Ethyl Alcohol, hypoallergenic, bactericidal, fungicidal, tuberculocidal	430	gal		
5	Ready to use disinfectant wipes (alcohol free, aldehyde free, phenol free, phosphat free, bleach free, ammonia free, odorless, soft and non abrasive) 50/s per pack	200	pack		
6	Examination Gloves (clean); small ; Powdered Free; Latex Free; Nitrile; 100's/box	3,333	box		
7	Examination Gloves (clean); medium ; Powdered Free; Latex Free; Nitrile; 100's/box	8,333	box		
8	Examination Gloves (clean); large ; Powdered Free; Latex Free; Nitrile; 100's/box	8,333	box		
9	Puncture proof sharp collector , 5-5.5 Liters; with visible fill level indicator; compatible with existing locking cabinets	500	unit		
10	Interfolded Paper towel ; 175 pulls/ pack	2,000	packs		
11	Hydrogen peroxide plus silver solution ; broad spectrum disinfectant, odorless, colorless, for high level disinfection, 99.95 biodegradable; 5L/ carboys	50	carbous		
12	Disinfectant concentrate (Benzalkonium Chloride, Didecylidimethylammoniumchloride, Polyhexamethylenebiguanide hydrochloride) 1L/ Bottle	30	liter		
13	KN95 mask , Anti- Viral; 4 layer mask with Polypropylene; Highly effective against influenzae viruses; NIOSH APPROVED; Large	2,000	pcs		
14	KN95 mask , Anti- Viral ; 4 layer mask with Polypropylene; Highly effective against influenzae viruses; NIOSH APPROVED; Medium	2,000	pcs		
15	Absorbent Cotton ; 40's 28 x 24 Mesh; 36 " x 100 yds - 2 ply	36	rolls		
16	Digital BP Apparatus ; Oscillometric Measuring method; memory function: Storage and recall 90 measurements with average; Digital LCD; Pressure: 0-280 mmHg; Pulse 40-199/ minute; Sensor accuracy: 3mmHg and Pulse 5%; Electro Pneumatic pump, 24-34 arm size range; Power:6 Volts or 4 AA battery; Weight:460g; automatic power off. (with warranty card)	15	unit		
--- to be continued to the next page ---					

Section VII. Technical Specifications

*IB No. UMC 22-34 Procurement of Various Infection Prevention and Control Committee(ICC) Supplies-A
Revised as indicated in the Bid Bulletin*

Item No.	Specification	Statement of Compliance			
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]			
Procurement of Various Infection Prevention and Control Committee (ICC) Supplies-A		Qty	Unit	Brand	Statement of Compliance
17	UV-C Trolley 1 arm 2x30 watts lamp tubes ; Set up time upto 120 minutes; Ozone free; Remote Controlled; lamp type: UV-C mercury; UVC wavelength: 254 nm; Ozone free quartz glass tube type; Coverage area: 60-80 sqm; Dimension: 335 x 305 x 106 mm; Radiation intensity 180	10	Unit		
18	Thermoscanner with tripod : Accuracy 0.2 degrees; measuring distance: 5- 10 cm; can standby for 1 week; Operating Method: 10-40 C; Response time: 0.5 seconds; Charging method: USB charging or battery; weight: 350 g; Dimension: 170 x 115 x 140 mm; Infrared measuring range: 0-50 C; With digital display	15	unit		
19	Non Contact Forehead Thermometer : Precise Non-Contact Measurements, User Selectable C or F; Automatic Selection Range and Display Resolution; Selectable Body or surface temperature; Set alarm value memorization of the last 32 measurements, Automatic data hold and auto power off; Backlight LED Display; Specifications: Body Mode 32- 42.5 degrees celcius; Measuring Distance: 1-15 cm; Response Time: 0.5 seconds	20	unit		
20	Pulse Oximeter : Power Supply: 2 x AAA 1.5V; with backlit screen, large fonts; High definition large fonts;2-Direction Display Adjustable, Allow You To View Your Results In Different Direction; Low Voltage Indicator, Real-Time Spot-Checks; Small Portable Size Makes It Easy To Handle And Carry; Oxygen Saturation: 36%-99% ±2%; Display Method: 20mA-120mA Working Method: Intermittent operation; Size: 5.8x3.2x3cm;	20	unit		
21	Disinfectant sprayer ; 2 Liters; heavy duty hard plastic; adjustable nozzle from spray to mist	100	unit		
22	Foot Bath ; Size: 53CM. x 43CM; set comes with 1 sturdy and durable disinfectant foot mat with tray;set include Foot rubber tray Foot bath mat	10	unit		
23	UV Box ; Size: 25inx17inx15in Capacity: 70L megabox UVC tube 8watts 220 vac outlet	10	unit		
24	UV Light Bulb (Germicidal tubes T8; 30 watts)	40	unit		
	Terms and Conditions:				
	1. Payment upon completion of each delivery				
	2. For item #2; #3; #4; #5; #11 #12 must have expiration date within 2 years upon delivery				
	--- to be continued to the next page ---				

Section VII. Technical Specifications

IB No. UMC 22-34 Procurement of Various Infection Prevention and Control Committee(ICC) Supplies-A
Revised as indicated in the Bid Bulletin

Item No.	Specification	Statement of Compliance			
		Qty	Unit	Brand	Statement of Compliance
	Procurement of Various Infection Prevention and Control Committee (ICC) Supplies-A				
3.	For item #3; #4 to provide Automatic Sensor dispenser with the following inclusion:(40 units)				
	a. mounting plate with tab feature for easy dispenser removal				
	b. Infrared sensing technology; 1L Capacity				
	c. Indicator light for operational and for change of battery				
	d. multiple doses per activation				
	e. free nozzle and battery				
	f. free installation , preventive maintenance quarterly				
	g. two years warranty				
4.	1st delivery after 15 days; Staggered delivery for 2 months				
5.	For item # 13; #14 must provide fit testing certification				

Name of Bidder: _____

Submitted by: _____
(Printed Name and Signature)

Designation: _____

Date: _____

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____

Project ID No. UMC 22-34 Page 1 of 3

Revised as indicated in the Bid Bulletin

1	2	3	4	5	6	7	8	9
Item	Description Procurement of Various Infection Prevention and Control Committee (ICC) Supplies-A	Country of origin	Quantity	Unit Price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit Price Delivered Duty Paid (DDP)	Total Price Delivered DDP (col 4 x 8)
1	Disposable Full Face shield; Anti fog; latex free; one size fits all; soft head foam; comfort stretch band		3,000 pcs					
2	Disinfectant tablet 2.5g, 100's (NaDcc) Sodium Dichloroicyanurate, effervescent base		120 jar					
3	Ethyl Alcohol 70%; with moisturizer, 500 ml/ bottle		5,000 bot					
4	Hand Antiseptic in 100g, 68g Ethyl Alcohol, hypoallergenic, bactericidal, fungicidal, tuberculocidal		430ga l					
5	Ready to use disinfectant wipes (alcohol free, aldehyde free, phenol free, phosphate free, bleach free, ammonia free, odorless, soft and non abrasive) 50/s per pack		200 pack					
6	Examination Gloves (clean); small ; Powdered Free; Latex Free; Nitrile; 100's/box		3,333 box					
7	Examination Gloves (clean); medium ; Powdered Free; Latex Free; Nitrile; 100's/box		8,333 box					
8	Examination Gloves (clean); large ; Powdered Free; Latex Free; Nitrile; 100's/box		8,333 box					
9	Puncture proof sharp collector , 5-5.5 Liters; with visible fill level indicator; compatible with existing locking cabinets		500un it					
10	Interfolded Paper towel ; 175 pulls/ pack		2,000 packs					
11	Hydrogen peroxide plus silver solution ; broad spectrum disinfectant, odorless, colorless, for high level disinfection, 99.95 biodegradable; 5L/ carboys		50 carboys					
12	Disinfectant concentrate (Benzalkonium Chloride, Didecylidimethylammoniumchloride, Polyhexamethylenebiguanide hydrochloride) 1L/ Bottle		30 liter					
13	KN95 mask , Anti- Viral; 4 layer mask with Polypropylene; Highly effective against influenzae viruses; NIOSH APPROVED; Large		2,000 pcs					
14	KN95 mask , Anti- Viral ; 4 layer mask with Polypropylene; Highly effective against influenzae viruses; NIOSH APPROVED; Medium		2,000 pcs					
15	Absorbent Cotton ; 40's 28 x 24 Mesh; 36 " x 100 yds - 2 ply		36 rolls					

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____

Project ID No. UMC 22-34 Page 2 of 3

Revised as indicated in the Bid Bulletin

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit Price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit Price Delivered Duty Paid (DDP)	Total Price Delivered DDP (col 4 x 8)
16	Digital BP Apparatus: Oscillometric Measuring method; memory function: Storage and recall 90 measurements with average; Digital LCD; Pressure: 0-280 mmHg; Pulse 40-199/ minute; Sensor accuracy: 3mmHg and Pulse 5%; Electro Pneumatic pump, 24-34 arm size range; Power:6 Volts or 4 AA battery; Weight:460g; automatic power off. (with warranty card)		15 unit					
17	UV-C Trolley 1 arm 2x30 watts lamp tubes ; Set up time upto 120 minutes; Ozone free; Remote Controlled; lamp type: UV-C mercury; UVC wavelength: 254 nm; Ozone free quartz glass tube type; Coverage area: 60-80 sqm; Dimension: 335 x 305 x 106 mm; Radiation intensity 180		10 Unit					
18	Thermoscanner with tripod: Accuracy 0.2 degrees; measuring distance: 5- 10 cm; can standby for 1 week; Operating Method: 10-40 C; Response time: 0.5 seconds; Charging method: USB charging or battery; weight: 350 g; Dimension: 170 x 115 x 140 mm; Infrared measuring range: 0-50 C; With digital display		15 unit					
19	Non Contact Forehead Thermometer: Precise Non-Contact Measurements, User Selectable C or F; Automatic Selection Range and Display Resolution; Selectable Body or surface temperature; Set alarm value memorization of the last 32 measurements, Automatic data hold and auto power off; Backlight LED Display; Specifications: Body Mode 32- 42.5 degrees celcius; Measuring Distance: 1-15 cm; Response Time: 0.5 seconds		20 unit					
20	Pulse Oximeter: Power Supply: 2 x AAA 1.5V; with backlit screen, large fonts; High definition large fonts;2-Direction Display Adjustable, Allow You To View Your Results In Different Direction; Low Voltage Indicator, Real-Time Spot-Checks; Small Portable Size Makes It Easy To Handle And Carry; Oxygen Saturation: 36%-99% ±2%; Display Method: 20mA-120mA Working Method: Intermittent operation; Size: 5.8x3.2x3cm;		20 unit					

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ **Project ID No. UMC 22-34** Page **3 of 3**
Revised as indicated in the Bid Bulletin

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit Price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit Price Delivered Duty Paid (DDP)	Total Price Delivered DDP (col 4 x 8)
21	Disinfectant sprayer ; 2 Liters; heavy duty hard plastic; adjustable nozzle from spray to mist		100 unit					
22	Foot Bath ; Size: 53CM. x 43CM; set comes with 1 sturdy and durable disinfectant foot mat with tray;set include Foot rubber tray Foot bath mat		10 unit					
23	UV Box ; Size: 25inx17inx15in Capacity: 70L megabox UVC tube 8watts 220 vac outlet		10 unit					
24	UV Light Bulb (Germicidal tubes T8; 30 watts)		40 unit					
	TOTAL BID							

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____

Project ID No. UMC 22-34 Page 1 of 3

Revised as indicated in the Bid Bulletin

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
1	Disposable Full Face shield; Anti fog; latex free; one size fits all; soft head foam; comfort stretch band		3,000 pcs						
2	Disinfectant tablet 2.5g, 100's (NaDcc) Sodium Dichloroicysocyanurate, effervescent base		120 jar						
3	Ethyl Alcohol 70%; with moisturizer, 500 ml/ bottle		5,000 bot						
4	Hand Antiseptic in 100g, 68g Ethyl Alcohol, hypoallergenic, bactericidal, fungicidal, tuberculocidal		430 gal						
5	Ready to use disinfectant wipes (alcohol free, aldehyde free, phenol free, phosphate free, bleach free, ammonia free, odorless, soft and non abrasive) 50/s per pack		200 pack						
6	Examination Gloves (clean); small ; Powdered Free; Latex Free; Nitrile; 100's/box		3,333 box						
7	Examination Gloves (clean); medium ; Powdered Free; Latex Free; Nitrile; 100's/box		8,333 box						
8	Examination Gloves (clean); large ; Powdered Free; Latex Free; Nitrile; 100's/box		8,333 box						
9	Puncture proof sharp collector , 5-5.5 Liters; with visible fill level indicator; compatible with existing locking cabinets		500 unit						
10	Interfolded Paper towel ; 175 pulls/ pack		2,000 packs						
11	Hydrogen peroxide plus silver solution ; broad spectrum disinfectant, odorless, colorless, for high level disinfection, 99.95 biodegradable; 5L/ carbouys		50 carbouys						
12	Disinfectant concentrate (Benzalkonium Chloride, Didecyldimethylammoniumchloride, Polyhexamethylenebiguanide hydrochloride) 1L/ Bottle		30 liter						
13	KN95 mask , Anti- Viral; 4 layer mask with Polypropylene; Highly effective against influenzae viruses; NIOSH APPROVED; Large		2,000 pcs						

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____

Project ID No. UMC 22-34 Page **2 of 3**

Revised as indicated in the Bid Bulletin

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
14	KN95 mask , Anti- Viral ; 4 layer mask with Polypropylene; Highly effective against influenzae viruses; NIOSH APPROVED; Medium		2,000 pcs						
15	Absorbent Cotton ; 40's 28 x 24 Mesh; 36 " x 100 yds - 2 ply		36 rolls						
16	Digital BP Apparatus ; Oscillometric Measuring method; memory function: Storage and recall 90 measurements with average; Digital LCD; Pressure: 0-280 mmHg; Pulse 40-199/ minute; Sensor accuracy: 3mmHg and Pulse 5%; Electro Pneumatic pump, 24-34 arm size range; Power:6 Volts or 4 AA battery; Weight:460g; automatic power off. (with warranty card)		15 unit						
17	UV-C Trolley 1 arm 2x30 watts lamp tubes ; Set up time upto 120 minutes; Ozone free; Remote Controlled; lamp type: UV-C mercury; UVC wavelenght: 254 nm; Ozone free quarts glass tube type; Coverage area: 60-80 sqm; Dimension: 335 x 305 x 106 mm; Radiation intensity 180		10 Unit						
18	Thermoscanner with tripod : Accuracy 0.2 degrees; measuring distance: 5-10 cm; can standby for 1 week; Operating Method: 10-40 C; Response time: 0.5 seconds; Charging method: USB charging or battery; weight: 350 g; Dimension: 170 x 115 x 140 mm; Infrared measuring range: 0-50 C; With digital display		15 unit						
19	Non Contact Forehead Thermometer : Precise Non-Contact Measurements, User Selectable C or F; Automatic Selection Range and Display Resolution; Selectable Body or surface temperature; Set alarm value memorization of the last 32 measurements, Automatic data hold and auto power off; Backlight LED Display; Specifications: Body Mode 32- 42.5 degrees celcius; Measuring Distance: 1-15 cm; Response Time: 0.5 seconds		20 unit						

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ *Project ID No. UMC 22-34 Page 3 of 3*

Revised as indicated in the Bid Bulletin

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
20	Pulse Oximeter: Power Supply: 2 x AAA 1.5V; with backlit screen, large fonts; High definition large fonts; 2-Direction Display Adjustable, Allow You To View Your Results In Different Direction; Low Voltage Indicator, Real-Time Spot-Checks; Small Portable Size Makes It Easy To Handle And Carry; Oxygen Saturation: 36%-99% ±2%; Display Method: 20mA-120mA Working Method: Intermittent operation; Size: 5.8x3.2x3cm;		20 unit						
21	Disinfectant sprayer; 2 Liters; heavy duty hard plastic; adjustable nozzle from spray to mist		100 unit						
22	Foot Bath; Size: 53CM. x 43CM; set comes with 1 sturdy and durable disinfectant foot mat with tray; set include Foot rubber tray Foot bath mat		10 unit						
23	UV Box; Size: 25inx17inx15in Capacity: 70L megabox UVC tube 8watts 220 vac outlet		10 unit						
24	UV Light Bulb (Germicidal tubes T8; 30 watts)		40 unit						
	TOTAL BID								

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____