E. Lopez St., Jaro, Iloilo City

"PhilHealth Accredited Health Care Provider"





Tel No.: (033) 320 2431 | Fax No.: (033) 3202623 | Email Address: medcenter@wvsu.edu.ph

SUPPLEMENTAL/BID BULLETIN

Project Reference No. IB No. 24-24 Name of the Project

Procurement of Various Medical Equipment

Location of the Project WVSU Medical Center

ADDENDUM NO. 01 - 2024

June 5, 2024

This Addendum No. 01 is issued to modify or amend items in the Bidding Documents. Attached are the Revised Section III. Bid Data Sheet (page 12), Section VI. Schedule of Requirements (page 17), Section VII. Technical Specifications (pages 18-23) and Price Schedule for Goods (page 27). These shall form an integral part of the Bidding Documents.

A. Invitation to Bid

As Specified in the Bidding Documents	Corrections/Modifications/Amendments
Bid opening shall be on June 17, 2024 1:30 P.M.	Bid opening shall be on <u>June 19, 2024</u> 1:30 P.M.

	As Specified in the Bidding Documents	Corrections/Modifications/Amendments
ltem No.	Item Description	Item Description
1	Mechanical Ventilator	
	• Features:	, All (A)
	✓ Suitable for neonatal, pediatric and adult patients	
	✓12.1-12.5-inch High Resolution color touchscreen	
	✓ Multiple ventilation modes: Volume and Pressure A/C, SIMV,PSV,PSV S/T	✓ Multiple ventilation modes: Volume and Pressure A/C, SIMV,PSV,PSV S/T or PSV/CPAP
	✓ Advance ventilation modes: Duo level, PRVC, APRV, AMV (Adaptive Minute Ventilation)	
	✓ Adjustable high flow oxygen therapy up to 80 lpm	
	✓ Weaning parameters including: NIF, P0.1, RSBI, WOB	✓ Weaning parameters including: NIF, P0.1, RSBI, WOB (optional)
	✓ Dynamic lung image with summarized lung mechanics information.	
	✓Battery runtime up to 3 hours	✓Battery runtime at least 3 hours
	✓Built-in nebulizer with timer, suction procedure mode	
	✓ Detachable and high-temperature autoclave inspiratory and expiratory valves	✓ Detachable and high-temperature autoclavable inspiratory and expiratory valves
	✓ Non-invasive ventilation for all breath types, with automatic leak compensation	
	✓ Maximum leakage compensation flow: adult: 65L/min, pedia:45L/min, neonate 15L/min	
	✓ Caters from neonates up to adult patients, with pressure and flow triggers	
	✓ Graphics and table trend data ✓ Trends, logs, screen captures for teaching and research purposes, support HL7	
	✓Tidal Volume: Adult- 100 to 200ml, Pedia- 20 to 300 ml, Neonate- 2- 100ml	✓Tidal Volume: Adult- 100 to 2000ml, Pedia- 20 to 300 ml, Neonate- 2- 100ml
	✓ Detachable from trolley and can be used as portable transport ventilator	
	Accessories included:	
	✓O2 regulator	
	✓O2 hose (DISS AUS AND US)	
	✓ Trolley and support arm	

E. Lopez St., Jaro, Iloilo City

"PhilHealth Accredited Health Care Provider"

Tel No.: (033) 320 2431 | Fax No.: (033) 3202623 | Email Address: medcenter@wvsu.edu.ph



SUPPLEMENTAL/BID BULLETIN

Project Reference No. <u>IB No. 24-24</u>

Name of the Project

Procurement of Various Medical Equipment

Location of the Project WVSU Medical Center


ADDENDUM NO. <u>01 - 2024</u>

June 5, 2024

11	As Specified in the Bidding Documents	Corrections/Modifications/Amendments
Item No.	Item Description	Item Description
	✓Disposable Breathing circuit (1 adult, 1 pedia, 1 neonate)	
	✓ Test Lung (1 adult, 1 pedia and 1 neonate)	✓ Test Lung (1 adult, 2 pedia/neonate)
	✓ Heated Humidifier kit	
	√1 ea Display expiratory valve	✓1 Disposable expiratory valve
	✓ Neonatal module	
	✓ Neonatal flow sensor	
	✓ Provide Equipment Manual in English Language	
	Power Requirements:	
T	√220v, with back up battery (lithium battery, rechargeable) that can last for 22-24 hours.	✓ 220v, (lithium battery, rechargeable and running time of about 180 minutes)
	✓Battery run time of about 180 minutes	✓ Will provide external UPS that can last for 3-5 hours.
	Service Maintenance:	
	✓Inclusive of TWO (2) year Preventive Maintenance and Calibration	
	✓ Response time at 72 hours with available technician	
	•Warranty:	
	✓One (1) year on parts and (2 YEARS) SERVICES with labor with free quarterly preventive maintenance during warranty period	
	DURING DELIVERY AND COMMISSIONING WILL HAVE ONSITE CALIBRATION	
	Other Additional Requirements:	
	✓ Certification from legal manufacturer about the specific brand and model to be purchased and how long it has been in the market in the Philippines.	✓ Certification from legal manufacturer that the brand and model being offered has been in the market for at least tyears.
	✓ Certification from 10 major hospitals in the Philippines with attachments of sales invoice.	✓ Certification of delivery with good product performance from 3 secondary to tertiary hospitals in the Philippines.
2	Cardiac Monitor with complete accessories	Cardiac Monitor with Biphasic Defibrillator
	Specifications:	
	Brand New Unit with trolley	
	Defibrillator with specifications for pediatric and adult patients.	
	NIBP capable with accessories (BP cuff to	
	accommodate pediatric patients)	
	 SpO2 monitoring with sensor (adult and pedia) 	
	 ECG Monitoring, recording and printing 	
	Different modes available:	
	 Manual Mode, AED Mode and synchronous defibrillation (with infant/child capability) 	
	Convertible external paddles with functions buttons	
	for both Pediatric and Adult, charging time 5-8 seconds	
	Sensor detection for pad/lead placement	
	•Supply Unit: Power Supply Main line: 220 V/ 240V	The second secon
1	or Autovolt	

E. Lopez St., Jaro, Iloilo City

"PhilHealth Accredited Health Care Provider"





SUPPLEMENTAL/BID BULLETIN

Project Reference No. IB No. 24-24

Name of the Project

Procurement of Various Medical Equipment

Location of the Project WVSU Medical Center

ADDENDUM NO. <u>01 - 2024</u>

June 5, 2024

	As Specified in the Bidding Documents	Corrections/Modifications/Amendments
em No.	Item Description	Item Description
	 lithium battery support 5-10 hours monitoring / 200 shocks 360J/ 4.5h pacing with LED power indicator 	
	-Auto volt smart charging	
	-rugged casing: IP44 at impact of 0.75m	
	-ECG cable with lead wires	
	-Thermal printer/recorder	
	-AED Pad kits	-AED Pad kits for adult and pedia
	Regulatory Standard Compliance ISO- 14385- 2003:2016; CE123 (please provide copy of certificate)	 Regulatory Standard Compliance ISO- 13485- 2003:2016; CE123 (please provide copy of certificate)
	Terms and Conditions (Please provide certification):	
	Covers a 1-2 years warranty	•Covers 2 years warranty
	 Free preventive maintenance: Should have a quarterly preventive maintenance during the warranty period. 	
	 Should have an Authorized service center in the Visayas 	
	Technicians should comply with the required 72	
	hours response time for trouble shooting purposes	
	If the units needs to be pulled out while being	
	repaired, company should have an available back-up	
	equipment of similar specifications for use	
	-Provide product demo to end users upon delivery	
	-Replacement of unit if defective upon delivery	
3	Bubble CPAP Machine	
	Brand New	
	Heavy Duty	
	Pediatric and Neonate-Compatible	
	with build-in air blender	
	with oxygen blender	
	with oxygen tubing	
	with flowmeter indicator	
	with pressure gauge indicator	
	with stand/trolley for fast transport with 4-5 swivel caster wheels	
	Oxygen concentration: 20%-100%	Oxygen concentration: 21%-100%
	CPAP range: 0cmH2O-10cmH2O	
	• Flow:1.5L/min-16L/min	
	Gas source: medical compressed air and medical grade oxygen	
	Pressure: 270kPa - 600 kPa	
	Main component: wooden case packing	(delete) • Main component: wooden case packing
	 with complete accessories (nasal cannula, humidifier, basket holder, compatible piping, main engine, piping hanger, water pressure generator, humidifier 	

E. Lopez St., Jaro, Iloilo City

"PhilHealth Accredited Health Care Provider"







SUPPLEMENTAL/BID BULLETIN

Project Reference No. IB No. 24-24

Name of the Project

Procurement of Various Medical Equipment

Location of the Project WVSU Medical Center

ADDENDUM NO. 01 - 2024


June 5, 2024

	As Specified in the Bidding Documents	Corrections/Modifications/Amendments
Item No.	Item Description	Item Description
	 The supplier provides training to the end-user in the installation of accessories and operation of the equipment. 	
	After sales requirements. Please provide certification for the following:	
	 Should have an Authorized service center in the Visayas 	
	 Replacement of unit if defective upon delivery 	(delete) - Replacement of unit if defective upon delivery
	 72 hours response time for technicians for troubleshooting purpose 	
	 Available same equipment for use if the unit needs to be pulled out while being repaired 	
	 Supplier ensures availability and immediate supply of spare parts for the duration of the warranty period 	
	 Provide preventive maintenance agreement after the warranty 	
	- Quality Assurance (ISO, TUV, etc.): ISO 13485	
	- Warranty: 1-2 years warranty	- Warranty: 2 years warranty
4	Patient Transport Stretcher, Heavy Duty, Brand New	
	Technical Specifications:	
	 The bed must be hydraulic, heavy-duty, and can be raised and lowered, tilted forward and backward which is controlled by the treadle lying on two sides of the bed. 	
	Made of galvanized steel tube and surface coated by electrostatic spray	
	 Electrostatic spray steel frame and ABS base with protective round roller bumpers in every comer. 	
	Dimension: Height Adjustment: (1)High: 85cm-95cm; (2)Low: 55cm-60cm	
The state of the s	 Function: Backrest Lifting Angle: 0-90°(±5°), Leg-rest Lifting Angle: 0-50°(±5°); Knee-rest Section:0-50°; Reversed Trendelenburg Angle: 0-18°(±5°); Trendelenburg Angle:0-18°(±5°) 	
	 Collapsible Stainless Steel protective railing; Guard Rail Size (LxW): 122-125cm x 55-58cm; Height: 40cm-42-cm 	
	Mattress Size (LxW): 190-195cm x 68-70cm; Thickness: 7cm-12cm	
	Net Weight: 105kg-150kg; Maximum Weight Capacity (Safe Working Load)- 250 kg-350kg	
	Caster Diameter: 20cm-22cm. 360° swivel four (4) heavy-duty caster wheels with center-controlled braking system. Central-lock castors. Matched with a direction castor under the chassis helps the user easily control the stretcher direction.	



E. Lopez St., Jaro, Iloilo City

"PhilHealth Accredited Health Care Provider"





SUPPLEMENTAL/BID BULLETIN

Project Reference No. IB No. 24-24

Name of the Project

Procurement of Various Medical Equipment

Location of the Project WVSU Medical Center

ADDENDUM NO. <u>01 - 2024</u>

June 5, 2024

B. Technical Specifications

	As Specified in the Bidding Documents	Corrections/Modifications/Amendments
Item No.	Item Description	Item Description
	 IV Pole height adjustment: 85cm-155cm. Adjustable and detachable telescopic IV pole, easy to use and store. 	
	 The bottom cover is made of PP material and shaped by once injection that can be easily cleaned. 	
	 The cart surface is of separate structure and the upper part is supported by the imported large hydraulic pole to make the bed never sway. 	The cart surface is of separate structure and the upper part is supported by a large hydraulic pole for stability.
	 Color-coded pedals and functions graphics are quickly and easily understood. 	
	 Radiolucent bed board for easy and safe x-rays. 	
	Standard accessories:	
	✓ IV Pole and Holes, Bumpers, Transport Handle, Hooks, Restraint Straps, Portable Oxygen tank holder.	
	Regulatory Standard Compliant:	
	✓ Quality Assurance (ISO, TUV, etc): ISO 13485	
	Requirements:	
	 Aftersales warranty of 1-2 years on parts and services after the acceptance by the end-user. Certification must be provided. 	Aftersales warranty of 2 years on parts and services after the acceptance by the end-user. Certification must be provided.
	 With available technical assistance specialists that can respond within 48-72 hours upon request. 	
	 Must provide at least three (3) certifications of good quality and performance from tertiary hospitals of the same unit or equivalent. 	Must provide at least three (3) certifications of good <i>quality performance</i> from tertiary hospitals of the same unit or equivalent.

For guidance and information of all concerned.

n.Q

Chairperson Bids and Awards Committee	mχ
Received by the Bidder:	
Printed Name & Signature	
Name of Bidder/Company	
Date:	

CESAR Q. TRONCO, R.N.

Section III. Bid Data Sheet

(Revised as indicated in the Bid Bulletin No. 01-2024)

Clause							
5.3	For this purpose, contracts similar to the Project shall be:						
	a.	Procurement of Various Medical Equipmen					
	b.	Completed within 2 years prior to the deadli	ne for the	submission	and receipt of bid		
7.1	N/A			Alexandra A			
12	The p	orice of the Goods shall be quoted DDP <u>in P</u> nercial Terms (INCOTERMS) for this Project.	Philippines	or the app	olicable Internation		
14.1	The b	id security shall be in the form of a Bid Secuand amounts:	ring Decl	aration, or	any of the following		
	a.	The amount of not less than <i>PhP 129,000.0</i> percent (2%) of ABC], if bid security is idraft/guarantee or irrevocable letter of credit	n cash, ca	te the amor ashier's/ma	unt equivalent to t nager's check, ba		
	b.	The amount of not less than <i>PhP 322,500.0</i> percent (5%) of ABC] if bid security is in Su			ınt equivalent to f		
19.3 Procurement of Various Medical Equipment - P 6,450,000.00							
	Procu	rement of Various Medical Equipment - P o	5,450,000.	00			
	Item No.	rement of Various Medical Equipment - P o	0,450,000. Qty.	00 Unit	ABC		
	Item	• •			ABC 2,400,000.00		
	Item No.	Description	Qty.	Unit	2,400,000.00		
	Item No.	Description Mechanical Ventilator Cardiac Monitor with Biphasic	Qty.	Unit unit	2,400,000.00		
	Item No.	Description Mechanical Ventilator Cardiac Monitor with Biphasic Defibrillator	Qty. 2 7	Unit unit unit	2,400,000.00		
	1 2 3	Description Mechanical Ventilator Cardiac Monitor with Biphasic Defibrillator Bubble CPAP Machine Patient Transport Stretcher, Heavy	Qty. 2 7	Unit unit unit unit	2,400,000.00 2,800,000.00 500,000.00		
20.2	1 2 3 4	Description Mechanical Ventilator Cardiac Monitor with Biphasic Defibrillator Bubble CPAP Machine Patient Transport Stretcher, Heavy Duty, Brand New	Qty. 2 7	Unit unit unit unit	2,400,000.00 2,800,000.00 500,000.00 750,000.00		

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

	(Revisea as indicated in the Bid Bulletin No. 01-2024)						
Item No.		Qu	antity	Total 2 unit	Delivered, Weeks/Months		
1		2	unit				
2	Cardiac Monitor with <i>Biphasic</i> <i>Defibrillator</i>	7	unit	7 unit			
3	Bubble CPAP Machine	1	unit	1 unit			
4	Patient Transport Stretcher, Heavy Duty, Brand New	5	unit	5 unit			
	nothing follows						
				7-7-1-1-1			

Name of Bidder:_	
Submitted by:	
	(Printed Name and Signature)
Designation:	-
Date:	

Section VII. Technical Specifications

Item	Specification						
No.		Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]					
	Procurement of Various Medical Equipment	Qty	Unit	Brand	Model	Statement of Compliance	
1	Mechanical Ventilator	2	unit				
	• <u>Features:</u>						
	✓ Suitable for neonatal, pediatric and adult patients						
	✓12.1-12.5-inch High Resolution color touchscreen						
	✓ Multiple ventilation modes: Volume and Pressure A/C, SIMV,PSV,PSV S/T or PSV/CPAP						
	✓ Advance ventilation modes: Duo level, PRVC, APRV, AMV (Adaptive Minute Ventilation)						
	✓ Adjustable high flow oxygen therapy up to 80 lpm						
	 ✓ Weaning parameters including: NIF, P0.1, RSBI, WOB (optional) 						
	✓ Dynamic lung image with summarized lung mechanics information.						
	✓ Battery runtime at least 3 hours						
	✓ Built-in nebulizer with timer, suction procedure mode						
	✓ Detachable and high-temperature autoclavable inspiratory and expiratory valves						
	✓ Non-invasive ventilation for all breath types, with automatic leak compensation						
	✓ Maximum leakage compensation flow: adult: 65L/min, pedia:45L/min, neonate 15L/min						
	✓ Caters from neonates up to adult patients, with pressure and flow triggers	7					
	✓ Graphics and table trend data						
	✓ Trends, logs, screen captures for teaching and research purposes, support HL7						
	√ Tidal Volume: Adult- 100 to 2000ml, Pedia- 20 to 300 ml, Neonate- 2- 100ml						
	✓Detachable from trolley and can be used as portable transport ventilator						
	Accessories included:						
	✓O2 regulator						
	✓O2 hose (DISS AUS AND US)						
	✓ Trolley and support arm						
	✓Disposable Breathing circuit (1 adult, 1 pedia, 1 neonate)						
	✓Test Lung (1 adult, 2 pedia/neonate)						
	✓ Heated Humidifier kit						

Section VII. Technical Specifications

Specification Statement of Compliance							
	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of						
	compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]						
Procurement of Various Medical Equipment	Qty	Unit	Brand	Model	Statement of Compliance		
✓1 Disposable expiratory valve							
✓ Neonatal module							
✓ Neonatal flow sensor							
✓ Provide Equipment Manual in English Language							
Power Requirements:							
✓ 220v, (lithium battery, rechargeable and running time of about 180 minutes)							
✓ Will provide external UPS that can last for 3-5 hours.							
Service Maintenance:							
✓Inclusive of TWO (2) year Preventive Maintenance and Calibration							
✓ Response time at 72 hours with available technician							
•Warranty:							
✓One (1) year on parts and (2 YEARS) SERVICES with labor with free quarterly preventive maintenance during warranty period							
DURING DELIVERY AND COMMISSIONING WILL HAVE ONSITE CALIBRATION							
Other Additional Requirements:							
brand and model being offered has been in the			i				
✓ Certification of delivery with good product performance from 3 secondary to tertiary hospitals in the Philippines.							
Cardiac Monitor with Biphasic Defibrillator	7	unit					
Specifications:							
◆Brand New Unit with trolley							
 Defibrillator with specifications for pediatric and adult patients. 							
 NIBP capable with accessories (BP cuff to accommodate pediatric patients) 							
SpO2 monitoring with sensor (adult and pedia)							
 ECG Monitoring, recording and printing 							
Different modes available:							
 Manual Mode, AED Mode and synchronous defibrillation (with infant/child capability) 							
Convertible external paddles with functions buttons for both Pediatric and Adult, charging time 5-8 seconds							
	Procurement of Various Medical Equipment **1 Disposable expiratory valve* Neonatal module Neonatal flow sensor Provide Equipment Manual in English Language **Power Requirements: **220v, (lithium battery, rechargeable and running time of about 180 minutes) **Will provide external UPS that can last for 3-5 hours. **Service Maintenance: **Inclusive of TWO (2) year Preventive Maintenance and Calibration **Response time at 72 hours with available technician **Warranty: **One (1) year on parts and (2 YEARS) SERVICES with labor with free quarterly preventive maintenance during warranty period **DURING DELIVERY AND COMMISSIONING WILL HAVE ONSITE CALIBRATION **Other Additional Requirements: **Certification from legal manufacturer that the brand and model being offered has been in the market for at least 5 years. **Certification of delivery with good product performance from 3 secondary to tertiary hospitals in the Philippines. Cardiac Monitor with Biphasic Defibrillator Specifications: **Brand New Unit with trolley **Defibrillator with specifications for pediatric and adult patients. **NIBP capable with accessories (BP cuff to accommodate pediatric patients) **SpO2 monitoring with sensor (adult and pedia) **ECG Monitoring, recording and printing **Different modes available: **Manual Mode, AED Mode and synchronous defibrillatoric not be delivered and adult, charging time 5-8	Budders individual paramete supportect shall be statement independ or is subsurder evaluation fraudulent applicable	Bidders must state h Individual parameters	Procurement of Various Medical Equipment Procurement of Various Medical promoters of the regiment of the properties of the subsequently found in the limit to form of manufacturer's statement of specification and compliant independent test state etc., as appropriate. It is statement of specification and compliant independent test state etc., as appropriate. It is statement of specifications and compliant independent test state etc., as appropriate. It is statement of specifications and compliant independent test state etc., as appropriate. It is statement of the statement	Procurement of Various Medical Equipment direct of the supported by systems on additional submember of the equipment direct submember of the equipment direct submember of the equipment direct submember of the equipment of products and econoplance represented to shall be in the form of manufacturer's ton-amended sales statements of specification and compliance represented to the constraints of specification and compliance represented to shall be in the form of manufacturer's ton-amended sales assessments of specification of the constraints of the Continuous of the Continuous performance of the constraints of the Continuous of the C		

Section VII. Technical Specifications IB No. UMC 24-24 Procurement of Various Medical Equipment

Item No.	Specification	individua paramete supported shall be statement independi or is subs under evi compliant evaluatio fraudulen	Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]							
	Procurement of Various Medical Equipment	Qty	Unit	Brand	Model	Statement of Compliance				
	 Sensor detection for pad/lead placement 									
	 Supply Unit: Power Supply Main line: 220 V/ 240V or Autovolt 									
	 lithium battery support 5-10 hours monitoring / 200 shocks 360J/ 4.5h pacing with LED power indicator 									
	-Auto volt smart charging									
	-rugged casing: IP44 at impact of 0.75m									
	–ECG cable with lead wires									
	-Thermal printer/recorder									
	-AED Pad kits for adult and pedia									
	Regulatory Standard Compliance ISO- 13485- 2003:2016; CE123 (please provide copy of certificate)									
	Terms and Conditions (Please provide certification):									
	•Covers 2 years warranty									
	 Free preventive maintenance: Should have a quarterly preventive maintenance during the warranty period. 									
	 Should have an Authorized service center in the Visayas 									
	 Technicians should comply with the required 72 hours response time for trouble shooting purposes 									
	 If the units needs to be pulled out while being repaired, company should have an available back-up equipment of similar specifications for use 									
	-Provide product demo to end users upon delivery									
	-Replacement of unit if defective upon delivery									
3	Bubble CPAP Machine	1	unit							
	Brand New									
	Heavy Duty									
	Pediatric and Neonate-Compatible									
	with build-in air blender									
	with oxygen blender									
	with oxygen tubing									
	with flowmeter indicator									

Section VII. Technical Specifications IB No. UMC 24-24 Procurement of Various Medical Equipment (Revised as indicated in the Bid Bulletin No. 01-2024)

Item No.	Specification	Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]							
	Procurement of Various Medical Equipment	Qty	Unit	Brand	Model	Statement of Compliance			
	with pressure gauge indicator								
	 with stand/trolley for fast transport with 4-5 swivel caster wheels 								
	Oxygen concentration: 21%-100%								
	CPAP range: 0cmH2O-10cmH2O		,						
	• Flow:1.5L/min- 16L/min								
	 Gas source: medical compressed air and medical grade oxygen 								
	• Pressure: 270kPa - 600 kPa								
	 with complete accessories (nasal cannula, humidifier, basket holder, compatible piping, main engine, piping hanger, water pressure generator, humidifier 								
	 The supplier provides training to the end-user in the installation of accessories and operation of the equipment. 								
	After sales requirements. Please provide certification for the following:								
	 Should have an Authorized service center in the Visayas 								
	 72 hours response time for technicians for troubleshooting purpose 								
	Available same equipment for use if the unit needs to be pulled out while being repaired								
	 Supplier ensures availability and immediate supply of spare parts for the duration of the warranty period 								
	 Provide preventive maintenance agreement after the warranty 								
	- Quality Assurance (ISO, TUV, etc.): ISO 13485								
	- Warranty: 2 years warranty		THE RESERVE OF THE PARTY OF THE						
4	Patient Transport Stretcher, Heavy Duty, Brand New	5	unit						
	Technical Specifications:								
	The bed must be hydraulic, heavy-duty, and can be raised and lowered, tilted forward and backward which is controlled by the treadle lying on two sides of the bed.								

Section VII. Technical Specifications

Item	Specification	Statement of Compliance							
No.		Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test date etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]							
	Procurement of Various Medical Equipment	Qty	Unit	Brand	Model	Statement of Compliance			
	Made of galvanized steel tube and surface coated by electrostatic spray								
	 Electrostatic spray steel frame and ABS base with protective round roller bumpers in every corner. 								
	• Dimension: Height Adjustment: (1)High: 85cm-95cm; (2)Low: 55cm-60cm								
	 Function: Backrest Lifting Angle: 0-90°(±5°), Leg-rest Lifting Angle: 0-50°(±5°); Knee-rest Section:0-50°; Reversed Trendelenburg Angle: 0-18°(±5°); Trendelenburg Angle:0-18°(±5°) 								
	 Collapsible Stainless Steel protective railing; Guard Rail Size (LxW): 122-125cm x 55-58cm; Height: 40cm-42-cm 								
	Mattress Size (LxW): 190-195cm x 68-70cm; Thickness: 7cm-12cm								
	 Net Weight: 105kg-150kg; Maximum Weight Capacity (Safe Working Load)- 250 kg-350kg 								
	 Caster Diameter: 20cm-22cm. 360° swivel four (4) heavy-duty caster wheels with center-controlled braking system. Central-lock castors. Matched with a direction castor under the chassis helps the user easily control the stretcher direction. 								
	 IV Pole height adjustment: 85cm-155cm. Adjustable and detachable telescopic IV pole, easy to use and store. 								
	 The bottom cover is made of PP material and shaped by once injection that can be easily cleaned. 								
	 The cart surface is of separate structure and the upper part is supported by a large hydraulic pole for stability. 								
	Color-coded pedals and functions graphics are quickly and easily understood.								
	Radiolucent bed board for easy and safe x-rays.								
	Standard accessories:								
	✓ IV Pole and Holes, Bumpers, Transport Handle, Hooks, Restraint Straps, Portable Oxygen tank holder.								

Section VII. Technical Specifications IB No. UMC 24-24 Procurement of Various Medical Equipment (Revised as indicated in the Bid Bulletin No. 01-2024)

Date:

·	The visea as maicated in the Dia Dutletin 140. 01-20.	24)					
Item No.	Specification	Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]					
	Procurement of Various Medical Equipment	Qty	Unit	Brand	Model	Statement of Compliance	
	Regulatory Standard Compliant:						
	✓ Quality Assurance (ISO, TUV, etc): ISO 13485						
	Requirements:						
	 Aftersales warranty of 2 years on parts and services after the acceptance by the end-user. Certification must be provided. 						
	With available technical assistance specialists that can respond within 48-72 hours upon request.						
	 Must provide at least three (3) certifications of good quality performance from tertiary hospitals of the same unit or equivalent. 						
	nothing follows						
	Name of Bidder:						

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder Project ID No. UMC 24-24 Page 1 of 1 (Revised as indicated in the Rid Rulletin No. 01 2024)

	(Revised as indicated in the Bid Bulletin No. 01-2024)								
1	2	3	4	5	6	7	8	9	10
Item	Description Procurement of Various Medical Equipment	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs meidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per umit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
1	Mechanical Ventilator		2 unit						
2	Cardiac Monitor with Biphasic Defibrillator		7 unit						
3	Bubble CPAP Machine		1 unit						
4	Patient Transport Stretcher, Heavy Duty, Brand New		5 unit						
	TOTAL BID								

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	