## WEST VISAYAS STATE UNIVERSITY MEDICAL CENTER

E. Lopez St., Jaro, Iloilo City

"PhilHealth Accredited Health Care Provider"



Tel No.: (033) 320 2431 | Fax No.: (033) 3202623 | Email Address: medcenter@wvsu.edu.ph

## SUPPLEMENTAL/BID BULLETIN

Project Reference No.

IB No. 24-26

Name of the Project

Procurement of Various Central Supply and Sterilization Department (CSSD) Supplies - A

Location of the Project WVSU Medical Center

## ADDENDUM NO. 01 - 2024

June 13, 2024

This Addendum No. 01 is issued to modify or amend items in the Bidding Documents. Attached are the Revised Section VII. Technical Specifications (pages 20-22). These shall form an integral part of the Bidding Documents.

A. Section VII. Technical Specifications

| A. Section VII. Technical Specifications  |  |  |  |  |
|---|--|--|--|--|
| ORIGINAL AS INDICATED IN THE BIDDING DOCUMENTS  | Corrections/Modifications/Amendments (in bold & italicized words)  |  |  |  |
| Additional Terms for Item No. 33, 34, & 35  |  |  |  |  |
| 6.) Free Unit must be quarterly maintained and calibrated at no<br>cost for the Medical Center for the duration of 1 year from<br>delivery providing service report data sheet and thru email.              | 6.) Free Unit must be quarterly maintained and<br>calibrated once within the warranty period at no<br>cost for the Medical Center for the duration of 1 year<br>from delivery providing service report data sheet and<br>thru email. |  |  |  |
| 7.) Supplier must provide free training work shop of re-<br>orientation for unit handling, operational service and future<br>upgrades to hospital staff members yearly at No Cost to the<br>Medical Center. |  |  |  |  |
| <ol> <li>Supplier must provide a printable and soft copy of work<br/>instructions on proper handling, maintenance, and<br/>operation flow and storage.</li> </ol>   |  |  |  |  |

For guidance and information of all concerned.

| CESAR Q. TRONCO, R.N. Chairperson Bids and Awards Committee                                   |   |
|---|---|
| For the Chairperson:  |   |
| PATRICIA P. TUPAS, D.D.M. Vice Chairperson, Bids and Awards Committee Received by the Bidder: | 1 |
| Printed Name & Signature  |   |
| Name of Bidder/Company  |   |
| Date:   |   |

Section VII. Technical Specifications

IB No. UMC 24-26 Procurement of Various Central Supply and Sterilization Department (CSSD) Supplies-A (Revised as indicated in the Bid Bulletin No. 01-2024)

| Item<br>No. | Specification   |      | Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's unamended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] |       |                         |  |
|-------------|---|------|--|-------|-------------------------|--|
|             | Procurement of Various Central Supply and Sterilization (CSSD) Supplies-A   | Qty  | Unit   | Brand | Statement of Compliance |  |
| 1           | Foley Catheter Needleless Fr. 8, sterile  | 200  | PIECE  |       |                         |  |
| 2           | Foley Catheter Needleless Fr. 14, sterile   | 800  | PIECE  |       |                         |  |
| 3           | Foley Catheter Needleless Fr. 16, sterile   | 1500 | PIECE  |       |                         |  |
| 4           | Foley catheter Needleless Fr. 18, sterile   | 200  | PIECE  | 7     |                         |  |
| 5           | Nasogastric Tube with Tip cover Fr. 5, minimum length is 100cm sterile and made from Nontoxic P.V.C. Grade material, Soft Rounded Tip, for atraumatic introduction. Large Lateral Eyes, permits effective drainage, Cap on the funnel for protection  | 200  | PIECE  |       |                         |  |
| 6           | Nasogastric Tube with Tip cover Fr. 8, minimum length is 100cm sterile and made from Nontoxic P.V.C. Grade material, Soft Rounded Tip, for atraumatic introduction. Large Lateral Eyes, permits effective drainage, Cap on the funnel for protection  | 200  | PIECE  | k.    |                         |  |
| 7           | Nasogastric Tube with Tip cover Fr. 10, minimum length is 100cm sterile and made from Nontoxic P.V.C. Grade material, Soft Rounded Tip, for atraumatic introduction. Large Lateral Eyes, permits effective drainage, Cap on the funnel for protection   | 100  | PIECE  |       |                         |  |
| 8           | Nasogastric Tube with Tip cover Fr. 12, minimum length is 100cm sterile and made from Nontoxic P.V.C. Grade material, Soft Rounded Tip, for atraumatic introduction. Large Lateral Eyes, permits effective drainage, Cap on the funnel for protection   | 100  | PIECE  |       | A.                      |  |
| 9           | Nasogastric Tube with Tip cover Fr. 14, minimum length is 100cm sterile and made from Nontoxic P.V.C. Grade material, Soft Rounded Tip, for atraumatic introduction. Large Lateral Eyes, permits effective drainage, Cap on the funnel for protection   | 500  | PIECE  | -     | ,                       |  |
| 10          | Nasogastric Tube with Tip cover Fr. 16, minimum length is 100cm sterile and made from Nontoxic P.V.C. Grade material, Soft Rounded Tip, for atraumatic introduction. Large Lateral Eyes, permits effective drainage, Cap on the funnel for protection   | 1000 | PIECE  |       |                         |  |
| 11          | Epidural Set G. 18 3" 1/2 length INCLUDES: Epidural needle (Tuohy bevel, 1 cm length marking, Diameter 1.30 x 80 mm, 18 G); Epidural catheter (Standard, Soft-Tip, or ONE catheter, Length 1000 mm, Threading assist guide); Catheter connector; Epidural-flat filter 0.2 $\mu$ m); (Filling volume 0.45 ml; Pressure resistant up to 7 bar; PinPad (Filter fixation device of 0.2 $\mu$ m filters and self-Self-adhesive patch). STERILE with Certification from NRFIT / ISO 80369:2016 / ISO 20698:2018 | 200  | PIECE  |       |                         |  |
| 12          | IV Connecting Tube, 120cm - 250cm; transparent, sterile, leur-lock system (Male and Female Adaptor)   | 300  | PIECE  |       |                         |  |
| 13          | Laryngeal Mass Airway / Supraglotic Airway Rigid - Made from a medical grade thermoplastic elastomer, designed to create a non-inflatable, anatomical seal of the pharyngeal. Size 2.0  | 8    | PIECE  |       |                         |  |
| 14          | Laryngeal Mass Airway / Supraglotic Airway Rigid - Made from a medical grade thermoplastic elastomer, designed to create a non-inflatable, anatomical seal of the pharyngeal. Size 3.0  | 12   | PIECE  |       |                         |  |
| 15          | Laryngeal Mass Airway / Supraglotic Airway Rigid - Made from a medical grade thermoplastic elastomer, designed to create a non-inflatable, anatomical seal of the pharyngeal. Size 4.0  | 12   | PIECE  |       |                         |  |

## Section VII. Technical Specifications IB No. UMC 24-26 Procurement of Various Central Supply and Sterilization Department (CSSD) Supplies-A (Revised as indicated in the Bid Bulletin No. 01-2024)

| Item<br>No. | Specification  Procurement of Various Central Supply and Sterilization  | Statement of Compliance  [Bidders must state here either "Comply" or "Not against each of the individual parameters of each Spe stating the corresponding performance parameter of the offered. Statements of "Comply" or "Not Comply" supported by evidence in a Bidders Bid and cross-refe that evidence. Evidence shall be in the form of manufact amended sales literature, unconditional statements of spe and compliance issued by the manufacturer, samples, in test data etc., as appropriate. A statement that is not supevidence or is subsequently found to be contradicted evidence presented will render the Bid under evaluation rejection. A statement either in the Bidder's state compliance or the supporting evidence that is found to either during Bid evaluation, post-qualification or the extended that the Contract may be regarded as fraudulent and render or supplier liable for prosecution subject to the applicant issuances.] |        | ly" or "Not Comply" is of each Specification cameter of the equipment Not Comply" must be and cross-referenced to mof manufacturer's unterments of specification r, samples, independent that is not supported by the eler evaluation liable for Bidder's statement of the state of the property of the state of the execution of the execution of the and render the Bidder is stated to the state of the state of the execution of the and render the Bidder. |            |
|-------------|---|---|--------|---|------------|
|             | (CSSD) Supplies-A   | Qty   | Unit   | Brand   | Compliance |
| 16          | Laryngeal Mass Airway / Supraglotic Airway Rigid - Made from a medical grade thermoplastic elastomer, designed to create a non-inflatable, anatomical seal of the pharyngeal. Size 5.0  | 4   | PIECE  |   |            |
| 17          | Wound Dressing medicated tulle gras 10cm x 10cm, made of cotton leno-weave fabric, impregnated with Soft Paraffin BP, containing 0.5% w/w Chlorhexidine Acetate BP.   | 500   | PIECE  |   |            |
| 18          | Rolled Gauze Unsterile (24cm x 28 yards mesh)   | 100   | Rolls  |   |            |
| 19          | Trocar, Disposable and sterile, 5mm bladed for laparoscopic use   | 6   | PIECE  |   |            |
| 20          | Trocar, Disposable and sterile, 12mm Blunt / Rounded Tip for laparoscopic use   | 10  | PIECE  |   |            |
| 21          | Suction Cath. Fr. 14 x 61 cm made from medical grade pvc material   | 400   | PIECE  |   |            |
| 22          | Suction Cath. Fr. 16 x 61 cm made from medical grade pvc material   | 800   | PIECE  |   |            |
| 23          | Suction Toothbrush w/ Universal Connecting tube   | 250   | PIECE  |   |            |
| 24          | Tracheal mask with Adaptor and oxygen connector   | 100   | PIECE  | s   |            |
| 25          | Povidone lodine (7.5% Solution) Skin Cleanser   | 25  | GALLON |   |            |
| 26          | Povidone Iodine (10% solution) Antiseptic   | 60  | GALLON |   |            |
| 27          | Chlorhexidine Digluconate 4% skin cleanser  | 20  | GALLON |   |            |
| 28          | Scalp Vein G.18 or 19, winged type with a minimum tube length of 12 inches (sterile)  | 1000  | PIECE  |   |            |
| 29          | Scalp Vein G. 20 or 21, winged type with a minimum tube length of 12 inch (sterile)   | 1000  | PIECE  |   |            |
| 30          | Disposable Surgical Catheter Mount Extension Tube with Double Swivel Elbow Connector Disposable Breathing Circuit (superset or its equivalent) STERILE The tube includes port with cap that allows insertion of suction catheters or bronchoscopes, and extends from 4 cm (1.57") to 13 cm (5.11") to reduce dead space for each application. This tube with connector also holds its shape, which allows for better positioning and helps maintain placement. The overall design is very lightweight, reducing torque and circuit weight, and it comes supplied clean and individually packaged. | 500   | PIECE  | ,   |            |
| 31          | Scratch Pad (Individually Packed and Sterile) Radiopaque foam pad which allows imaging verification in the event of lost pad. Adhesive back for convenient placement during surgical procedures. Provides effective cleaning properties, does not cause damage to the tips of electrosurgical pencils. Non-abrasive material; Provides high efficiency and durability; General Size: 5cm X 5cm  | 300   | SET    |   | ,          |
| 32          | Suction Tubing with Frazier tip sterile   | 200   | PIECE  |   |            |
| 33          | Sticker Labeler for plasma sterilizer with Free 3-Line Labeler having 3 print lines with 12 alphanumeric characters each, enabling easy and clear traceability of packages to be sterilized. With free 1 unit Labeler Gun   | 6   | ROLL   |   | ¥          |

Section VII. Technical Specifications

IB No. UMC 24-26 Procurement of Various Central Supply and Sterilization Department (CSSD) Supplies-A (Revised as indicated in the Bid Bulletin No. 01-2024)

| Item                          | Specification   | [Piddow-  | Sta  | tement of Compl  | iance                   |
|-------------------------------|---|---|------|--|-------------------------|
| No.                           |   | [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] |      | the equipment offered.  must be supported by enced to that evidence.  rer's un-amended sales fication and compliance endent test data etc., as reted by evidence or is evidence presented will rejection. A statement tance or the supporting mg Bid evaluation, postict may be regarded as a liable for prosecution |                         |
|                               | Procurement of Various Central Supply and Sterilization (CSSD) Supplies   | Qty   | Unit | Brand  | Statement of Compliance |
| 34                            | Sticker Labeler for hydrogen peroxide sterilizer with Free 3-Line Labeler having 3 print lines with 12 alphanumeric characters each, enabling easy and clear traceability of packages to be sterilized. With free 1 unit Labeler Gun.   | 3   | ROLL |  |                         |
| 35                            | Sticker Labeler for steam sterilizer with Free 3-Line Labeler having 3 print lines with 12 alphanumeric characters each, enabling easy and clear traceability of packages to be sterilized. With free 2 units Labeler Gun   | 8   | ROLL |  |                         |
| 36                            | Chemical Indicator tape for steam sterilizer size 25mm x 60m  | 15  | ROLL |  |                         |
|                               | TERMS:  |   |      |  |                         |
|                               | Items delivered should indicate the expiry above than     December of 2026.   |   |      |  |                         |
| gajanto transcaga ma 15 kg. m | 2.) Provide a written certification or Guarantee Letter upon acceptance to delivery: once expiry of items is below the required 2-year validity period as indicated above. (If items delivered failed to meet the aforementioned requirement supplier so must provide a guarantee letter indicating if not consumed within (3) three months prior to its expiration date, will be pulled out and be replaced with new stocks at no cost to the Medical Center). |   |      |  |                         |
| To all with many of per       | Must provide ISO or any International Accreditation Certification for verification of items once stipulated on the item requested.  |   |      |  |                         |
|                               | 4.) Provide a copy of readable Brochure indicating product specification of the items and country of origin.  |   |      |  |                         |
|                               | Delivery of items should be done within a 15 DAY period upon receipt of notice to proceed delivery in full quantities.  |   |      |  |                         |
|                               | Additional Terms for Item No. 33, 34, & 35  |   |      |  |                         |
|                               | 6.) Free Unit must be quarterly maintained and calibrated <i>once within the</i> warranty period at no cost for the Medical Center for the duration of 1 year from delivery providing service report data sheet and thru email.   |   |      |  |                         |
|                               | 7.) Supplier must provide free training work shop of re-orientation for unit handling, operational service and future upgrades to hospital staff members yearly at No Cost to the Medical Center.   |   |      |  |                         |
|                               | Supplier must provide a printable and soft copy of work instructions on proper handling, maintenance, and operation flow and storage.   |   |      |  |                         |

| Name of Bidder:_ |                              |
|------------------|------------------------------|
| Submitted by:    |                              |
| -                | (Printed Name and Signature) |
| Designation:     |                              |
| Date:            |                              |